

INSTYLE
BY ARTE LAMP

2025



2025







INSTYLE
BY ARTE LAMP






WALL LIGHTS

FOR OUTDOOR LIGHTING

 NEW BOSTO 19	 NEW NIMBO 20	 NEW CONRAD 23	 TAMBURELLO 23	 NEW RULLO 24	 NEW LANCIA 25
 DINO 25	 NEW ALGOL 26	 CROCE 28	 NEW COMETA 28	 NEW BUSTA 28	 NEW GUNTER 30
 NEW ALBA 30	 COMPASS 31	 MISTERO 32	 NEW MISTERO 33	 NEW MISTERO 33	

WALL LIGHTS FOR INDOOR LIGHTING


 NEW NET MINI 35	 SCATOLA 35	 TRIO 35
--	---	--

BEDSIDE WALL LIGHTS

 NEW BESS 37	 ADHIL 37	 NEW ASTA 38	 TWIST 38
 CERCARE 38	 ELECTRA 39	 ELECTRA 39	

CEILING LIGHTS

LAMP BASED LIGHTS

 NEW CONE 43	 NEW CONE 43	 NEW NODO 44	 NEW UNITO 45	 NEW BEID 45	 NEW BEID 45
 NEW POLAR 46	 NEW NET MINI 47	 NEW PINO 47	 FANG 48	 NEW FANG 48	 FANG 48
 FANG 49	 OGMA 49	 CASTOR 49	 IMAI 50	 NEW IMAI 51	 NEW LAZIO 53
 NEW LAZIO 53	 FALCON 54	 FACTOR 54	 NEW SENTRY 54	 UNIX 55	 GAMBO 56
 INTERCRUS 56	 LIBRA 57	 AQUARIUS 57	 CINTURA 59	 TOPIC 59	 NEW UNITO 61
 TINO 61	 INTERCRUS 62	 GALOPIN 62			

LED LIGHTS

 NEW FADO 65	 NEW FADO 65	 NEW FADO 66	 ELLE 69	 ARCTURUS 69
--	--	--	--	--

PENDANT LIGHTS

LAMP BASED LIGHTS



NEW

LAZIO

73



NEW

PINO

75



NEW

RIDGET

75



NEW

POLAR

75



TORRE

76



CANOPUS

76



SIRIUS

76

LED LIGHTS



SOLID

79



HUBBLE

80



SABIK

80



ALTAIS

80



BASE

81

GYPSUM LIGHTS

WALL LIGHTS



TUBO

85

RECESSED LIGHTS




INVISIBLE

86



INVISIBLE

86



INVISIBLE

87



INVISIBLE

87



INVISIBLE

87



NEW

INVISIBLE

88



NEW

INVISIBLE

88



NEW

INVISIBLE

90



NEW

INVISIBLE

90

RECESSED LIGHTS

LAMP BASED LIGHTS



NEW

TARF MINI

95



NEW

TARF MINI

95



TARF

96



TARF

96



TARF

96



TARF

97



TARF

97



TARF

97



NEW

MIRA MINI

98



MIRA

99



NEW

DASH MINI

101



DASH

101



NEW

DUCRE MINI

104



NEW

DUCRE

105



NEW

IMAI

106



NEW

IMAI

106



IMAI

107



IMAI

107



NEW

ACT MINI

108



RAMO

109



NEW

INTER

111



CORNO

113



FUJI

113



KANG

113



HEZE

114



ATIK

115



NEW

FANG

115



GAMBO

115



SITULA

116



NAHN

116



CEFEO

116



FULU

118



ANSER

118



TAURUS

118



ALKES

119



GRUS

119



BASIC

120



PRAKTISCH

120



CURSA

120



APUS

121



ACCENTO

121



CAPH

121



NEW

HELM MINI

122



HELM

122



GIRO

122



HELM

123



NEW

GIRO

123



AQUA

124

RECESSED LIGHTS

LAMP BASED LIGHTS



AQUA124



CANIS126



CARDANI SEMPLICE126



CARDANI PICCOLO126



CARDANI MEDIO128



SIMPLEX129

LED LIGHTS

NEW



FRAME131



UVA132



SCROLL133



CHESS134



PHACT135



TABIT136



TABIT137



ALIOTH138



AIN138



KAUS139



APERTURA141



RIFLESSIONE141



MESURA142



PRIOR143



MERGA144



GRADO145

LIGHT SOURCES

LED MODULES

NEW



ORE MINI149

NEW



ORE150

NEW



ORE150

NEW



ORE152

NEW



ORE152

NEW



ORE153

NEW



LUGO153

NEW



LUGO153

NEW




LUGO153

INDEX

MAGNETIC TRACK SYSTEMS 48V

ACCESSORIES FOR OPTIMA MAGNETIC TRACK SYSTEM



TRACK158



CONNECTORS158

NEW



TRACK159



END-CAPS159

NEW



PROFILE161




CONNECTORS161

NEW



PROFILE163

NEW



PROFILE165



PROFILE165



TRACK167



CONNECTORS167

NEW



CONNECTORS168

NEW



CONNECTORS169

NEW



ADAPTER169

NEW



CONNECTORS173



DIFFUSER173

NEW



RACKS174

NEW



RACKS174

LIGHTS FOR OPTIMA MAGNETIC TRACK SYSTEM

NEW



OPTIMA176

NEW



OPTIMA177

NEW



OPTIMA178

NEW



OPTIMA178

NEW



OPTIMA179

NEW



OPTIMA180

NEW



OPTIMA180

NEW



OPTIMA181

NEW



OPTIMA181

NEW



OPTIMA182

NEW



OPTIMA182

NEW



OPTIMA183

NEW



OPTIMA184

NEW



OPTIMA184

NEW



OPTIMA184



LOOP186

ARTE Lamp | 2025

MAGNETIC TRACK SYSTEMS 48V


ACCESSORIES FOR OPTIMA-STRAP



LIGHTS FOR OPTIMA-STRAP



ACCESSORIES FOR LINEA MAGNETIC TRACK SYSTEM




LIGHTS FOR LINEA MAGNETIC TRACK SYSTEM



MAGNETIC TRACK SYSTEMS 48V


ACCESSORIES FOR EXPERT MAGNETIC TRACK SYSTEM




LIGHTS FOR EXPERT MAGNETIC TRACK SYSTEM



ACCESSORIES FOR RAPID MAGNETIC TRACK SYSTEM



LIGHTS FOR RAPID MAGNETIC TRACK SYSTEM



ACCENT LIGHTING SYSTEM 24V

PRESTO ULTRA-COMPACT ACCENT LIGHTING SYSTEM



NEW
PRESTO 280



NEW
PRESTO 280



NEW
PRESTO 280



NEW
PRESTO 282



NEW
PRESTO 281



NEW
PRESTO 283



NEW
PRESTO 282



NEW
PRESTO 282



NEW
PRESTO 282

ACCESSORIES FOR PRESTO ULTRA-COMPACT MAGNETIC TRACK SYSTEM



NEW
TRACK 286



NEW
TRACK 286




NEW
CONNECTORS 286



NEW
TRACK 287



NEW
CONNECTORS 287



NEW
TRACK 288



NEW
TRACK 288



NEW
CONNECTORS 289



NEW
CONNECTORS 289

LIGHTS FOR PRESTO ULTRA-COMPACT MAGNETIC TRACK SYSTEM



NEW
PRESTO 291



NEW
PRESTO 291



NEW
PRESTO 291



NEW
PRESTO 292



NEW
PRESTO 292



NEW
PRESTO 292



NEW
PRESTO 293



NEW
PRESTO 294



NEW
PRESTO 295

SINGLE-PHASE TRACK SYSTEM

ACCESSORIES FOR SINGLE-PHASE TRACK LUMINAIRES



TRACK 302



CONNECTORS 303



CONNECTORS 303



NEW
CONNECTORS 304



CONNECTORS 306



SUSPENSION 306




NEW
PROFILE 307



END-CAP 307



CONNECTOR 307



TRACK 310



CONNECTORS 310



BRACKET 311



CONNECTOR 314



CONNECTOR 314

SINGLE-PHASE TRACK SYSTEM LAMP-BASED LIGHTS



NEW
NET MINI 317



FANG 317



NEW
POLAR 318



NEW
LAZIO 318



FLAME 319



RIDGE 319



BEID 321



INTERCRUS 321



NEW
PINO 322



NEW
IMAI 322



ALMACH 324



CINTURA 324



BUCHO 327



TOPIC 327



SOSPIRO 328



BRAD 328



MIZAR 329



MISAM 329



JOVI 330



FALENA 330



LYRA 331



NIDO 331

SINGLE-PHASE TRACK SYSTEM

SINGLE-PHASE TRACK SYSTEM LED LIGHTS



NEW

AERO

333



NEW

BENE

334



HUBBLE

335



PERISCOPIO

335



REGULUS

337



NEW

MERAK

337



LINEETTA

338



LINEETTA

338



FLASH

339



BARUT

340



AMICO

340



VINSANT

341



TRACCIA

342



WALES

342



ATILLO

343

LED STRIP

LED STRIPS AND ACCESSORIES



NEW

TAPE

346



AQUA TAPE

347



NEW

LANE

350



NEW

NEONTERMO

353



NEW

CONNECTORS

356



NEW

CONNECTORS

357



NEW

FASTENERS

359



NEW

TERMINALS

360



NEW

WIRES

361



SKYCROSS

363



NEW

SKYCROSS

365



NEW

SKYCROSS NEON

365

ALUMINUM PROFILES

PROFILES FOR LED STRIPS



NEW

PROFILE

366



NEW

PROFILE

367



PROFILE

367



NEW

ACCESSORIES


367



NEW

ACCESSORIES

367



NEW

PROFILE

369



NEW

PROFILE


369



NEW

PROFILE


369



NEW

LIGHT LINE

371



NEW

SURFACE

372



NEW

INTEGRATION

374

LIGHT CONTROL

LIGHT CONTROL



NEW

CONTROLLERS

378



NEW

CONTROL

380



NEW

DIMMER TRIAC

380



SMART

383



NEW

MODULE

383

POWER SUPPLIES

POWER SUPPLIES



NEW

PRO

388



NEW

STANDART

389



NEW

POWER-SLIM

390



NEW

POWER-AQUA

391



NEW

PRO

392



OPTIMA

393



NEW

RAPID

393



EXPERT

393



LINEA

394

IP

IP (Ingress Protection) rating indicates how protected the luminaire is against dust and moisture.

The first number indicates protection against solid particles. The second number indicates protection against moisture.

The higher the rating, the better the luminaire is protected.

Our luminaire IP ratings:


☒ IP20 — indoor lighting

💧 IP44 — bathrooms and high-humidity areas

💧💧💧 IP54 — outdoor lighting under a canopy

☁️ IP65 — outdoor lighting in open spaces

WALL LIGHTS







WALL LIGHTS
FOR OUTDOOR LIGHTING

NEW



BOSTO

A3122AL-2WH	WHITE	LED 2x1W	220 Lm	4200 K
A3122AL-2BK	BLACK	LED 2x1W	220 Lm	4200 K





NEW




BOSTO


A3122AL-6WH	WHITE	LED 6x1W	580 Lm	4200 K
A3122AL-6BK	BLACK	LED 6x1W	580 Lm	4200 K



BOSTO

A3722AL-2WH	WHITE	LED 6x1W	360 LM	3000 K
A3722AL-2BK	BLACK	LED 6x1W	360 Lm	3000 K






NEW

NIMBO


A4506AL-1WH	WHITE	LED 6W	570 LM	3000/4200/6500 K
A4506AL-1BK	BLACK	LED 6W	570 Lm	3000/4200/6500 K



NEW

NIMBO


A3409AL-1BK	BLACK	LED 9W	900 Lm	3000/4500/6500 K
-------------	-------	--------	--------	------------------



NEW

NIMBO


A3412AL-1BK	BLACK	LED 12W	1300 Lm	3000/4500/6500 K
-------------	-------	---------	---------	------------------



NEW

NIMBO

A3415AL-1BK	BLACK	LED 15W	1600 Lm	3000/4500/6500 K
-------------	-------	---------	---------	------------------




NEW



NIMBO

A4403AL-1BK BLACK LED 3W 360 Lm 4200 K




NEW



NIMBO

A4406AL-1BK BLACK LED 6W 700 Lm 4200 K




NEW





NIMBO

A4412AL-1BK BLACK LED 12W 1200 Lm 4200 K



NIMBO

A1510AP-1WH WHITE LED 9W 540 Lm 3000 K
A1510AP-1BK BLACK LED 9W 540 Lm 3000 K





NEW






CONRAD

A1545AL-4BK BLACK LED 4x3W 1000 Lm 4000 K



TAMBURELLO



A1525AP-1WH WHITE LED 4x1W 340 Lm 3000 K







RULLO

A1415AL-1WH	WHITE	LED 2x3W	500 Lm	3000 K
A1415AL-1GY	GRAY	LED 2x3W	500 Lm	3000 K
A1415AL-1BK	BLACK	LED 2x3W	500 Lm	3000 K





RULLO

A1414AL-1WH	WHITE	LED 2x3W	500 Lm	3000 K
A1414AL-1GY	GRAY	LED 2x3W	500 Lm	3000 K
A1414AL-1BK	BLACK	LED 2x3W	500 Lm	3000 K




RULLO

A1714AL-2WH	WHITE	LED 2x3W	400 Lm	4200 K
A1714AL-2BK	BLACK	LED 2x3W	400 Lm	4200 K



LANCIA


A6418AL-1BK	BLACK	LED 8W	650 Lm	4200 K
-------------	-------	--------	--------	--------



NEW



LANCIA

A6419AL-1BK	BLACK	LED 10W	1000 Lm	4200 K
-------------	-------	---------	---------	--------



DINO

A8288AL-1WH	WHITE	LED 6W	400 Lm	3000 K
-------------	-------	--------	--------	--------




ALGOL

A1445AL-1BK BLACK LED 2x2W 170 Lm 4200 K




The ability to change the angle of light scattering



NEW

ALGOL

A2750AL-2WH WHITE LED 2x2W 200 Lm 4200 K
A2750AL-2BK BLACK LED 2x2W 200 Lm 4200 K




NEW

ALGOL

A1445AL-4BK BLACK LED 4x1W 100 Lm 4200 K




The ability to change the angle of light scattering






NEW

ALGOL

A5640AL-2WH WHITE LED 2x5W 650 Lm 4200 K
A5640AL-2BK BLACK LED 2x5W 650 Lm 4200 K




The ability to change the angle of light scattering





CROCE


A1444AP-1WH	WHITE	LED 6W	470 Lm	3000 K
A1444AP-1BK	BLACK	LED 6W	470 Lm	3000 K



NEW

COMETA


A1524AL-1WH	WHITE	LED 6W	360 Lm	3000 K
A1524AL-1GY	GRAY	LED 6W	360 Lm	3000 K
A1524AL-1BK	BLACK	LED 6W	360 Lm	3000 K




NEW

BUSTA

A1609AP-1WH	WHITE	LED 7W	605 Lm	3000 K
A1609AP-1GY	GRAY	LED 7W	605 Lm	3000 K
A1609AP-1BK	BLACK	LED 7W	605 Lm	3000 K




NEW




GUNTER

A6306AL-2BK BLACK LED 2x6W 1000 Lm 4000 K




NEW




ALBA

A6405AL-2BK BLACK LED 2x5W 650 Lm 4000 K




COMPASS

A3102AL-1BK BLACK GU10 35W



COMPASS


A3102AL-2BK BLACK GU10 2x35W






MISTERO

A3302AL-1WH	WHITE	GU10 35W
A3302AL-1GY	GRAY	GU10 35W
A3302AL-1BK	BLACK	GU10 35W



MISTERO


A3302AL-2WH	WHITE	GU10 2x35W
A3302AL-2GY	GRAY	GU10 2x35W
A3302AL-2BK	BLACK	GU10 2x35W



NEW

MISTERO



A3322AL-1BK	BLACK	GU10 35W
-------------	-------	----------



NEW

MISTERO

A3322AL-2BK	BLACK	GU10 2x35W
-------------	-------	------------





WALL LIGHTS
FOR INDOOR LIGHTING

NEW





NET MINI

A6452AP-1WH	WHITE	G5,3 35W
A6452AP-1BK	BLACK	G5,3 35W





Recommended to use with ORE MINI LED modules or MR11 lamp




SCATOLA

A1423AP-1WH	WHITE	LED 5W	300 Lm	3000 K
A1423AP-1BK	BLACK	LED 5W	300 Lm	3000 K



TRIO


A1718AP-1WH	WHITE	LED 12W	720 Lm	3000 K
-------------	-------	---------	--------	--------






BEDSIDE
WALL LIGHTS

NEW



BESS


A7453AP-1WH	WHITE	LED 4+6W	650 Lm	3000 K
A7453AP-1BK	BLACK	LED 4+6W	650 Lm	3000 K



USB and Type C connector included



Two mounting methods:
built-in and overhead




ADHIL

A8236AP-1SI	SILVER	LED 3W	160 Lm	3000 K
A8236AP-1SG	MATTE GOLD	LED 3W	160 Lm	3000 K




NEW




ASTA

A5879AP-1WH	WHITE	LED 3W	250 Lm	3000 K
A5879AP-1BK	BLACK	LED 3W	250 Lm	3000 K



TWIST

A7603AP-1WH	WHITE	LED 3W	180 Lm	4000 K
A7603AP-1BK	BLACK	LED 3W	180 Lm	4000 K



CERCARE

A4107AP-1WH	WHITE	LED 7W	600 Lm	4000 K
A4107AP-1BK	BLACK	LED 7W	600 Lm	4000 K



ELECTRA

A8231AP-1WH	WHITE	LED 3+6W	550 Lm	3000 K
A8231AP-1BK	BLACK	LED 3+6W	550 Lm	3000 K






ELECTRA

A8232AP-1WH	WHITE	LED 3+6W	550 Lm	3000 K
A8232AP-1BK	BLACK	LED 3+6W	550 Lm	3000 K



ELECTRA

A8233AP-1WH	WHITE	LED 3+7W	620 Lm	3000 K
A8233AP-1BK	BLACK	LED 3+7W	620 Lm	3000 K



CRI

CRI (Color Rendering Index) index shows how accurately the light source displays the colors of the illuminated objects.

This indicator should be at least 80, otherwise the colors around will be dull and nondescript. Light sources with values above 80-90 emphasize the interior, the saturation of shades and the brightness of the surrounding world.



CRI >90




CRI >80



CRI >70


CEILING LIGHTS





CEILING LAMP-BASED LIGHTS

NEW




CONE

A5360PL-1WH	WHITE	GU10 35W
A5360PL-1BK	BLACK	GU10 35W




NEW



CONE

A5361PL-1WH	WHITE	GU10 35W
A5361PL-1BK	BLACK	GU10 35W





NODO

A3213PL-1WH	WHITE	GU10 35W
A3213PL-1BK	BLACK	GU10 35W



NEW

DECORATIVE RING FOR
NODO LIGHTS

A321333	WHITE
A321306	BLACK
A321301	MATTE GOLD




NEW

UNITO

A2260PL-1WH	WHITE	Max 9W
A2260PL-1BK	BLACK	Max 9W





Only for ARTE Lamp
ORE LED module




BEID

A1513PL-1BK	WHITE	GU10 35W
A1513PL-1WH	BLACK	GU10 35W



BEID

A1517PL-1WH	WHITE	GU10 35W
A1517PL-1BK	BLACK	GU10 35W







NEW

NET MINI

A6450PL-1WH	WHITE	G5,3 35W
A6450PL-1BK	BLACK	G5,3 35W



Recommended to use with ORE MINI LED modules or MR11 lamp



PINO


A7376PL-1WH	WHITE	GU10 35W
A7376PL-1BK	BLACK	GU10 35W



NEW

POLAR


A5462PL-1WH	WHITE	GU10 35W
-------------	-------	----------







FANG

A5557PL-1WH	WHITE	GU10 35W
A5557PL-1BK	BLACK	GU10 35W




FANG

A5552PL-1WH	WHITE	GX53 Max 15W
A5552PL-1BK	BLACK	GX53 Max 15W



FANG

A5558PL-1WH	WHITE + GOLD	GU10 35W
A5658PL-1WH	WHITE + MATTE GOLD	GU10 35W




OGMA

A5556PL-1WH	WHITE	GU10 Max 15W
A5556PL-1BK	BLACK	GU10 Max 15W




Anti-glare filter included





FANG

A5559PL-1WH	WHITE	GU10 50W
A5559PL-1BK	BLACK	GU10 50W




CASTOR

A5554PL-1WH	WHITE	GX53 Max 15W
A5554PL-1BK	BLACK	GX53 Max 15W






NEW





IMAI

A2267PL-1WH	WHITE	GU10 Max 15W
A2267PL-1BK	BLACK	GU10 Max 15W




IMAI

A2265PL-1WH	WHITE	GX53 Max 15W
A2265PL-1BK	BLACK	GX53 Max 15W



IMAI

A2365PL-1WH	WHITE	GU10 Max 15W
A2365PL-1BK	BLACK	GU10 Max 15W




IMAI

A2266PL-1WH	WHITE	GU10 Max 15W
A2266PL-1BK	BLACK	GU10 Max 15W





NEW




LAZIO

A5365PL-1SG	MATTE GOLD	GU10 35W
A5365PL-1SS	MATTE SILVER	GU10 35W




NEW



LAZIO


A5366PL-1SG	MATTE GOLD	GX53 Max 15W
A5366PL-1SS	MATTE SILVER	GX53 Max 15W






FALCON

A5645PL-1WH	WHITE	GU10 50W
A5645PL-1BK	BLACK	GU10 50W




FALCON

A5645PL-2WH	WHITE	GU10 2X50W
A5645PL-2BK	BLACK	GU10 2X50W




FACTOR

A5544PL-1WH	WHITE	GU10 50W
A5544PL-1BK	BLACK	GU10 50W



FACTOR

A5544PL-2WH	WHITE	GU10 2X50W
A5544PL-2BK	BLACK	GU10 2X50W




NEW




SENTRY


A1566PL-1WH	2.0 WHITE	GU10 50W
A1566PL-1BK	2.0 BLACK	GU10 50W
A1560PL-1WH	WHITE	GU10 50W
A1560PL-1BK	BLACK	GU10 50W



UNIX



A1516PL-1WH	WHITE	GU10 35W
A1516PL-1BK	BLACK	GU10 35W






GAMBO

A5551PL-1WH	WHITE	GX53 Max 15W
A5551PL-1BK	BLACK	GX53 Max 15W





INTERCRUS

A5548PL-1WH	WHITE	GX53 Max 15W
A5548PL-1BK	BLACK	GX53 Max 15W




INTERCRUS

A5549PL-1WH	WHITE	GX53 Max 15W
A5549PL-1BK	BLACK	GX53 Max 15W



LIBRA

A3316PL-1WH	WHITE	GU10 50W
A3316PL-1GY	GRAY	GU10 50W
A3316PL-1BK	BLACK	GU10 50W



AQUARIUS


A3216PL-1WH	WHITE	GU10 35W
A3216PL-1GY	GRAY	GU10 35W
A3216PL-1BK	BLACK	GU10 35W






TOPIC

A2357PL-1WH	WHITE + GOLD	GU10 35W
A2357PL-1BK	BLACK + GOLD	GU10 35W



CINTURA

A2352PL-1WH	WHITE + BLACK	GU10 35W
A2352PL-1BK	BLACK	GU10 35W
A2353PL-1BK	BLACK + GOLD	GU10 35W





IP SURFACE-MOUNTED
CEILING LAMP-BASED LIGHTS


NEW

UNITO

A0550PL-1WH	WHITE	Max 9W
A0550PL-1BK	BLACK	Max 9W




Only for ARTE Lamp
ORE LED module




TINO

A1468PL-1WH	WHITE	GU10 35W
A1468PL-1BK	BLACK	GU10 35W



TINO


A1469PL-1WH	WHITE	GU10 35W
A1469PL-1BK	BLACK	GU10 35W







INTERCRUS

A5543PL-1WH	WHITE	GX53 Max 15W
A5543PL-1BK	BLACK	GX53 Max 15W




GALOPIN

A1460PL-1WH	WHITE	GU10 35W
A1460PL-1BK	BLACK	GU10 35W



GALOPIN

A1461PL-1WH	WHITE	GU10 35W
A1461PL-1BK	BLACK	GU10 35W






SURFACE-MOUNTED LED LIGHTS

NEW



FADO

A6612PL-1WH	WHITE	LED 12W	1000 Lm	4000 K
A6612PL-1BK	BLACK	LED 12W	1000 Lm	4000 K
A7312PL-1WH	WHITE	LED 12W	1000 Lm	3000 K
A7312PL-1BK	BLACK	LED 12W	1000 Lm	3000 K




NEW



FADO

A6620PL-1WH	WHITE	LED 20W	2400 Lm	4000 K
A6620PL-1BK	BLACK	LED 20W	2400 Lm	4000 K
A7320PL-1WH	WHITE	LED 20W	2200 Lm	3000 K
A7320PL-1BK	BLACK	LED 20W	2200 Lm	3000 K




NEW



FADO

A6635PL-1WH	WHITE	LED 36W	3700 Lm	4000 K
A6635PL-1BK	BLACK	LED 36W	3700 Lm	4000 K
A7335PL-1WH	WHITE	LED 36W	3300 Lm	3000 K
A7335PL-1BK	BLACK	LED 36W	3300 Lm	3000 K




NEW



FADO

A6650PL-1WH	WHITE	LED 50W	5400 Lm	4000 K
A6650PL-1BK	BLACK	LED 50W	5400 Lm	4000 K
A7350PL-1WH	WHITE	LED 50W	5000 Lm	3000 K
A7350PL-1BK	BLACK	LED 50W	5000 Lm	3000 K




NEW



FADO

A6699PL-1WH	WHITE	LED 100W	11000 Lm	4000 K
A6699PL-1BK	BLACK	LED 100W	11000 Lm	4000 K
A7399PL-1WH	WHITE	LED 100W	10400 Lm	3000 K
A7399PL-1BK	BLACK	LED 100W	10400 Lm	3000 K





NEW

SUSPENSION

A660006	WHITE	2 meters
A660033	BLACK	2 meters


Suspension for FADO lights





ELLE

A1909PL-1WH	WHITE	LED 9W	450 Lm	4000 K
A1909PL-1BK	BLACK	LED 9W	450 Lm	4000 K
A1949PL-1WH	WHITE	LED 9W	450 Lm	3000 K
A1949PL-1BK	BLACK	LED 9W	450 Lm	3000 K



ARCTURUS

A7715PL-1WH	WHITE	LED 15W	1000 Lm	3000 K
A7715PL-1BK	BLACK	LED 15W	1000 Lm	3000 K



COLOR TEMPERATURE

Color temperature is a crucial indicator of light output, which allows creating not only a comfortable but also a healthy atmosphere.

Warm light helps to relax after a hard day and create a cozy atmosphere. Neutral light is perfect for everyday activities.

Cold light is ideal for work, as it energizes and sets the mood for work.



PENDANT LIGHTS



PENDANT LAMP-BASED LIGHTS

NEW


LAZIO

A5367SP-1SG	MATTE GOLD	GU10 35W
A5367SP-1SS	MATTE SILVER	GU10 35W



PINO



A7377SP-1WH	WHITE	GU10 35W
A7377SP-1BK	BLACK	GU10 35W



NEW

RIDGET



A1526SP-1WH	WHITE	GU10 50W
A1526SP-1BK	BLACK	GU10 50W



NEW

POLAR

A5463SP-1WH	WHITE	GU10 35W
-------------	-------	----------




TORRE

A1530SP-1WH	WHITE + SILVER	GU10 35W
A1530SP-1BK	BLACK + GOLD	GU10 35W




CANOPUS

A1516SP-1WH	WHITE	GU10 35W
A1516SP-1BK	BLACK	GU10 35W



SIRIUS

A1524SP-1WH	WHITE	GU10 35W
A1524SP-1BK	BLACK	GU10 35W







LED PENDANT LIGHTS

NEW

SOLID


A5570SP-1WH	WHITE	LED 5W	250 Lm	4000 K
A5570SP-1BK	BLACK	LED 5W	250 Lm	4000 K






HUBBLE

A6810SP-1WH	WHITE	LED 10W	600 Lm	4000 K
A6810SP-1BK	BLACK	LED 10W	600 Lm	4000 K




SABIK

A2308SP-1BK	BLACK	LED 10W	250 Lm	4000 K
-------------	-------	---------	--------	--------



ALTAIS

A6110SP-2WH	WHITE	LED 12W	420 Lm	4000 K
A6110SP-2BK	BLACK	LED 12W	420 Lm	4000 K




BASE

A410433	WHITE
A410406	BLACK



Ceiling base for mounting suspended lights in a stretch ceiling. Mounting brackets are not included.




COLOR VARIATION

The main advantage of gypsum lamps is their versatility. You can create an exquisite form with stucco molding or strict minimalism.

Gypsum lamps are produced in white, which allows you to adjust the light of the luminaire to the overall concept of the interior, ensuring an inconspicuous transition between the ceiling and the luminaire.

The surface of gypsum is easily painted in any colors using decorative paints, and can also be covered with plaster to create decor.







GYPSUM LIGHTS

**TUBO**

A9260PL-1WH

WHITE


GU10 35W



**INVISIBLE**


A9284PL-1WH WHITE GU10 35W

Required ceiling thickness - 9-15mm

**INVISIBLE**

A9214PL-1WH WHITE GU10 35W


Required ceiling thickness - 12mm

**NEW****INVISIBLE**

A9285PL-1WH WHITE GU10 35W


A9286PL-1WH WHITE GU10 35W

Required ceiling thickness - 9-15mm

**INVISIBLE**

A9214PL-2WH WHITE GU10 2X35W


Required ceiling thickness - 9-15mm

**NEW****INVISIBLE**

A9210PL-1WH WHITE GU10 35W


A9281PL-1WH WHITE GU10 35W

Required ceiling thickness - 12mm


**INVISIBLE**

A9215PL-1WH WHITE GU10 35W


Required ceiling thickness - 9-15mm




NEW

**INVISIBLE****A9283PL-1WH** WHITE GU10 35W**A9110PL-1WH** WHITE GU10 35W

Required ceiling thickness - 9-15mm

**INVISIBLE****A9282PL-1WH** WHITE GU10 35W

Required ceiling thickness - 9-15mm

**INVISIBLE****A9287PL-1WH** WHITE GU10 35W

Required ceiling thickness - 9-15mm




NEW

INVISIBLE

A9283PL-2WH WHITE GU10 2x35W

Required ceiling thickness - 9-15mm




NEW


INVISIBLE

A9286PL-2WH WHITE GU10 2x35W


Required ceiling thickness - 9-15mm



INVISIBLE INSTALLATION METHOD WITH A CEILING THICKNESS OF 12MM




INVISIBLE INSTALLATION METHOD WITH A CEILING THICKNESS OF 9-15MM

ADJUSTABLE PERFORATED BRACKET-MOUNTING -
FOR DIFFERENT THICKNESS OF FALSE CEILING

UGR

UGR (Unified Glare Rating) indicator characterizes how dazzling the interior lighting is. Direct and reflected glare have a negative impact on vision. The lower the UGR value, the more comfortable the environment for perception. The optimal indicator is $UGR < 19$.



RECESSED LIGHTS



RECESSED LAMP-BASED LIGHTS

NEW




TARF MINI

A2067PL-1WH	WHITE	G5,3 35W
A2067PL-1BK	BLACK	G5,3 35W



Height of luminaire with module 5 cm.
Possibility to change the light source without dismantling the luminaire.
Recommended to use with LED module ORE MINI series or MR11 lamp



NEW





TARF MINI

A2068PL-1WH	WHITE	G5,3 35W
A2068PL-1BK	BLACK	G5,3 35W




Height of luminaire with module 5 cm.
Possibility to change the light source without dismantling the luminaire.
Recommended to use with LED module ORE MINI series or MR11 lamp






TARF

A2177PL-1WH	WHITE	GU10 35W
A2177PL-1BK	BLACK	GU10 35W



Height of luminaire with module 4,4 cm.
Possibility to change the light source without dismantling the luminaire




TARF

A2167PL-1WH	WHITE	GU10 35W
A2167PL-1BK	BLACK	GU10 35W




Height of luminaire with module 3,4 cm.
Possibility to change the light source without dismantling the luminaire




TARF

A2178PL-1WH	WHITE	GU10 35W
A2178PL-1BK	BLACK	GU10 35W



Height of luminaire with module 4,4 cm.
Possibility to change the light source without dismantling the luminaire




TARF

A2168PL-1WH	WHITE	GU10 35W
A2168PL-1BK	BLACK	GU10 35W




Height of luminaire with module 3,4 cm.
Possibility to change the light source without dismantling the luminaire




TARF

A2178PL-2WH	WHITE	GU10 2x35W
A2178PL-2BK	BLACK	GU10 2x35W



Height of luminaire with module 4,4 cm.
Possibility to change the light source without dismantling the luminaire



TARF

A2168PL-2WH	WHITE	GU10 2x35W
A2168PL-2BK	BLACK	GU10 2x35W



Height of luminaire with module 3,4 cm.
Possibility to change the light source without dismantling the luminaire


NEW

MIRA MINI

A2761PL-1WH	WHITE	G5,3 35W
A2761PL-1BK	BLACK	G5,3 35W



Height of luminaire with module 5 cm.
Recommended for use with LED module ORE MINI series or MR11 lamp




MIRA

A2861PL-1WH	WHITE	GU10 35W
A2861PL-1BK	BLACK	GU10 35W




Height of luminaire with module 3 cm




NEW

MIRA MINI

A2762PL-1WH	WHITE	G5,3 35W
A2762PL-1BK	BLACK	G5,3 35W



Height of luminaire with module 5,3 cm.
Recommended for use with LED module ORE MINI series or MR11 lamp





MIRA

A2862PL-1WH	WHITE	GU10 35W
A2862PL-1BK	BLACK	GU10 35W




Height of luminaire with module 3,5 cm





NEW




DASH MINI

A2764PL-1WH	WHITE	G5,3 35W
A2764PL-1BK	BLACK	G5,3 35W



Height of luminaire with module 7,6 cm.
Recommended for use with LED module ORE MINI series or MR11 lamp



DASH


A2864PL-1WH	WHITE	GU10 35W
A2864PL-1BK	BLACK	GU10 35W







Height of luminaire with module 5,8 cm.



DUCRE MINI



DUCRE




NEW



DUCRE MINI

A7093PL-1WH WHITE GU10 35W

A7093PL-1BK BLACK GU10 35W



Height of luminaire with module 7,3 cm.
Recommended for use with LED module ORE MINI series or MR11 lamp



NEW



DUCRE

A8093PL-1WH WHITE GU10 35W

A8093PL-1BK BLACK GU10 35W



Height of luminaire with module 5,4 cm




NEW


DUCRE MINI

A7094PL-1WH WHITE GU10 35W

A7094PL-1BK BLACK GU10 35W



Height of luminaire with module 6,8 cm.
Recommended for use with LED module ORE MINI series or MR11 lamp




NEW


DUCRE

A8094PL-1WH WHITE GU10 35W

A8094PL-1BK BLACK GU10 35W



Height of luminaire with module 5 cm




NEW


DUCRE MINI

A7095PL-1WH WHITE GU10 35W

A7095PL-1BK BLACK GU10 35W



Height of luminaire with module 6,6 cm.
Recommended for use with LED module ORE MINI series or MR11 lamp




NEW



DUCRE

A8095PL-1WH WHITE GU10 35W


A8095PL-1BK BLACK GU10 35W



Height of luminaire with module 4,8 cm



NEW




IMAI

A2464PL-1WH WHITE GU10 Max 15W

A2464PL-1BK BLACK GU10 Max 15W




Height of luminaire with module 4,7 cm.
Possibility to change the light source without dismantling the luminaire



IMAI


A2164PL-1WH WHITE GU10 Max 15W

A2164PL-1BK BLACK GU10 Max 15W



Height of luminaire with module 3,2 cm

NEW




IMAI

A2465PL-1WH WHITE GU10 Max 15W

A2465PL-1BK BLACK GU10 Max 15W



Height of luminaire with module 4,7 cm.
Possibility to change the light source without dismantling the luminaire



IMAI

A2264PL-1WH WHITE GX53 Max 15W

A2264PL-1BK BLACK GX53 Max 15W






NEW

RAMO

A1240PL-1WH	WHITE	GU10 35W
A1240PL-1BK	BLACK	GU10 35W
A1240PL-1SG	MATTE GOLD	GU10 35W




Height of luminaire with module 3,2 cm




NEW

ACT MINI

A3536PL-1WH	WHITE	G5,3 35W
A3536PL-1BK	BLACK	G5,3 35W



Height of luminaire with module 6,3 cm.
Recommended for use with LED module ORE MINI series or MR11 lamp




NEW





INTER
MOUNTING KIT

A300105 GRAY

Installed in a stretch ceiling (PVC).
Can be adjusted to the ceiling level.
Included: retainer, mounting cup



Mounting kits are assembled into a single
in a straight line by means of clips



RETAINER




MOUNTING CUP



ORE LED MODULE
(purchased separately)



GLARE FILTER



DECORATIVE FRAME
MOUNTING RING



NEW

INTER
DECORATIVE FRAME

A3010PL-1WH WHITE

A3010PL-1BK BLACK

A3010PL-1SG MATTE GOLD

INTER is compatible with MR16 light sources.
We recommend to use with ORE LED modules TM ARTE Lamp.

Decorative frame, glare filter, mounting ring, GU10 lamp
holder included






CORNO

A2863PL-1WH	WHITE	GU10 35W
A2863PL-1BK	BLACK	GU10 35W




Height of luminaire with module 5 cm




FUJI

A2865PL-1WH	WHITE	GU10 Max 15W
A2865PL-1BK	BLACK	GU10 Max 15W





Height of luminaire with module 4 cm



KANG



A2163PL-1WH	WHITE	GU10 50W
-------------	-------	----------







HEZE

A6665PL-1WH	WHITE	GU10 50W
A6665PL-1BK	BLACK + WHITE	GU10 50W
A6665PL-1CC	CHROME + WHITE	GU10 50W
A6666PL-1BK	BLACK + MATTE GOLD	GU10 50W





ACCENTO

A4009PL-1WH	WHITE	GU10 / G5.3 50W
A4009PL-1BK	BLACK	GU10 / G5.3 50W



ATIK

A4513PL-1WH	WHITE	GX53 Max 15W
A4513PL-1BK	BLACK	GX53 Max 15W




FANG

A5562PL-1WH	WHITE	GU10 35W
A5562PL-1BK	BLACK	GU10 35W




Height of luminaire with module 3,5 cm



GAMBO



A5550PL-1WH	WHITE	GX53 Max 15W
A5550PL-1BK	BLACK	GX53 Max 15W







SITULA

A3731PL-1WH	WHITE	GU10 35W
A3731PL-1BK	BLACK	GU10 35W





NAHN



A3221PL-1WH	WHITE	GU10 Max 15W
A3221PL-1BK	BLACK	GU10 Max 15W



CEFEO



A3214PL-1WH	WHITE	GU10 35W
A3214PL-1BK	BLACK	GU10 35W





FULU

A2169PL-1WH WHITE GU10 50W




ALKES

A2161PL-1WH WHITE GU10 50W





Height of luminaire with module 6 cm.
Possibility to change the light source without dismantling the luminaire



ANSER

A2160PL-1WH WHITE GU10 50W




ALKES

A2161PL-2WH WHITE GU10 2x50W





Height of luminaire with module 6 cm.
Possibility to change the light source without dismantling the luminaire



TAURUS


A6663PL-1WH WHITE GU10 50W

A6663PL-1BK BLACK + WHITE GU10 50W



GRUS



A6667PL-1WH WHITE GU10 50W







BASIC

A2103PL-1WH	WHITE	GU10 50W
A2103PL-1BK	BLACK	GU10 50W





PRAKTISCH

A1203PL-1WH	WHITE	GU10 50W
A1203PL-1CC	CHROME	GU10 50W
A1203PL-1SS	MATTE SILVER	GU10 50W
A1203PL-1AB	ANTIQUÉ BRONZE	GU10 50W





CURSA

A2166PL-1WH	WHITE	GU10 50W
A2166PL-1BK	BLACK	GU10 50W




APUS

A6664PL-1WH	WHITE	G9 33W
A6664PL-1GY	GRAY	G9 33W
A6664PL-1BK	BLACK	G9 33W





ACCENTO

A3217PL-1WH	WHITE	GU10 / G5.3 50W
A3217PL-1BK	BLACK	GU10 / G5.3 50W




CAPH

A2165PL-1WH	WHITE + GOLD	GU10 50W
A2165PL-1BK	BLACK + GOLD	GU10 50W




NEW




HELM MINI

A2859PL-1WH	WHITE	G5,3 35W
A2859PL-1BK	BLACK	G5,3 35W




Height of luminaire with module 7,6 cm.
Recommended for use with LED module ORE MINI series or MR11 lamp

NEW



HELM MINI


A2858PL-1WH	WHITE	G5,3 35W
A2858PL-1BK	BLACK	G5,3 35W




Height of luminaire with module 7,6 cm.
Recommended for use with LED module ORE MINI series or MR11 lamp

HELM

A2869PL-1WH	WHITE	GU10 35W
A2869PL-1BK	BLACK	GU10 35W




Height of luminaire with module 5,7 cm




HELM

A2868PL-1WH	WHITE	GU10 35W
A2868PL-1BK	BLACK	GU10 35W




Height of luminaire with module 5,7 cm




GIRO

A2867PL-1WH	WHITE	GU10 35W
A2867PL-1BK	BLACK	GU10 35W




Height of luminaire with module 3,8 cm





GIRO

A2866PL-1WH	WHITE	GU10 35W
A2866PL-1BK	BLACK	GU10 35W




Height of luminaire with module 3,8 cm







AQUA

A5440PL-1WH	WHITE	GU10 50W
A5440PL-1CC	CHROME	GU10 50W
A5440PL-1SS	MATTE SILVER	GU10 50W
A5440PL-1AB	ANTIQUÉ BRONZE	GU10 50W



AQUA



A2024PL-1CC	CHROME	GU10 50W
A2024PL-1SS	MATTE SILVER	GU10 50W







CANIS

A6661PL-1WH	WHITE	GU10 50W
A6661PL-1BK	BLACK	GU10 50W





CANIS

A6661PL-2WH	WHITE	GU10 2x50W
A6661PL-2BK	BLACK	GU10 2x50W





CARDANI SEMPLICE

A5949PL-1GY	GRAY	G9 40W
-------------	------	--------





CARDANI SEMPLICE

A5949PL-2WH	WHITE	G9 2x40W
-------------	-------	----------





CARDANI PICCOLO

A5931PL-1WH	WHITE + BLACK	GU10 50W
A5941PL-1WH	WHITE	GU10 50W



CARDANI PICCOLO

A5931PL-2WH	WHITE + BLACK	GU10 2x50W
A5941PL-2WH	WHITE	GU10 2x50W
A5941PL-2BK	BLACK	GU10 2x50W






SIMPLEX

A6662PL-1WH WHITE GU10 Max 10W



9.5x9.5



Possibility of connecting multiple fixtures using a connector



connector
A950016

not included in the package



2 connectors
A950016

not included in the package




CARDANI MEDIO

A5930PL-1SI SILVER G5,3 50W 500 Lm 2700 K



12.5x12.5



Connection options in any direction



4 connectors
A950016

not included in the package





RECESSED LED LIGHTS

NEW



FRAME



A7793PL-1WH	WHITE	LED 7W	650 Lm	3000 K
A7993PL-1WH	WHITE	LED 7W	650 Lm	4000 K



NEW

FRAME



A7794PL-1WH	WHITE	LED 12W	1150 Lm	3000 K
A7994PL-1WH	WHITE	LED 12W	1150 Lm	4000 K




NEW

FRAME



A7795PL-1WH	WHITE	LED 20W	1900 Lm	3000 K
A7995PL-1WH	WHITE	LED 20W	1900 Lm	4000 K







UVA

A3317PL-1WH WHITE LED 7W 600 Lm 4000 K





SCROLL

A3311PL-1WH WHITE LED 7W 650 Lm 4000 K




UVA

A3318PL-1WH WHITE LED 10W 950 Lm 4000 K



SCROLL

A3312PL-1WH WHITE LED 12W 1050 Lm 4000 K





CHES

A3313PL-1WH WHITE LED 9W 700 Lm 4000 K



ALUM
PLASTIC

60°


220V

Ra ≥90

IP65



7.5



CHES

A3314PL-1WH WHITE LED 15W 1100 Lm 4000 K



ALUM
PLASTIC

60°


220V

Ra ≥90

IP65



9.5



PHACT

A4764PL-1WH WHITE LED 7W 450 Lm 4000 K



ALUM

65°


220V

Ra ≥70

IP44





7







TABIT

A8430PL-1WH	WHITE	LED 7W	530 Lm	4000 K
A8430PL-1BK	BLACK	LED 7W	530 Lm	4000 K





TABIT

A8432PL-1WH	WHITE	LED 7W	530 Lm	4000 K
A8432PL-1BK	BLACK	LED 7W	530 Lm	4000 K





TABIT

A8431PL-1WH	WHITE	LED 12W	920 Lm	4000 K
-------------	-------	---------	--------	--------



TABIT



A8433PL-1WH	WHITE	LED 12W	920 Lm	4000 K
-------------	-------	---------	--------	--------







ALIOTH

A7991PL-1WH WHITE LED 6W 300 Lm 4000 K





ALIOTH

A7992PL-1WH WHITE LED 12W 700 Lm 4000 K





AIN

A7248PL-1WH WHITE LED 7W 390 Lm 4000 K





KAUS

A4761PL-1WH WHITE LED 6W 500 Lm 4000 K



KAUS


A4762PL-1WH WHITE LED 9W 850 Lm 4000 K






APERTURA

A3307PL-1WH WHITE LED 7W 600 Lm 3000 K




RIFLESSIONE

A7012PL-1WH WHITE LED 12W 700 Lm 3000 K



RIFLESSIONE


A7016PL-1WH WHITE LED 16W 1000 Lm 3000 K





MESURA


A7971PL-1WH	WHITE	LED 6W	300 Lm	4000 K
A7977PL-1WH	WHITE	LED 6W	300 Lm	3000 K



The brackets are adjustable to fit the mounting hole.
The driver is included in the package.

MESURA


A7972PL-1WH	WHITE	LED 9W	500 Lm	4000 K
A7973PL-1WH	WHITE	LED 9W	500 Lm	6500 K
A7978PL-1WH	WHITE	LED 9W	500 Lm	3000 K



The brackets are adjustable to fit the mounting hole.
The driver is included in the package.

MESURA


A7974PL-1WH	WHITE	LED 14W	1000 Lm	4000 K
A7975PL-1WH	WHITE	LED 14W	1000 Lm	6500 K
A7979PL-1WH	WHITE	LED 14W	1000 Lm	3000 K







The brackets are adjustable to fit the mounting hole.
The driver is included in the package.

MESURA

A7976PL-1WH	WHITE	LED 20W	1400 Lm	4000 K
-------------	-------	---------	---------	--------




The brackets are adjustable to fit the mounting hole.
The driver is included in the package.




PRIOR

A7981PL-1WH	WHITE	LED 6W	460 Lm	4000 K
-------------	-------	--------	--------	--------




The brackets are adjustable to fit the mounting hole.
The driver is included in the package.




PRIOR

A7982PL-1WH	WHITE	LED 12W	920 Lm	4000 K
-------------	-------	---------	--------	--------




The brackets are adjustable to fit the mounting hole.
The driver is included in the package.





PRIOR

A7983PL-1WH	WHITE	LED 18W	1350 Lm	4000 K
-------------	-------	---------	---------	--------





The brackets are adjustable to fit the mounting hole.
The driver is included in the package.







MERGA

A8450PL-1WH WHITE LED 25W 2450 Lm 4000 K





MERGA

A8450PL-2WH WHITE LED 2x25W 4900 Lm 4000 K



MERGA



A8450PL-3WH WHITE LED 3x25W 7200 Lm 4000 K



GRADO

A2905PL-1WH WHITE LED 5W 350 Lm 3000 K

A2705PL-1WH WHITE LED 5W 350 Lm 4200 K



GRADO

A2910PL-2WH WHITE LED 2x5W 600 Lm 3000 K


A2710PL-2WH WHITE LED 2x5W 600 Lm 4200 K



PULSE RATIO

The pulse ratio of the luminous flux is a value that characterizes the degree of periodic unevenness of the luminous flux of a light source. It is measured in percent and shows how much the level of illumination pulsates around the average value. A low level of pulsation has a beneficial effect on vision. The lower the percentage of pulsation, the higher the quality of lighting.


ARTE Lamp modules have a dimming depth ranging from 20% to 100% on TRIAC with a safe level of pulsation less than 5%.



LIGHT SOURCES



NEW



ORE MINI

A22370-3K	WHITE	LED 7W	650 Lm	3000 K	30°
A22370-4K	WHITE	LED 7W	700 Lm	4000 K	30°




The isolated IC driver guarantees a safe level of ripple in both dimmable, and non-dimmable modules




The modules have a dimming depth ranging from 20% to 100% TRIAC with a safe ripple level of less than 5%



According to the results of testing of LED modules TM ARTE Lamp in independent laboratories, the ripple factor is < 1%. LED modules are safe for eyes



NEW




ORE

A22070-3K	WHITE	LED 7W	750 Lm	3000 K	36°
A22070-4K	WHITE	LED 7W	800 Lm	4000 K	36°
A22070-5K	WHITE	LED 7W	850 Lm	5000 K	36°




ORE

A22071-3K	WHITE	LED 7W	700 Lm	3000 K	36°
A22071-4K	WHITE	LED 7W	750 Lm	4000 K	36°




NEW




ORE

A23070-3K	WHITE	LED 7W	600 Lm	3000 K	110°
A23070-4K	WHITE	LED 7W	650 Lm	4000 K	110°




Compared to classic MR16 lamps, LED modules allow you to maintain the height of the ceiling. High-quality optics evenly distributes the light flux from the LED. COB LEDs provide high luminous flux and color rendering. The module housing made of ceramic and flame retardant plastic guarantees long life. LED modules are safe for the eyes, the ripple rate is less than 5%. One LED module can replace up to three standard bulbs.

NEW



ORE

A22090-3K	WHITE	LED 9W	900 Lm	3000 K	36°
A22090-4K	WHITE	LED 9W	950 Lm	4000 K	36°
A22190-3K	WHITE	LED 9W	900 Lm	3000 K	60°
A22190-4K	WHITE	LED 9W	950 Lm	4000 K	60°
A22190-5K	WHITE	LED 9W	1000 Lm	5000 K	60°




ORE

A22091-3K	WHITE	LED 9W	850 Lm	3000 K	36°
A22091-4K	WHITE	LED 9W	900 Lm	4000 K	36°
A22191-3K	WHITE	LED 9W	850 Lm	3000 K	60°
A22191-4K	WHITE	LED 9W	900 Lm	4000 K	60°




NEW




ORE

A24190-3K	BLACK	LED 9W	900 Lm	3000 K	60°
A24190-4K	BLACK	LED 9W	950 Lm	4000 K	60°



NEW



ORE

A23090-3K	WHITE	LED 9W	750 Lm	3000 K	110°
A23090-4K	WHITE	LED 9W	800 Lm	4000 K	110°



NEW



LUGO

A0415-3K	G4 LED 1,5W	140 Lm	3000 K
A0415-4K	G4 LED 1,5W	150 Lm	4000 K

NEW



LUGO


A0425-3K	G4 LED 2,5W	230 Lm	3000 K
A0425-4K	G4 LED 2,5W	240 Lm	4000 K

NEW



LUGO

A0925-3K	G9 LED 2,5W	230 Lm	3000 K
A0925-4K	G9 LED 2,5W	240 Lm	4000 K




Lack of pulsation
(pulsation coefficient less than 5%)

OPTIMA

OPTIMA magnetic track system is an innovative solution for modern and sleek interiors. A distinctive feature of the system is its height – in INSTYLE track systems, OPTIMA series is the most compact, with a track height of only 25 mm.

OPTIMA 48V
MAGNETIC TRACK SYSTEM






SURFACE TRACK

A720133	WHITE	1 meter
A720233	WHITE	2 meters
A720333	WHITE	3 meters
A720106	BLACK	1 meter
A720206	BLACK	2 meters
A720306	BLACK	3 meters



Magnetic surface track system.
Plastic screen and end-caps
A741106 / A741133 included



NEW





SURFACE TRACK RADIUS

A721406	BLACK
---------	-------



Magnetic radius track, 1/4 segment
for creating various shapes interior



NEW





SURFACE TRACK RADIUS

A721206	BLACK
---------	-------




Magnetic radius track, 1/2 segment
for creating various shapes interior



ANGULAR CONNECTOR

A740633	WHITE
A740606	BLACK


Angular connector for surface
magnetic track



ANGULAR CONNECTOR

A740733	WHITE
A740706	BLACK


Internal angular connector
for surface magnetic track



CONNECTOR

A740533	WHITE
A740506	BLACK


Straight connector for surface and
recessed magnetic track is used for
mechanical connection of tracks




END-CAP

A741133	WHITE
A741106	BLACK

End-cap for OPTIMA surface and recessed
magnetic track.
2 pcs. included




NEW



CONNECTOR

A745533	WHITE
A745506	BLACK


Angular connector for surface and
recessed magnetic track is used for
mechanical connection of tracks




SUSPENSION

A741033	WHITE	2 meters
A741006	BLACK	2 meters

Suspension for surface magnetic track.
2 pcs. included



NEW




STRETCH CEILING PROFILE

A722205	GRAY	2 meters
A723305	GRAY	3 meters

ALUM

Profile for mounting OPTIMA magnetic surface track in stretch ceiling (PVC)




NEW



END-CAP

A721005E	GRAY
----------	------

Profile end-cap A722205, A723305.
2 plugs, 8 self-tapping screws included



CONNECTOR

A641105I	GRAY
----------	------


Straight connector for stretch ceiling tracks A722205, A723305.
2 connectors, 4 screws included




CONNECTOR

A641205L	GRAY
----------	------

Angular connector for stretch ceiling tracks A722205, A723305.
2 connectors, 4 screws included





NEW




**RAUND FOR ARTE LAMP
PROFILE FOR STRETCH
CEILINGS**

A732205 GRAY 2 meters

ALUM

Profile for mounting the OPTIMA surface-mounted magnetic track in a stretch ceiling



NEW




END-CAP

A732205E GRAY


PLASTIC

End-cap for profile A732205.
2 end caps, 4 screws included




RAUND for ARTE Lamp

NEW



SLIM 27 FOR ARTE LAMP

A752233	WHITE	2 meters
A752206	BLACK	2 meters
A753333	WHITE	3 meters
A753306	BLACK	3 meters



Magnetic track for stretch ceiling with damping system for fabric attachment


NEW



END-CAP

A751333E	WHITE
A751306E	BLACK

End-cap for OPTIMA magnetic track.
1 pc. included




SLIM 27 FOR ARTE LAMP

A750233	WHITE	2 meters
---------	-------	----------



Magnetic track for stretch ceiling with damping system for fabric attachment



END-CAP

A751233E	WHITE
----------	-------


End-cap for OPTIMA magnetic track
1 pc. included



CONNECTOR

A484305I	GRAY
----------	------


Straight connector for SLOTT / SLIM27 magnetic track
4 pcs. included



CONNECTOR

A484405L	GRAY
----------	------


Angular connector for SLOTT / SLIM27 magnetic track.
4 pcs. included






RECESSED TRACK

A730133	WHITE	1 meter
A730233	WHITE	2 meters
A730333	WHITE	3 meters
A730106	BLACK	1 meter
A730206	BLACK	2 meters
A730306	BLACK	3 meters




Recessed magnetic track for 12.5 mm thin GWB
Plastic screen, A741106/A741133 end-caps, 2 plastic inserts that simplify finishing work included



ANGULAR CONNECTOR

A731633	WHITE
A731606	BLACK




Angular connector for recessed magnetic track



ANGULAR CONNECTOR

A731733	WHITE
A731706	BLACK




Internal angular connector for recessed magnetic track



CONNECTOR

A740533	WHITE
A740506	BLACK




Straight connector for surface and recessed magnetic track is used for mechanical connection of tracks



END-CAP

A741133	WHITE
A741106	BLACK



End-cap for OPTIMA surface and recessed magnetic track.
2 pcs. included

NEW



POWER INPUT CONNECTOR



A740133	WHITE	0,5 meters
A740106	BLACK	0,5 meters

A740133N 2.0	WHITE	0,5 meters
A740106N 2.0	BLACK	0,5 meters

PLASTIC
COPPER

48V

IP20



NEW





FLEXIBLE CONNECTOR

A740433	WHITE
A740406	BLACK

A740433N 2.0	WHITE
A740406N 2.0	BLACK

Used to transfer power when connecting the track at an angle of 90°



NEW



POWER INPUT CONNECTOR

A740233	WHITE	2 meters
A740206	BLACK	2 meters



A740233N 2.0	WHITE	2 meters
A740206N 2.0	BLACK	2 meters

PLASTIC
COPPER

48V

IP20

Used with a suspended track




NEW



ANGULAR CONNECTOR

A744433	WHITE
A744406	BLACK

Used to transfer power when connecting the track at an angle of 90°




NEW



ADAPTER TO MAGNETIC SURFACE TRACK FOR 0/1-10V CONTROL

A749906	BLACK
---------	-------


Used for dimming 0/1-10V luminaires. Suitable for LINEA and OPTIMA series



STRAIGHTCONNECTOR

A740333	WHITE
A740306	BLACK

Used to transfer power when the track is connected in series




NEW



STRAIGHT CONNECTOR


A740333N 2.0	WHITE
A740306N 2.0	BLACK

Used to transfer power when the track is connected in series






ARTE Lamp | 2025



OPTIMA MAGNETIC SURFACE TRACK WITH UPLIGHT



OPTIMA STANDARD MAGNETIC SURFACE TRACK




NEW

CONNECTOR INPUT
POWER SUPPLY FOR
UPLIGHT

A750133	WHITE
A750106	BLACK

Used for separate connection of LED strip and luminaires in UPLIGHT track system



NEW



SUSPENSION

A741233	WHITE	2 meters
A741206	BLACK	2 meters

Suspension for UPLIGHT diffuser for OPTIMA surface track system.
2 pcs. included

NEW



DIFFUSER

A760233	WHITE	2 meters
---------	-------	----------

UPLIGHT matte diffuser


NEW



SINGLE-LEVEL THROUGH RACK

A752006I **BLACK**

To create various UPLIGHT lighting figures in the interior with the OPTIMA surface track system




NEW



SINGLE-LEVEL ANGULAR RACK

A752106L **BLACK**

To create various UPLIGHT lighting figures in the interior with the OPTIMA surface track system




NEW



TWO-LEVEL THROUGH RACK

A754006I **BLACK**

To create various UPLIGHT lighting figures in the interior with the OPTIMA surface track system




NEW



TWO-LEVEL ANGULAR RACK

A754106L **BLACK**

To create various UPLIGHT lighting figures in the interior with the OPTIMA surface track system




NEW




TWO-LEVEL THROUGH RACK

A754206I **BLACK**

To create various UPLIGHT lighting figures in the interior with the OPTIMA surface track system







OPTIMA

A7260PL-1WH	WHITE	LED 8W	830 Lm	4000 K
A7280PL-1WH	WHITE	LED 8W	830 Lm	3000 K
A7260PL-1BK	BLACK	LED 8W	830 Lm	4000 K
A7280PL-1BK	BLACK	LED 8W	830 Lm	3000 K

NEW

OPTIMA with control system

A7470PL-1BK	BLACK	LED 8W	0/1-10V	830 Lm	4000 K
A7490PL-1BK	BLACK	LED 8W	0/1-10V	830 Lm	3000 K
A7360PL-1BK	BLACK	LED 8W	Smart Life®	830 Lm	4000 K
A7380PL-1BK	BLACK	LED 8W	Smart Life®	830 Lm	3000 K





OPTIMA

A7261PL-1WH	WHITE	LED 12W	1300 Lm	4000 K
A7281PL-1WH	WHITE	LED 12W	1300 Lm	3000 K
A7261PL-1BK	BLACK	LED 12W	1300 Lm	4000 K
A7281PL-1BK	BLACK	LED 12W	1300 Lm	3000 K

NEW

OPTIMA with control system

A7471PL-1BK	BLACK	LED 12W	0/1-10V	1300 Lm	4000 K
A7491PL-1BK	BLACK	LED 12W	0/1-10V	1300 Lm	3000 K
A7361PL-1BK	BLACK	LED 12W	Smart Life®	1300 Lm	4000 K
A7381PL-1BK	BLACK	LED 12W	Smart Life®	1300 Lm	3000 K



OPTIMA

A7262PL-1WH	WHITE	LED 16W	1800 Lm	4000 K
A7282PL-1WH	WHITE	LED 16W	1800 Lm	3000 K
A7262PL-1BK	BLACK	LED 16W	1800 Lm	4000 K
A7282PL-1BK	BLACK	LED 16W	1800 Lm	3000 K


NEW

OPTIMA with control system

A7472PL-1BK	BLACK	LED 16W	0/1-10V	1800 Lm	4000 K
A7492PL-1BK	BLACK	LED 16W	0/1-10V	1800 Lm	3000 K
A7362PL-1BK	BLACK	LED 16W	Smart Life®	1800 Lm	4000 K
A7382PL-1BK	BLACK	LED 16W	Smart Life®	1800 Lm	3000 K

App Smart Life®






NEW

OPTIMA

A7269PL-1WH	WHITE	LED 8W	830 Lm	4000 K
A7289PL-1WH	WHITE	LED 8W	830 Lm	3000 K
A7269PL-1BK	BLACK	LED 8W	830 Lm	4000 K
A7289PL-1BK	BLACK	LED 8W	830 Lm	3000 K

OPTIMA with control system

A7369PL-1BK	BLACK	LED 8W	Smart Life®	830 Lm	4000 K
A7389PL-1BK	BLACK	LED 8W	Smart Life®	830 Lm	3000 K





NEW

OPTIMA

A7270PL-1WH	WHITE	LED 12W	1300 Lm	4000 K
A7290PL-1WH	WHITE	LED 12W	1300 Lm	3000 K
A7270PL-1BK	BLACK	LED 12W	1300 Lm	4000 K
A7290PL-1BK	BLACK	LED 12W	1300 Lm	3000 K

OPTIMA with control system


A7370PL-1BK	BLACK	LED 12W	Smart Life®	1300 Lm	4000 K
A7390PL-1BK	BLACK	LED 12W	Smart Life®	1300 Lm	3000 K



NEW

OPTIMA


A7260PL-2BK	BLACK	LED 2x8W	2x830 Lm	4000 K
A7280PL-2BK	BLACK	LED 2x8W	2x830 Lm	3000 K



NEW

OPTIMA




A7275PL-1WH	WHITE	LED 8W	830 Lm	4000 K
A7295PL-1WH	WHITE	LED 8W	830 Lm	3000 K
A7275PL-1BK	BLACK	LED 8W	830 Lm	4000 K
A7295PL-1BK	BLACK	LED 8W	830 Lm	3000 K



NEW

OPTIMA

A7276PL-1WH	WHITE	LED 12W	1300 Lm	4000 K
A7296PL-1WH	WHITE	LED 12W	1300 Lm	3000 K
A7276PL-1BK	BLACK	LED 12W	1300 Lm	4000 K
A7296PL-1BK	BLACK	LED 12W	1300 Lm	3000 K





OPTIMA

A7263PL-1WH	WHITE	LED 10W	420 Lm	4000 K
A7283PL-1WH	WHITE	LED 10W	420 Lm	3000 K
A7263PL-1BK	BLACK	LED 10W	420 Lm	4000 K
A7283PL-1BK	BLACK	LED 10W	420 Lm	3000 K

NEW

OPTIMA with control system

A7473PL-1BK	BLACK	LED 10W	0/1-10V	550 Lm	4000 K
A7493PL-1BK	BLACK	LED 10W	0/1-10V	550 Lm	3000 K
A7363PL-1BK	BLACK	LED 10W	Smart Life®	550 Lm	4000 K
A7383PL-1BK	BLACK	LED 10W	Smart Life®	550 Lm	3000 K




OPTIMA

A7264PL-1WH	WHITE	LED 20W	850 Lm	4000 K
A7284PL-1WH	WHITE	LED 20W	850 Lm	3000 K
A7264PL-1BK	BLACK	LED 20W	850 Lm	4000 K
A7284PL-1BK	BLACK	LED 20W	850 Lm	3000 K

NEW

OPTIMA with control system

A7474PL-1BK	BLACK	LED 20W	0/1-10V	1100 Lm	4000 K
A7494PL-1BK	BLACK	LED 20W	0/1-10V	1100 Lm	3000 K
A7364PL-1BK	BLACK	LED 20W	Smart Life®	1100 Lm	4000 K
A7384PL-1BK	BLACK	LED 20W	Smart Life®	1100 Lm	3000 K




OPTIMA

A7265PL-1WH	WHITE	LED 30W	1450 Lm	4000 K
A7285PL-1WH	WHITE	LED 30W	1450 Lm	3000 K
A7265PL-1BK	BLACK	LED 30W	1450 Lm	4000 K
A7285PL-1BK	BLACK	LED 30W	1450 Lm	3000 K

NEW

OPTIMA with control system

A7475PL-1BK	BLACK	LED 30W	0/1-10V	1500 Lm	4000 K
A7495PL-1BK	BLACK	LED 30W	0/1-10V	1500 Lm	3000 K
A7365PL-1BK	BLACK	LED 30W	Smart Life®	1500 Lm	4000 K
A7385PL-1BK	BLACK	LED 30W	Smart Life®	1500 Lm	3000 K





OPTIMA

A7266PL-1WH	WHITE	LED 12W	850 Lm	4000 K
A7286PL-1WH	WHITE	LED 12W	850 Lm	3000 K
A7266PL-1BK	BLACK	LED 12W	850 Lm	4000 K
A7286PL-1BK	BLACK	LED 12W	850 Lm	3000 K

NEW

OPTIMA with control system

A7476PL-1BK	BLACK	LED 12W	0/1-10V	850 Lm	4000 K
A7496PL-1BK	BLACK	LED 12W	0/1-10V	850 Lm	3000 K
A7366PL-1BK	BLACK	LED 12W	Smart Life®	850 Lm	4000 K
A7386PL-1BK	BLACK	LED 12W	Smart Life®	850 Lm	3000 K




OPTIMA

A7267PL-1WH	WHITE	LED 18W	1250 Lm	4000 K
A7287PL-1WH	WHITE	LED 18W	1250 Lm	3000 K
A7267PL-1BK	BLACK	LED 18W	1250 Lm	4000 K
A7287PL-1BK	BLACK	LED 18W	1250 Lm	3000 K

NEW

OPTIMA with control system

A7477PL-1BK	BLACK	LED 18W	0/1-10V	1300 Lm	4000 K
A7497PL-1BK	BLACK	LED 18W	0/1-10V	1300 Lm	3000 K
A7367PL-1BK	BLACK	LED 18W	Smart Life®	1300 Lm	4000 K
A7387PL-1BK	BLACK	LED 18W	Smart Life®	1300 Lm	3000 K



OPTIMA


A7268PL-1WH	WHITE	LED 10W	710 Lm	4000 K
A7288PL-1WH	WHITE	LED 10W	710 Lm	3000 K
A7268PL-1BK	BLACK	LED 10W	710 Lm	4000 K
A7288PL-1BK	BLACK	LED 10W	710 Lm	3000 K

NEW

OPTIMA with control system

A7478PL-1BK	BLACK	LED 10W	0/1-10V	710 Lm	4000 K
A7498PL-1BK	BLACK	LED 10W	0/1-10V	710 Lm	3000 K
A7368PL-1BK	BLACK	LED 10W	Smart Life®	710 Lm	4000 K
A7388PL-1BK	BLACK	LED 10W	Smart Life®	710 Lm	3000 K

NEW




OPTIMA

A7271PL-1BK	BLACK	LED 8W	450 Lm	4000 K
A7291PL-1BK	BLACK	LED 8W	450 Lm	3000 K



NEW




OPTIMA

A7278PL-1BK	BLACK	LED 10W	650 Lm	4000 K	1 meter
A7298PL-1BK	BLACK	LED 10W	650 Lm	3000 K	1 meter





NEW



OPTIMA

A7279PL-1BK	BLACK	LED 20W	1300 Lm	4000 K	2 meters
A7299PL-1BK	BLACK	LED 20W	1300 Lm	3000 K	2 meters





LOOP

A4910PL-1WH	WHITE	LED 35W	3000 Lm	4000 K	2,5 meters
A4910PL-1BK	BLACK	LED 35W	3000 Lm	4000 K	2,5 meters
A4911PL-1WH	WHITE	LED 65W	5800 Lm	4000 K	5 meters
A4911PL-1BK	BLACK	LED 65W	5800 Lm	4000 K	5 meters

Adapters for track system
are available separately



ADAPTER
WITH POWER INPUT

A492033-1	WHITE
A492006-1	BLACK

Suitable for LINEA and OPTIMA series



ADAPTER-CONNECTOR

A492033-2	WHITE
A492006-2	BLACK

Suitable for LINEA and OPTIMA series



SUSPENSION HOLDER
TO MAGNETIC TRACK

A492233	WHITE	2 meters
A492206	BLACK	2 meters

Suitable for LINEA and OPTIMA series



SUSPENSION HOLDER
WITH CEILING MOUNT

A492433	WHITE	2 meters
---------	-------	----------

Suitable for LINEA and OPTIMA series



NEW



CONDUCTIVE TEXTILE BELT

A801005	DARK GRAY	10 meters
A801006	BLACK	10 meters
A801007	TERRACOTTA	10 meters
A803005	DARK GRAY	30 meters
A803006	BLACK	30 meters
A803007	TERRACOTTA	30 meters

NEW



SURFACE-MOUNTED CEILING
BASE WITH POWER INPUT

A800506	BLACK
---------	-------

NEW



RECESSED CEILING BASE
WITH POWER INPUT

A800606	BLACK
---------	-------

NEW



ADAPTERS FOR TRACK

A800106	BLACK
---------	-------

Used to supply power from the track
to the textile belt.
Can be divided into 2 connection groups



NEW



POWER SUPPLY INPUT

A800706	BLACK
---------	-------

To bring power to the conductive belt

NEW



MOUNTING BRACKET

A800206	BLACK
---------	-------

Surface-mounted bracket, to be
installed on the surface

NEW



CLIP-ON BASE BELT CLIP

A800406	BLACK
---------	-------

Allows you to fix strap on the surface

NEW



SUSPENSION

A800306	BLACK	2 meters
---------	-------	----------

Height adjustable

NEW




RETAINER CONDUCTIVE
BELT

A800806	BLACK
---------	-------

Used for securing the belt and
creating a loop

NEW



END-CAP

A800906	BLACK
---------	-------



Covers the cutting edge of the belt



NEW

OPTIMA


A8461PL-1BK BLACK LED 10W 500 Lm 4000 K



NEW

OPTIMA



A8462PL-1BK BLACK LED 15W 750 Lm 4000 K



NEW

OPTIMA


A8463PL-1BK BLACK LED 22W 1300 Lm 4000 K



NEW

OPTIMA


A8464PL-1BK BLACK LED 10W 700 Lm 4000 K



NEW

OPTIMA


A8465PL-1BK BLACK LED 15W 950 Lm 4000 K



NEW


OPTIMA

A8466PL-1BK BLACK LED 22W 1350 Lm 4000 K





NEW



OPTIMA

A8467PL-1BK BLACK LED 12W 400 Lm 4000 K


ALUM
PLASTIC

48V

Ra
≥90

IP20

NEW



OPTIMA

A8468PL-1BK BLACK LED 12W 650 Lm 4000 K

ALUM
PLASTIC

48V

Ra
≥90

IP20

LINEA

LINEA magnetic track system is an improved and more modern version of the classic track with a safe voltage of 48V.

The convenient installation method allows you to extract and move light sources easily.

The versatility of the magnetic track and a wide range of lamps will allow you to combine general, local and accent lighting in one system.


LINEA 48V
MAGNETIC TRACK SYSTEM

NEW



SURFACE TRACK

A460133	WHITE	1 meter
A460233	WHITE	2 meters
A460333	WHITE	3 meters
A460106	BLACK	1 meter
A460206	BLACK	2 meters
A460306	BLACK	3 meters




Magnetic surface track.
Plastic screen and end-cap A482033 /
A482006 included



ANGULAR CONNECTOR

A480633	WHITE
A480606	BLACK


Angular connector for surface
magnetic track



ANGULAR CONNECTOR

A480833	WHITE
A480806	BLACK


Internal angular connector
for surface magnetic track



STRAIGHT CONNECTOR

A480533	WHITE
A480506	BLACK


Straight connector for surface and recessed magnetic track
is used for mechanical connection of tracks



SUSPENSION

A481033	WHITE	2 meters
A481005	GRAY	2 meters


Suspension for surface magnetic track
2 pcs. included



END-CAP

A482033	WHITE
A482006	BLACK

End-cap for surface magnetic track






RECESSED TRACK

A470133 WHITE 1 meter



Recessed magnetic track for 9 mm thin GBW. Plastic screen and A482133/A482106 end-caps included



NEW




RECESSED TRACK 2.0

A471133 WHITE 1 meter
A472233 WHITE 2 meters
A473333 WHITE 3 meters
A471106 BLACK 1 meter
A472206 BLACK 2 meters
A473306 BLACK 3 meters




Recessed magnetic track for 12.5 mm thin GBW. Plastic screen and A482133/A482106 end-caps included



ANGULAR CONNECTOR

A480733 WHITE


Angular connector for 9 mm thin GBW recessed magnetic track



ANGULAR CONNECTOR 2.0

A487733 WHITE
A487706 BLACK


Angular connector for 12.5 mm thin GBW recessed magnetic track



ANGULAR CONNECTOR

A480933 WHITE
A480906 BLACK


Angular connector for 9 mm thin GBW recessed magnetic track



ANGULAR CONNECTOR 2.0

A489933 WHITE
A489906 BLACK


Angular connector for 12.5 mm thin GBW recessed magnetic track



END-CAP

A482133 WHITE
A482106 BLACK


End-caps for LINEA magnetic track and for LINEA 2.0 recessed in GBW. 2 pcs. included



CONNECTOR

A480505 GRAY

Straight mechanical connector for LINEA and LINEA 2.0 recessed in GBW track. 2 pcs. included




NEW



STRETCH CEILING TRACK

A473233	WHITE	2 meters
A474333	WHITE	3 meters
A473206	BLACK	2 meters
A474306	BLACK	3 meters




LINEA magnetic track for stretch ceilings with harpoon system for fastening the canvas.
Inner A483206E and outer A485206E end caps available separately, 2 decorative inserts included



EXTERNAL END-CAP

A483206E	BLACK
----------	-------

External end-cap for magnetic track A473206 or A474306 designed for installation in stretch ceilings.
2 connectors, 8 screws included




NEW



INTERNAL END-CAP

A485233E	WHITE
A485206E	BLACK

Internal end-cap for A473206 or A474306 recessed stretch ceilings track. Installed in the track, covering the end fastening of the canvas.
2 pcs. included



CONNECTOR

A641105I	GRAY
----------	------

Straight connector for stretch ceiling track A640205, A632205, A473206.
2 connectors, 4 screws included



CONNECTOR

A641205L	GRAY
----------	------


Angular connector for stretch ceiling track A640205, A632205, A473206.
2 connectors, 4 screws included

NEW




SLOTT FOR ARTE LAMP

A474233	WHITE	2 meters
A474206	BLACK	2 meters




SLOTT for ARTE Lamp magnetic track for stretch ceiling with a damping system for fabric attachment.



CONNECTOR

A484305I	GRAY
----------	------


Straight connector for stretch ceiling magnetic track SLOTT / SLIM27. 4 pcs. included



CONNECTOR

A484405L	GRAY
----------	------


Angular connector for stretch ceiling magnetic track SLOTT / SLIM27. 4 pcs. included



END-CAP

A484233E	WHITE
A484206E	BLACK

End-cap for SLOTT magnetic track 1 end-cap, 4 screws, damping element included






POWER INPUT CONNECTOR

A480133	WHITE	0,5 meters
---------	-------	------------

PLASTIC
COPPER

48V

IP20




CONNECTOR 2.0
FOR POWER INPUT

A481133	WHITE	0,5 meters
A481106	BLACK	0,5 meters

PLASTIC
COPPER

48V

IP20



POWER INPUT CONNECTOR



A740133	WHITE	0,5 meters
A740106	BLACK	0,5 meters

A740133N 2.0	WHITE	0,5 meters
A740106N 2.0	BLACK	0,5 meters

PLASTIC
COPPER

48V

IP20



POWER INPUT CONNECTOR


A480233	WHITE	2 meters
A480206	BLACK	2 meters

PLASTIC
COPPER

48V

IP20


Use with suspended track



FLEXIBLE CONNECTOR 2.0

A484433	WHITE
A484406	BLACK

Used for power transfer when connecting track profiles at an angle of 90°





FLEXIBLE CONNECTOR

A740433	WHITE
A740406	BLACK

A740433N 2.0	WHITE
A740406N 2.0	BLACK

Used to transfer power when connecting the track at an angle of 90°



CONNECTOR 2.0
FOR POWER INPUT


A482233	WHITE	2 meters
A482206	BLACK	2 meters

PLASTIC
COPPER

48V

IP20

Use with suspended track



POWER INPUT CONNECTOR

A740233	WHITE	2 meters
A740206	BLACK	2 meters



A740233N 2.0	WHITE	2 meters
A740206N 2.0	BLACK	2 meters

PLASTIC
COPPER

48V

IP20


Used with a suspended track



STRAIGHT CONNECTOR 2.0


A483333	WHITE
A483306	BLACK

Used for power transfer when daisy chaining of track profiles



A740333	WHITE
A740306	BLACK

Used to transfer power when the track is connected in series




NEW



STRAIGHT CONNECTOR



A740333N 2.0	WHITE
A740306N 2.0	BLACK

Used to transfer power when the track is connected in series




NEW

NEW





LINEA 2.0

A4660PL-1WH	WHITE	LED 8W	490 Lm	4000 K
A4660PL-1BK	BLACK	LED 8W	490 Lm	4000 K
A4660PL-1SG	MATTE GOLD	LED 8W	490 Lm	4000 K
A4660PL-1AB	ANTIQUE BRONZE	LED 8W	490 Lm	4000 K
A4670PL-1WH	WHITE	LED 8W	490 Lm	3000 K
A4670PL-1BK	BLACK	LED 8W	490 Lm	3000 K




LINEA 2.0 with control system

A4680PL-1BK	BLACK	LED 8W	0/1-10V	490 Lm	4000 K
A4690PL-1WH	WHITE	LED 8W	Smart Life®	Max 400 Lm	2700-6000 K
A4690PL-1BK	BLACK	LED 8W	Smart Life®	Max 400 Lm	2700-6000 K




App Smart Life®






LINEA 2.0

A4661PL-1WH	WHITE	LED 13W	1020 Lm	4000 K
A4661PL-1BK	BLACK	LED 13W	1020 Lm	4000 K
A4661PL-1SG	MATTE GOLD	LED 13W	1020 Lm	4000 K
A4661PL-1AB	ANTIQUE BRONZE	LED 13W	1020 Lm	4000 K
A4671PL-1WH	WHITE	LED 13W	1020 Lm	3000 K
A4671PL-1BK	BLACK	LED 13W	1020 Lm	3000 K





LINEA 2.0 with control system

A4681PL-1BK	BLACK	LED 13W	0/1-10V	1020 Lm	4000 K
A4691PL-1WH	WHITE	LED 13W	Smart Life®	Max 850 Lm	2700-6000 K
A4691PL-1BK	BLACK	LED 13W	Smart Life®	Max 850 Lm	2700-6000 K



App Smart Life®







LINEA 2.0

A4662PL-1WH	WHITE	LED 10W	550 Lm	4000 K
A4662PL-1BK	BLACK	LED 10W	550 Lm	4000 K
A4672PL-1WH	WHITE	LED 10W	550 Lm	3000 K
A4672PL-1BK	BLACK	LED 10W	550 Lm	3000 K

LINEA 2.0 with control system

A4682PL-1BK	BLACK	LED 10W	0/1-10V	550 Lm	4000 K
A4692PL-1WH	WHITE	LED 10W	Smart Life®	Max 500 Lm	2700-6000 K
A4692PL-1BK	BLACK	LED 10W	Smart Life®	Max 500 Lm	2700-6000 K





LINEA 2.0

A4663PL-1WH	WHITE	LED 20W	1020 Lm	4000 K
A4663PL-1BK	BLACK	LED 20W	1020 Lm	4000 K
A4673PL-1WH	WHITE	LED 20W	1020 Lm	3000 K
A4673PL-1BK	BLACK	LED 20W	1020 Lm	3000 K

LINEA 2.0 with control system

A4683PL-1BK	BLACK	LED 20W	0/1-10V	1020 Lm	4000 K
A4693PL-1WH	WHITE	LED 20W	Smart Life®	Max 980 Lm	2700-6000 K
A4693PL-1BK	BLACK	LED 20W	Smart Life®	Max 980 Lm	2700-6000 K

App Smart Life®



NEW




LINEA 2.0

A4669PL-1WH	WHITE	LED 12W	620 LM	4000 K
A4679PL-1WH	WHITE	LED 12W	620 LM	3000 K
A4669PL-1BK	BLACK	LED 12W	620 LM	4000 K
A4679PL-1BK	BLACK	LED 12W	620 LM	3000 K

NEW

LINEA 2.0 with control system

A4697PL-1WH	WHITE	LED 12W	Smart Life®	Max 500 Lm	2700-6000 K
A4697PL-1BK	BLACK	LED 12W	Smart Life®	Max 500 Lm	2700-6000 K



LINEA 2.0


A4668PL-1WH	WHITE	LED 12W	1100 Lm	4000 K
A4668PL-1BK	BLACK	LED 12W	1100 LM	4000 K
A4678PL-1WH	WHITE	LED 12W	1100 LM	3000 K
A4678PL-1BK	BLACK	LED 12W	1100 LM	3000 K

LINEA 2.0 with control system

A4686PL-1BK	BLACK	LED 12W	0/1-10V	1100 Lm	4000 K
A4696PL-1WH	WHITE	LED 12W	Smart Life®	Max 1000 Lm	2700-6000 K
A4696PL-1BK	BLACK	LED 12W	Smart Life®	Max 1000 Lm	2700-6000 K


App Smart Life®





LINEA

A4634PL-1WH	WHITE	LED 15W	1100 Lm	4000 K
A4634PL-1BK	BLACK	LED 15W	1100 Lm	4000 K
A4644PL-1WH	WHITE	LED 15W	1100 Lm	3000 K




LINEA 2.0

A4664PL-1WH	WHITE	LED 12W	1100 Lm	4000 K
A4664PL-1BK	BLACK	LED 12W	1100 LM	4000 K
A4674PL-1WH	WHITE	LED 12W	1100 LM	3000 K
A4674PL-1BK	BLACK	LED 12W	1100 LM	3000 K

LINEA 2.0 with control system



A4684PL-1BK	BLACK	LED 12W	0/1-10V	1100 Lm	4000 K
A4694PL-1WH	WHITE	LED 12W	Smart Life®	Max 1000 Lm	2700-6000 K
A4694PL-1BK	BLACK	LED 12W	Smart Life®	Max 1000 Lm	2700-6000 K

App Smart Life®



LINEA

A4635PL-1WH	WHITE	LED 20W	1700 Lm	4000 K
A4645PL-1WH	WHITE	LED 20W	1700 Lm	3000 K



LINEA 2.0


A4665PL-1WH	WHITE	LED 18W	1700 Lm	4000 K
A4665PL-1BK	BLACK	LED 18W	1700 Lm	4000 K
A4675PL-1WH	WHITE	LED 18W	1700 Lm	3000 K
A4675PL-1BK	BLACK	LED 18W	1700 Lm	3000 K

LINEA 2.0 with control system

A4685PL-1BK	BLACK	LED 18W	0/1-10V	1700 Lm	4000 K
A4695PL-1WH	WHITE	LED 18W	Smart Life®	Max 1600 Lm	2700-6000 K
A4695PL-1BK	BLACK	LED 18W	Smart Life®	Max 1600 Lm	2700-6000 K

App Smart Life®





Adapters for track system
are available separately

LOOP

A4910PL-1WH	WHITE	LED 35W	3000 Lm	4000 K	2,5 meters
A4910PL-1BK	BLACK	LED 35W	3000 Lm	4000 K	2,5 meters
A4911PL-1WH	WHITE	LED 65W	5800 Lm	4000 K	5 meters
A4911PL-1BK	BLACK	LED 65W	5800 Lm	4000 K	5 meters



ADAPTER
WITH POWER INPUT

A492033-1	WHITE
A492006-1	BLACK

Suitable for LINEA and OPTIMA series



ADAPTER-CONNECTOR

A492033-2	WHITE
A492006-2	BLACK

Suitable for LINEA and OPTIMA series



SUSPENSION HOLDER
TO MAGNETIC TRACK

A492233	WHITE	2 meters
A492206	BLACK	2 meters


Suitable for LINEA and OPTIMA series



SUSPENSION HOLDER
CEILING MOUNT

A492433	WHITE	2 meters
---------	-------	----------

Suitable for LINEA and OPTIMA series



LINEA 2.0

A4770SP-1BK	BLACK	LED 8W	450 Lm	4000 K
A4780SP-1BK	BLACK	LED 8W	450 Lm	3000 K

III

ALUM
PLASTIC

48V

24°

Ra
≥90

IP20



LINEA 2.0

A4771PL-1BK	BLACK	LED 8W	800 Lm	4000 K
A4781PL-1BK	BLACK	LED 8W	800 Lm	3000 K

III

ALUM
PLASTIC

48V


60°

Ra
≥90


IP20


























EXPERT

The unique design of EXPERT magnetic track systems makes their use more versatile.

The internal size of the track and the width of the adapters is only 17 mm.

Despite their compact size, the fixtures have a high light output and feature enhanced technical specifications.

EXPERT 48V
MAGNETIC TRACK SYSTEM







SURFACE TRACK

A570106	BLACK	1 meter
A570206	BLACK	2 meters



Magnetic surface track system.
Plastic screen and end-caps A592006 included




STRETCH CEILING PROFILE

A640205	GRAY	2 meters
---------	------	----------




Profile for mounting EXPERT magnetic surface track in stretch ceiling (PVC)



END-CAP

A641005E	BLACK-WHITE
----------	-------------

End-cap for stretch ceiling profiles A640205.
2 connectors, 8 screws included



CONNECTOR

A641105I	GRAY
----------	------

Straight connector for stretch ceiling tracks A640205, A632205, A473206.
2 connectors, 4 screws included



CONNECTOR

A641205L	GRAY
----------	------

Angular connector for stretch ceiling tracks A640205, A632205, A473206.
2 connectors, 4 screws included



CONNECTOR

A641305V	GRAY
----------	------


Angular connector for stretch ceiling tracks A640205, A632205.
2 connectors, 4 screws included



ANGULAR CONNECTOR

A590606	BLACK
---------	-------


Angular connector for surface magnetic track



ANGULAR CONNECTOR

A590806	BLACK
---------	-------

Internal angular connector for surface magnetic track



CONNECTOR

A590506	BLACK
---------	-------

Straight connector for surface and recessed magnetic track is used for mechanical connection of tracks



SUSPENSION

A571006	BLACK	2 meters
---------	-------	----------


Suspension for surface magnetic track.
2 pcs. included



END-CAP

A592006	BLACK
---------	-------

End-cap for EXPERT surface magnetic track.
2 pcs. included






RECESSED TRACK

A580106	BLACK	1 meter
A580206	BLACK	2 meters



Recessed magnetic track for 12.5 mm thin GWB.
Plastic screen and end-caps A592106 included




CONNECTOR

A590106	BLACK	0,5 meters
---------	-------	------------




Connector for power input



ANGULAR CONNECTOR

A590706	BLACK
---------	-------


Angular connector for recessed magnetic track



CONNECTOR

A590206	BLACK	2 meters
---------	-------	----------


Used with a suspended track



ANGULAR CONNECTOR

A590906	BLACK
---------	-------


Internal angular connector
for recessed magnetic track



STRAIGHT CONNECTOR

A583006	BLACK
---------	-------


Straight mechanical connector for recessed
magnetic track recessed in GWB track.
2 pcs included



CONNECTOR

A590306	BLACK
---------	-------


Used for power transfer when daisy chaining
of track profiles



END-CAP

A592106	BLACK
---------	-------


End-cap for EXPERT recessed
magnetic track.
2 pcs. included




CONNECTOR 2.0

A590406	BLACK
---------	-------


Used to transfer power when connecting
the track at an angle of 90°







EXPERT

A5720PL-1BK	BLACK	LED 8W	650 Lm	4000 K
-------------	-------	--------	--------	--------




EXPERT with control system

A5740PL-1BK	BLACK	LED 8W	Smart Life®	Max 550 Lm	2700-6000 K
-------------	-------	--------	-------------	------------	-------------



EXPERT




A5721PL-1BK	BLACK	LED 13W	1100 Lm	4000 K
-------------	-------	---------	---------	--------



EXPERT with control system


A5741PL-1BK	BLACK	LED 13W	Smart Life®	Max 880 Lm	2700-6000 K
-------------	-------	---------	-------------	------------	-------------

App Smart Life®




EXPERT

A5722PL-1BK	BLACK	LED 10W	610 Lm	4000 K
-------------	-------	---------	--------	--------




EXPERT with control system

A5742PL-1BK	BLACK	LED 10W	Smart Life®	Max 550 Lm	2700-6000 K
-------------	-------	---------	-------------	------------	-------------



EXPERT

A5723PL-1BK	BLACK	LED 20W	1120 Lm	4000 K
-------------	-------	---------	---------	--------




EXPERT with control system

A5743PL-1BK	BLACK	LED 20W	Smart Life®	Max 1050 Lm	2700-6000 K
-------------	-------	---------	-------------	-------------	-------------

App Smart Life®







EXPERT

A5726PL-1BK BLACK LED 12W 800 Lm 4000 K

EXPERT with control system

A5746PL-1BK BLACK LED 12W Smart Life® Max 600 Lm 2700-6000 K




EXPERT

A5724PL-1BK BLACK LED 12W 690 Lm 4000 K

EXPERT with control system

A5744PL-1BK BLACK LED 12W Smart Life® Max 600 Lm 2700-6000 K



EXPERT


A5725PL-1BK BLACK LED 18W 1000 Lm 4000 K

EXPERT with control system

A5745PL-1BK BLACK LED 18W Smart Life® Max 900 Lm 2700-6000 K

App Smart Life®





Adapters for track system
are available separately

LOOP

A4910PL-1WH	WHITE	LED 35W	3000 Lm	4000 K	2,5 meters
A4910PL-1BK	BLACK	LED 35W	3000 Lm	4000 K	2,5 meters
A4911PL-1WH	WHITE	LED 65W	5800 Lm	4000 K	5 meters
A4911PL-1BK	BLACK	LED 65W	5800 Lm	4000 K	5 meters

SILICONE
ALUM

48V

Ra
≥85

IP20



ADAPTER
WITH POWER INPUT

A492106-1 BLACK

Suitable for EXPERT series



ADAPTER-CONNECTOR

A492106-2 BLACK

Suitable for EXPERT series



SUSPENSION HOLDER
TO MAGNETIC TRACK

A492306 BLACK 2 meters

Suitable for EXPERT series



SUSPENSION HOLDER
CEILING MOUNT

A492433 WHITE 2 meters

Suitable for EXPERT, OPTIMA and LINEA series

RAPID

Ultra-thin 48V magnetic track system allows you to create unique lighting scenarios.

Thanks to its compact height of 6.7 mm and black-and-white color scheme, the track line looks concise, complementing the interior image.

A wide range of lamps allows you to choose the right lighting.

The unique wall mount allows you to extend the system beyond a single plane.

The main feature is the ability to install the system in interiors with already finished renovations.

RAPID 48V
MAGNETIC TRACK SYSTEM




SURFACE TRACK

A613133	WHITE	1 meter
A613106	BLACK	1 meter
A613233	WHITE	2 meters
A613206	BLACK	2 meters




Magnetic surface track.
End-cups A613406E / A613433E included



POWER INPUT

A615133	WHITE
A615106	BLACK

Power input for surface magnetic track




NEW



SWIVEL CONNECTOR

A613833R	WHITE
A613806R	BLACK

Swivel connector for surface magnetic track




NEW



POWER INPUT

A617133	WHITE
A617106	BLACK

Power input for suspension, for mounting on the back of the track




NEW



SUSPENSION

A617233	WHITE
A617206	BLACK


Suspension for surface track.
2 pcs. included



WALL MOUNTING

A615033H	WHITE
A615006H	BLACK

Wall mount for surface-mounted magnetic track






END-CAP

A613433E	WHITE
A613406E	BLACK


End-cap for surface magnetic track.
2 pcs. included



VERTICAL ANGULAR CONNECTOR

A613633V	WHITE
A613606V	BLACK


Vertical angular connector



STRAIGHT CONNECTOR

A613533I	WHITE
A613506I	BLACK


Straight connector for surface magnetic track



T-SHAPED CONNECTOR

A613633T	WHITE
A613606T	BLACK



Connector T-connector for surface magnetic track



ANGULAR CONNECTOR

A613633L	WHITE
A613606L	BLACK


Angular connector for surface magnetic track




X-SHAPED CONNECTOR


A613733X	WHITE
A613706X	BLACK

X-shaped connector for surface magnetic track










RAPID

A6156PL-1WH	WHITE	LED 7W	446 Lm	4000 K
A6156PL-1BK	BLACK	LED 7W	446 Lm	4000 K
A1156PL-1WH	WHITE	LED 7W	446 Lm	3000 K
A1156PL-1BK	BLACK	LED 7W	446 Lm	3000 K




RAPID

A6158PL-1WH	WHITE	LED 12W	741 Lm	4000 K
A6158PL-1BK	BLACK	LED 12W	741 Lm	4000 K
A1158PL-1WH	WHITE	LED 12W	741 Lm	3000 K
A1158PL-1BK	BLACK	LED 12W	741 Lm	3000 K


RAPID with control system

A2956PL-1WH	WHITE	LED 7W	446 Lm	2700-6500 K
A2956PL-1BK	BLACK	LED 7W	446 Lm	2700-6500 K



RAPID with control system

A2958PL-1WH	WHITE	LED 12W	741 Lm	2700-6500 K
A2958PL-1BK	BLACK	LED 12W	741 Lm	2700-6500 K





App Smart Life®




App Smart Life®






RAPID

A6153PL-1WH	WHITE	LED 9W	416 Lm	4000 K
A6153PL-1BK	BLACK	LED 9W	416 Lm	4000 K
A1153PL-1WH	WHITE	LED 9W	416 Lm	3000 K
A1153PL-1BK	BLACK	LED 9W	416 Lm	3000 K



RAPID


A6154PL-1WH	WHITE	LED 12W	872 Lm	4000 K
A6154PL-1BK	BLACK	LED 12W	872 Lm	4000 K
A1154PL-1WH	WHITE	LED 12W	872 Lm	3000 K
A1154PL-1BK	BLACK	LED 12W	872 Lm	3000 K



RAPID with control system

A2953PL-1WH	WHITE	LED 9W	416 Lm	2700-5700 K
A2953PL-1BK	BLACK	LED 9W	416 Lm	2700-5700 K

App Smart Life®






RAPID with control system

A2954PL-1WH	WHITE	LED 12W	872 Lm	2700-5700 K
A2954PL-1BK	BLACK	LED 12W	872 Lm	2700-5700 K

App Smart Life®





RAPID


A6168PL-1WH	WHITE	LED 15W	800Lm	4000 K
A6168PL-1BK	BLACK	LED 15W	800Lm	4000 K
A1168PL-1WH	WHITE	LED 15W	800Lm	3000 K
A1168PL-1BK	BLACK	LED 15W	800Lm	3000 K

RAPID

A6169PL-1WH	WHITE	LED 18W	1500 Lm	4000 K
A6169PL-1BK	BLACK	LED 18W	1500 Lm	4000 K
A1169PL-1WH	WHITE	LED 18W	1500 Lm	3000 K
A1169PL-1BK	BLACK	LED 18W	1500 Lm	3000 K


RAPID with control system

A2968PL-1WH	WHITE	LED 15W	800Lm	2700-5700 K
A2968PL-1BK	BLACK	LED 15W	800Lm	2700-5700 K



RAPID with control system

A2969PL-1WH	WHITE	LED 18W	1500 Lm	2700-5700 K
A2969PL-1BK	BLACK	LED 18W	1500 Lm	2700-5700 K




App Smart Life®





App Smart Life®






RAPID

A6160PL-1WH	WHITE	LED 9W	416 Lm	4000 K
A6160PL-1BK	BLACK	LED 9W	416 Lm	4000 K
A1160PL-1WH	WHITE	LED 9W	416 Lm	3000 K
A1160PL-1BK	BLACK	LED 9W	416 Lm	3000 K



RAPID


A6161PL-1WH	WHITE	LED 12W	872 Lm	4000 K
A6161PL-1BK	BLACK	LED 12W	872 Lm	4000 K
A1161PL-1WH	WHITE	LED 12W	872 Lm	3000 K
A1161PL-1BK	BLACK	LED 12W	872 Lm	3000 K



RAPID with control system

A2960PL-1WH	WHITE	LED 9W	227 Lm	2700-5700 K
A2960PL-1BK	BLACK	LED 9W	227 Lm	2700-5700 K

App Smart Life®




RAPID with control system

A2961PL-1WH	WHITE	LED 12W	872 Lm	2700-5700 K
A2961PL-1BK	BLACK	LED 12W	872 Lm	2700-5700 K

App Smart Life®





RAPID

A6159PL-1WH	WHITE	LED 5W	227 Lm	4000 K
A6159PL-1BK	BLACK	LED 5W	227 Lm	4000 K
A1159PL-1WH	WHITE	LED 5W	227 Lm	3000 K
A1159PL-1BK	BLACK	LED 5W	227 Lm	3000 K

RAPID with control system

A2959PL-1WH	WHITE	LED 5W	227 Lm	2700-6500 K
A2959PL-1BK	BLACK	LED 5W	227 Lm	2700-6500 K

App Smart Life®









- III
- ALUM PLASTIC
- 48V
- 24°
- Ra ≥90
- IP20
- SMD

RAPID

A6162PL-1WH	WHITE	LED 3W	173Lm	4000 K
A6162PL-1BK	BLACK	LED 3W	173Lm	4000 K
A1162PL-1WH	WHITE	LED 3W	173Lm	3000 K
A1162PL-1BK	BLACK	LED 3W	173Lm	3000 K



- III
- ALUM PLASTIC
- 48V
- 270°
- Ra ≥90
- IP20
- SMD

RAPID

A6165PL-1WH	WHITE	LED 12W	720 Lm	4000 K
A6165PL-1BK	BLACK	LED 12W	720 Lm	4000 K
A1165PL-1WH	WHITE	LED 12W	720 Lm	3000 K
A1165PL-1BK	BLACK	LED 12W	720 Lm	3000 K





RAPID

A6167PL-1WH	WHITE	LED 12W	720 Lm	4000 K
A6167PL-1BK	BLACK	LED 12W	720 Lm	4000 K
A1167PL-1WH	WHITE	LED 12W	720 Lm	3000 K
A1167PL-1BK	BLACK	LED 12W	720 Lm	3000 K



RAPID

A6163PL-1WH	WHITE	LED 5W	250Lm	4000 K
A6163PL-1BK	BLACK	LED 5W	250Lm	4000 K
A1163PL-1WH	WHITE	LED 5W	250Lm	3000 K
A1163PL-1BK	BLACK	LED 5W	250Lm	3000 K

PRESTO

The concept is based on miniature lamps and a narrow track system for creating accent and general lighting in limited spaces – shelves, niches and display cases.

The narrow track line and compact lamps provide illumination for objects without drawing attention to the system itself.



PRESTO 24V
ULTRA-COMPACT ACCENT
LIGHTING SYSTEM

NEW



PRESTO

A6191PL-1BK	BLACK	LED 2W	135 Lm	4000 K
A6391PL-1BK	BLACK	LED 2W	135 Lm	3000 K

III

ALUM
PLASTIC


24V

15-45°

Ra
≥90

IP20

SMD



NEW



PRESTO

A6193PL-1BK	BLACK	LED 5W	275 Lm	4000 K
A6393PL-1BK	BLACK	LED 5W	275 Lm	3000 K

III

ALUM
PLASTIC


24V

15-45°

Ra
≥90

IP20

SMD



NEW



PRESTO

A6183PL-1BK	BLACK	LED 2W	150 Lm	4000 K
A6383PL-1BK	BLACK	LED 2W	150 Lm	3000 K

III

ALUM
PLASTIC


24V

38°

Ra
≥90

IP20

SMD



NEW



PRESTO

A6196LT-1BK	BLACK	LED 2W	135 Lm	4000 K
A6396LT-1BK	BLACK	LED 2W	135 Lm	3000 K

III

ALUM
PLASTIC


24V

15-45°

Ra
≥90

IP20

SMD



NEW



PRESTO

A6197LT-1BK	BLACK	LED 5W	275 Lm	4000 K
A6397LT-1BK	BLACK	LED 5W	275 Lm	3000 K

III

ALUM
PLASTIC


24V

15-45°

Ra
≥90

IP20

SMD




NEW



PRESTO

A6181PL-1BK	BLACK	LED 1W	45 Lm	4000 K
A6381PL-1BK	BLACK	LED 1W	45 Lm	3000 K




NEW



PRESTO

A6182PL-1BK	BLACK	LED 2W	150 Lm	4000 K
A6382PL-1BK	BLACK	LED 2W	150 Lm	3000 K




NEW



PRESTO

A6186PL-1BK	BLACK	LED 2W	135 Lm	4000 K
A6386PL-1BK	BLACK	LED 2W	135 Lm	3000 K




NEW



PRESTO

A6187PL-1BK	BLACK	LED 5W	275 Lm	4000 K
A6387PL-1BK	BLACK	LED 5W	275 Lm	4000 K




NEW



PRESTO

A6194LT-1BK	BLACK	LED 2W	135 Lm	4000 K
A6394LT-1BK	BLACK	LED 2W	135 Lm	3000 K




NEW



PRESTO

A6195LT-1BK	BLACK	LED 5W	275 Lm	4000 K
A6395LT-1BK	BLACK	LED 5W	275 Lm	3000 K





PRESTO



NEW




SURFACE TRACK

A622106	BLACK	1 meter
A622206	BLACK	2 meters



Magnetic surface track



NEW





SURFACE TRACK RADIUS

A626306	BLACK
---------	-------



Magnetic radius track, 1/4 segment for creating various shapes interior




NEW



VERTICAL ANGULAR CONNECTOR

A622506V	BLACK
----------	-------

Vertical angular connector for surface magnetic track




NEW



VERTICAL ANGULAR CONNECTOR

A622406L	BLACK
----------	-------

Vertical angular connector for surface magnetic track




NEW



END-CAP

A622006E	BLACK
----------	-------

End-cap for surface magnetic track



NEW




RECESSED TRACK

A623106	BLACK	1 meter
A623206	BLACK	2 meters



Magnetic recessed track. Plastic screen and plugs 2 pcs. included




NEW



VERTICAL ANGULAR CONNECTOR

A623506V	BLACK
----------	-------

Vertical angular connector for recessed magnetic track




NEW



VERTICAL ANGULAR CONNECTOR

A623406L	BLACK
----------	-------

Angular connector for recessed magnetic track




NEW




END-CAP

A633106E	BLACK
----------	-------

End-cap for recessed magnetic track



NEW




RECESSED TRACK FOR GWB


A624106	BLACK	1 meter
A624206	BLACK	2 meters



Magnetic recessed track




NEW



ANGULAR CONNECTOR

A624606L	BLACK
----------	-------

Angular connector for recessed magnetic track




NEW



VERTICAL ANGULAR CONNECTOR

A624706V	BLACK
----------	-------

Internal angular connector for recessed magnetic track




NEW



END-CAP

A622006E	BLACK
----------	-------

End-cap for surface magnetic track




NEW



STRAIGHT CONNECTOR

A623606	BLACK
---------	-------

Used to transfer power when the track is connected in series




NEW



FLEXIBLE CONNECTOR

A623706	BLACK
---------	-------

Used to transfer power when connecting the track at an angle of 90°




NEW



POWER INPUT CONNECTOR

A623806	BLACK
---------	-------




NEW




CONNECTOR

A624406I	BLACK
----------	-------

Straight connector for surface and recessed magnetic track is used for mechanical connection of tracks





NEW

PRESTO

A6226PL-1BK	BLACK	LED 1W	65 Lm	4000 K
A6326PL-1BK	BLACK	LED 1W	65 Lm	3000 K

III

ALUM
PLASTIC


24V

38°

Ra
≥90

IP20

SMD



NEW

PRESTO

A6227PL-1BK	BLACK	LED 2W	150 Lm	4000 K
A6327PL-1BK	BLACK	LED 2W	150 Lm	3000 K

III

ALUM
PLASTIC


24V

15-45°

Ra
≥90

IP20

SMD



NEW

PRESTO

A6228PL-1BK	BLACK	LED 5W	290 Lm	4000 K
A6328PL-1BK	BLACK	LED 5W	290 Lm	3000 K

III

ALUM
PLASTIC


24V

15-45°

Ra
≥90

IP20

SMD





NEW

PRESTO

A6231PL-1BK	BLACK	LED 5W	360 Lm	4000 K
A6331PL-1BK	BLACK	LED 5W	360 Lm	3000 K

III

ALUM
PLASTIC


24V

38°

Ra
≥90

IP20

SMD



NEW

PRESTO

A6232PL-1BK	BLACK	LED 9W	750 Lm	4000 K
A6332PL-1BK	BLACK	LED 9W	750 Lm	3000 K

III

ALUM
PLASTIC


24V

38°

Ra
≥90

IP20

SMD



NEW

PRESTO

A6237PL-1BK	BLACK	LED 7W	460 Lm	4000 K
A6337PL-1BK	BLACK	LED 7W	460 Lm	3000 K

III

ALUM
PLASTIC


24V

38°

Ra
≥90

IP20

SMD



NEW

PRESTO

A6233PL-1BK	BLACK	LED 10W	300 Lm	4000 K
A6333PL-1BK	BLACK	LED 10W	300 Lm	3000 K

III

ALUM
PLASTIC


24V

100°

Ra
≥90

IP20

SMD



NEW

PRESTO

A6234PL-1BK	BLACK	LED 20W	610 Lm	4000 K
A6334PL-1BK	BLACK	LED 20W	610 Lm	3000 K

III

ALUM
PLASTIC


24V

100°

Ra
≥90

IP20

SMD



NEW

PRESTO

A6238PL-1BK	BLACK	LED 2W	140 Lm	4000 K
A6338PL-1BK	BLACK	LED 2W	140 Lm	3000 K

III

ALUM
PLASTIC


24V

24°

Ra
≥90

IP20

SMD





NEW

PRESTO

A6235PL-1BK	BLACK	LED 5W	290 Lm	4000 K
A6335PL-1BK	BLACK	LED 5W	290 Lm	3000 K

III

ALUM
PLASTIC


24V

38°

Ra
≥90

IP20

SMD



NEW

PRESTO

A6236PL-1BK	BLACK	LED 10W	470 Lm	4000 K
A6336PL-1BK	BLACK	LED 10W	470 Lm	3000 K

III

ALUM
PLASTIC


24V

38°

Ra
≥90

IP20

SMD



NEW

PRESTO

A6239PL-1BK	BLACK	LED 12W	350 Lm	4000 K
A6339PL-1BK	BLACK	LED 12W	350 Lm	3000 K

III

ALUM
PLASTIC


24V

100°

Ra
≥90

IP20

SMD



NEW

PRESTO

A6229PL-1BK	BLACK	LED 3W	115 Lm	4000 K
A6329PL-1BK	BLACK	LED 3W	115 Lm	3000 K

III

ALUM
PLASTIC


24V

100°

Ra
≥90

IP20

SMD



NEW

PRESTO

A6230PL-1BK	BLACK	LED 6W	175 Lm	4000 K
A6330PL-1BK	BLACK	LED 6W	175 Lm	3000 K

III

ALUM
PLASTIC



24V

100°

Ra
≥90

IP20

SMD



NEW

PRESTO

A6249PL-1BK	BLACK	LED 18W	530 Lm	4000 K
A6349PL-1BK	BLACK	LED 18W	530 Lm	3000 K

III

ALUM
PLASTIC


24V

100°

Ra
≥90

IP20

SMD






The simplest and most versatile solution in track lighting is a single-phase system.

Single-phase track lighting is used to solve classic tasks where control of lamps' groups is not required and it is necessary to use all lighting simultaneously.

The lighting for all lamps on the track is regulated with a single switch



SINGLE-PHASE TRACK SYSTEM
220V






SURFACE TRACK

A540133	WHITE	1 meter
A540106	BLACK	1 meter
A540233	WHITE	2 meters
A540206	BLACK	2 meters
A540333	WHITE	3 meters
A540306	BLACK	3 meters



Connector A160206 / A160233 and end-cap included



CONNECTOR «T»

A140033 / A140233T	WHITE
A140006 / A140206T	BLACK

Connector for “T” surface track



CONNECTOR «+»

A110033	WHITE
A110006	BLACK

Connector for “+” surface track



CONNECTOR -
CURRENT SUPPLY

A160233	WHITE
A160206	BLACK



FLEXIBLE CONNECTOR

A150233 / A150233F	WHITE
A150206F	BLACK



FLEXIBLE CONNECTOR

A150033	WHITE
A150006	BLACK



END-CAP

A210233	WHITE
A210206	BLACK

End-cap for surface track.
1 pc. included

NEW



DECORATIVE INSERT
FOR SURFACE TRACK


A540133C	WHITE	1 meter
A540106C	BLACK	1 meter
A540233C	WHITE	2 meters
A540206C	BLACK	2 meters



CONNECTOR «I»

A130233	WHITE
A130206	BLACK

Connector for “I” surface track



CONNECTOR «L»

A120233L	WHITE
A120206L	BLACK

Connector for “L” surface track

NEW




CONNECTOR -
CURRENT SUPPLY

A120333P WHITE

A120306P BLACK



A120333P / A120306P



NEW





CONNECTOR -
CURRENT SUPPLY

A130333P WHITE

A130306P BLACK



A130333P / A130306P



Angular and straight connectors are used to connect tracks in a line or in a shape. They can act as both a conductive connector and a power input connector. They have the ability to divide lighting into 2 groups.



SURFACE TRACK

A510133	WHITE
A510106	BLACK

PLASTIC
COPPER

220V

IP20

max
6A



SUSPENSION

A410133	WHITE	2 meters
A410106	BLACK	2 meters

Bracket - suspension for the track.
Maximum distance between suspensions is 100 cm.

NEW





PROFILE

A632205	GRAY	2 meters
---------	------	----------

ALUM


Profile for installation of surface-mounted single-phase track in stretch ceilings



END-CAP

A631105E	GRAY
----------	------

End-cap for profile A630205.
2 plugs, 8 self-tapping screws included



CONNECTOR

A641105I	GRAY
----------	------

Straight connector for stretch ceiling tracks A640205, A632205, A473206.
2 connectors, 4 screws included



CONNECTOR

A641205L	GRAY
----------	------


Angular connector for stretch ceiling tracks A640205, A632205, A473206.
2 connectors, 4 screws included




CONNECTOR

A641305V	GRAY
----------	------

Angular connector for stretch ceiling tracks A640205, A632205.
2 connectors, 4 screws included








RECESSED TRACK

A550133	WHITE	1 meter
A550106	BLACK	1 meter
A550233	WHITE	2 meters
A550206	BLACK	2 meters



Connector - power feed A160106 / A160133, end-cap A210106 / A210133 included



CONNECTOR «I»

A130133	WHITE
A130106	BLACK

Straight connector for recessed track «I»



CONNECTOR «L»

A120133	WHITE
A120106	BLACK

Straight connector for recessed track «L»



CONNECTOR «T»

A140133	WHITE
A140106	BLACK

Straight connector for recessed track «T»



CONNECTOR «+»


A110133	WHITE
A110106	BLACK

Straight connector for recessed track «+»



CONNECTOR - CURRENT SUPPLY

A160133	WHITE
A160106	BLACK



STRAIGHT CONNECTOR


A150133	WHITE
A150106	BLACK



BRACKET

A420005	GRAY
---------	------




For installing a 1m track, 2 mounting brackets are required.
For installing a 2m track, 3 mounting brackets are required



END-CAP

A210133	WHITE
A210106	BLACK

End-cap for recessed track.
1 pc. included





POWER INPUT
CONNECTOR

A200033	WHITE
A200006	BLACK



Power connector (adapter) for external installation with a locking nut



POWER INPUT
CONNECTOR

A230033	WHITE
A230006	BLACK



Power connector (adapter) for concealed installation with a locking nut



POWER INPUT
CONNECTOR

A240033	WHITE
A240006	BLACK



Power connector (adapter) with a wire clamp





SINGLE-PHASE TRACK LIGHTS LAMP-BASED



NEW

NET MINI

A6451PL-1WH	WHITE	G5,3, Max 35W
A6451PL-1BK	BLACK	G5,3, Max 35W



Recommended to use with ORE MINI LED modules or MR11 lamp



FANG

A5560PL-1WH	WHITE	GU10, Max 35W
A5560PL-1BK	BLACK	GU10, Max 35W







NEW

POLAR

A5461PL-1WH WHITE GU10, Max 35W

ALUM

IP20




FLAME

A1519PL-1WH WHITE GU10, Max 35W
A1519PL-1BK BLACK GU10, Max 35W

ALUM

IP20




NEW

LAZIO

A5368PL-1SS MATTE SILVER GU10, Max 35W
A5368PL-1SG MATTE GOLD GU10, Max 35W

ALUM

IP20




RIDGE

A1518PL-1WH WHITE GU10, Max 35W
A1518PL-1BK BLACK GU10, Max 35W

ALUM


IP20






BEID

A1515PL-1WH	WHITE	GU10, Max 35W
A1515PL-1BK	BLACK	GU10, Max 35W
A1515PL-1SG	MATTE GOLD	GU10, Max 35W



INTERCRUS



A5547PL-1WH	WHITE	GX53 MAX 15W
A5547PL-1BK	BLACK	GX53 MAX 15W






PINO


A7375PL-1WH	WHITE	GU10, Max 35W
A7375PL-1BK	BLACK	GU10, Max 35W



IMAI

A2364PL-1WH	WHITE	GU10, MAX 15W
A2364PL-1BK	BLACK	GU10, MAX 15W






ALMACH

A1906PL-1WH	WHITE	GU10, Max 50W
A1906PL-1BK	BLACK	GU10, Max 50W

METAL
PLASTIC

220V

IP20




CINTURA


A2354PL-1WH	WHITE + BLACK	GU10, Max 35W
A2354PL-1BK	BLACK	GU10, Max 35W
A2355PL-1BK	BLACK + GOLD	GU10, Max 35W

METAL

220V

IP20






BUCHO

A2668PL-1SS MATTE SILVER GU10, Max 50W

METAL

IP20





TOPIC

A2356PL-1WH WHITE GU10, Max 35W
A2356PL-1BK BLACK GU10, Max 35W

METAL

IP20







SOSPIRO

A6141PL-1WH	WHITE	E14, Max 40W
A6141PL-1BK	BLACK	E14, Max 40W

METAL

220V

IP20





BRAD

A6253PL-1WH	WHITE	GU10, Max 35W
A6253PL-1BK	BLACK	GU10, Max 35W

METAL

220V

IP20





MIZAR

A1311PL-1WH	WHITE	GU10, Max 50W
A1311PL-1BK	BLACK	GU10, Max 50W

METAL

220V

IP20




MISAM

A1315PL-1WH	WHITE	GU10, Max 50W
A1315PL-1BK	BLACK	GU10, Max 50W

METAL

220V

IP20






JOVI

A1677PL-1GO	GOLD	E14, Max 40W
-------------	------	--------------

METAL

220V

IP20





LYRA

A6252PL-1WH	WHITE	E27, Max 40W
A6252PL-1BK	BLACK	E27, Max 40W

PLASTIC

220V

IP20




FALENA

A3117PL-1WH	WHITE	E14, Max 40W
A3117PL-1BK	BLACK	E14, Max 40W

METAL GLASS

220V

IP20




NIDO

A5108PL-1WH	WHITE	E27, Max 60W
A5108PL-1BK	BLACK	E27, Max 60W

METAL

220V

IP20






LED SINGLE-PHASE TRACK LIGHTS



NEW

AERO



A1335PL-1WH	WHITE	LED 8W	600 Lm	3000 K
A1345PL-1WH	WHITE	LED 8W	700 Lm	4000 K
A1335PL-1BK	BLACK	LED 8W	600 Lm	3000 K
A1345PL-1BK	BLACK	LED 8W	700 Lm	4000 K



NEW

AERO



A1336PL-1WH	WHITE	LED 12W	900 Lm	3000 K
A1346PL-1WH	WHITE	LED 12W	1000 Lm	4000 K
A1336PL-1BK	BLACK	LED 12W	900 Lm	3000 K
A1346PL-1BK	BLACK	LED 12W	1000 Lm	4000 K



NEW

AERO

A1337PL-1WH	WHITE	LED 16W	1300 Lm	3000 K
A1347PL-1WH	WHITE	LED 16W	1400 Lm	4000 K
A1337PL-1BK	BLACK	LED 16W	1300 Lm	3000 K
A1347PL-1BK	BLACK	LED 16W	1400 Lm	4000 K






NEW

BENE


A1935PL-1WH	WHITE	LED 10W	750 Lm	3000 K
A1945PL-1WH	WHITE	LED 10W	850 Lm	4000 K
A1935PL-1BK	BLACK	LED 10W	750 Lm	3000 K
A1945PL-1BK	BLACK	LED 10W	850 Lm	4000 K



NEW

BENE


A1936PL-1WH	WHITE	LED 15W	1300 Lm	3000 K
A1946PL-1WH	WHITE	LED 15W	1400 Lm	4000 K
A1936PL-1BK	BLACK	LED 15W	1300 Lm	3000 K
A1946PL-1BK	BLACK	LED 15W	1400 Lm	4000 K



NEW


BENE

A1937PL-1WH	WHITE	LED 20W	1650 Lm	3000 K
A1947PL-1WH	WHITE	LED 20W	1800 Lm	4000 K
A1937PL-1BK	BLACK	LED 20W	1650 Lm	3000 K
A1947PL-1BK	BLACK	LED 20W	1800 Lm	4000 K




HUBBLE


A6813PL-1BK	BLACK	LED 10W	800 Lm	4000 K
-------------	-------	---------	--------	--------



PERISCOPIO



A1412PL-1WH	WHITE	LED 12W	720 Lm	4000 K
A1412PL-1BK	BLACK	LED 12W	720 Lm	4000 K





REGULUS

A4568PL-1WH	WHITE	LED 13W	1000 Lm	4000 K
A4568PL-1BK	BLACK	LED 13W	1000 Lm	4000 K




NEW

MERAK

A3530PL-1WH	WHITE	LED 15W	1200 Lm	3000 K
A3540PL-1WH	WHITE	LED 15W	1200 Lm	4000 K
A3530PL-1BK	BLACK	LED 15W	1200 Lm	3000 K
A3540PL-1BK	BLACK	LED 15W	1200 Lm	4000 K






LINEETTA

A4576PL-1BK	BLACK	LED 15W	1200 Lm	4000 K
-------------	-------	---------	---------	--------

ALUM
PLASTIC

IP20




LINEETTA

A4574PL-1WH	WHITE	LED 20W	1250 Lm	4000 K
A4574PL-1BK	BLACK	LED 20W	1250 Lm	4000 K

ALUM
PLASTIC

IP20



LINEETTA

A4570PL-1BK	BLACK	LED 12W	950 Lm	4000 K
A4571PL-1BK	BLACK	LED 12W	950 Lm	3000 K

ALUM
PLASTIC

IP20




FLASH

A4572PL-1BK	BLACK	LED 12W	750 Lm	4000 K
A4573PL-1BK	BLACK	LED 12W	750 Lm	3000 K

ALUM
PLASTIC

IP20




FLASH

A4575PL-1BK	BLACK	LED 18W	1500 Lm	4000 K
-------------	-------	---------	---------	--------

ALUM
PLASTIC


IP20



BARUT

A4561PL-1WH	WHITE	LED 10W	750 Lm	4000 K
A4561PL-1BK	BLACK	LED 10W	750 Lm	4000 K


ALUM24°220VRa ≥ 80IP20



VINSANT

A2665PL-1WH	WHITE	LED 20W	850 Lm	4000 K
A2665PL-1BK	BLACK	LED 20W	850 Lm	4000 K



ALUM24°220VRa ≥ 80IP20



AMICO

A1810PL-1WH	WHITE	LED 10W	800 Lm	4000 K
A1811PL-1WH	WHITE	LED 10W	800 Lm	3000 K
A1811PL-1BK	BLACK	LED 10W	800 Lm	3000 K

ALUM24°220VRa ≥ 80IP20



VINSANT


A2664PL-1WH	WHITE	LED 30W	1150 Lm	4000 K
A2664PL-1BK	BLACK	LED 30W	1150 Lm	4000 K

ALUM24°220VRa ≥ 80IP20




TRACCIA

A2310PL-1WH	WHITE	LED 10W	800 Lm	4000 K
A2310PL-1BK	BLACK	LED 10W	800 Lm	4000 K




TRACCIA

A2321PL-1WH	WHITE	LED 20W	1600 Lm	3000 K
-------------	-------	---------	---------	--------




TRACCIA

A2330PL-1BK	BLACK	LED 30W	2400 Lm	4000 K
-------------	-------	---------	---------	--------




WALES

A1640PL-1WH	WHITE	LED 40W	3300 Lm	4000 K
-------------	-------	---------	---------	--------




ATILLO

A2315PL-1WH	WHITE	LED 15W	1350 Lm	4000 K
A2315PL-1BK	BLACK	LED 15W	1350 Lm	4000 K



ATILLO

A2324PL-1WH	WHITE	LED 24W	2200 Lm	4000 K
A2324PL-1BK	BLACK	LED 24W	2200 Lm	4000 K



The LED strips of the TAPE and LANE series are designed to place light accents and give the interior a unique style.

They are available in different ranges of white and RGB colors. They provide a uniform glow and high quality of color transmission CRI>90.


The AQUA TAPE series allows you to use lighting in rooms with high humidity.

Ribbon connectors are a unique development of the brand. Compact and transparent, the connectors provide a connection without visible breaks, without blocking the LEDs.



LED STRIP
24V / 48V

NEW



TAPE

A2406008-01-3K	4,8W/M	2900-3100K	550 LM/M	60LED/M
A2406008-02-4K	4,8W/M	3800-4200K	550 LM/M	60LED/M
A2406008-03-6K	4,8W/M	5800-6500K	550 LM/M	60LED/M

24V


5m

Ra
≥90

IP20

duct tape
3M

SMD
2835



TAPE

A2412005-01-3K	9,6W/M	2900-3100K	1000 LM/M	120LED/M
A2412005-02-4K	9,6W/M	3800-4200K	1000 LM/M	120LED/M
A2412005-03-6K	9,6W/M	5800-6500K	1000 LM/M	120LED/M

24V


5m

Ra
≥90

IP20

duct tape
3M

SMD
2835



TAPE

A2412008-01-3K	9,6W/M	2900-3100K	1000 LM/M	120LED/M
A2412008-02-4K	9,6W/M	3800-4200K	1000 LM/M	120LED/M
A2412008-03-6K	9,6W/M	5800-6500K	1000 LM/M	120LED/M

24V


5m

Ra
≥90

IP20

duct tape
3M

SMD
2835



AQUA TAPE

A2412008-04-3K	9,6W/M	2900-3100K	1000 LM/M	120LED/M
A2412008-05-4K	9,6W/M	3800-4200K	1000 LM/M	120LED/M
A2412008-06-6K	9,6W/M	5800-6500K	1000 LM/M	120LED/M

24V

5m

Ra
≥90

duct tape
3M

IP65

SMD
2835



TAPE				
A2418008-01-3K	14,4W/M	2900-3100K	1350 LM/M	180LED/M
A2418008-02-4K	14,4W/M	3800-4200K	1350 LM/M	180LED/M
A2418008-03-6K	14,4W/M	5800-6500K	1350 LM/M	180LED/M

24V

5m

Ra
≥90

IP20

duct tape
3M

SMD
2835



TAPE				
A2424010-01-3K	19,2W/M	2900-3100K	1800 LM/M	240LED/M
A2424010-02-4K	19,2W/M	3800-4200K	1800 LM/M	240LED/M
A2424010-03-6K	19,2W/M	5800-6500K	1800 LM/M	240LED/M

24V


5m

Ra
≥90

IP20

duct tape
3M

SMD
2835



TAPE				
A2424015-01-3K	20W/M	2900-3100K	2200 LM/M	240LED/M
A2424015-02-4K	20W/M	3800-4200K	2200 LM/M	240LED/M
A2424015-03-6K	20W/M	5800-6500K	2200 LM/M	240LED/M

24V

5m


Ra
≥90

IP20

duct tape
3M

SMD
2835

NEW



LANE

A2432005-01-3K	10W/M	2900-3100K	850 LM/M	320LED/M
A2432005-02-4K	10W/M	3800-4200K	850 LM/M	320LED/M
A2432005-03-6K	10W/M	5800-6500K	850 LM/M	320LED/M

24V


5m

Ra ≥90

IP20

duct tape 3M

COB



LANE

A2432008-01-3K	10W/M	2900-3100K	850 LM/M	320LED/M
A2432008-02-4K	10W/M	3800-4200K	850 LM/M	320LED/M
A2432008-03-6K	10W/M	5800-6500K	850 LM/M	320LED/M

24V

5m


Ra ≥90

IP20

duct tape 3M

COB

NEW



AQUA LANE

A2432008-04-3K	10W/M	2900-3100K	850 LM/M	320LED/M
A2432008-05-4K	10W/M	3800-4200K	850 LM/M	320LED/M
A2432008-06-6K	10W/M	5800-6500K	850 LM/M	320LED/M

24V

5m


Ra ≥90

duct tape 3M

IP65

COB

NEW



AQUA LANE

A2448010-01-3K	13W/M	2900-3100K	1000 LM/M	480LED/M
A2448010-02-4K	13W/M	3800-4200K	1000 LM/M	480LED/M
A2448010-03-6K	13W/M	5800-6500K	1000 LM/M	480LED/M

24V

5m


Ra ≥90

duct tape 3M

IP67

COB

NEW



TAPE

A2406010-01-RGB	14,4W/M	RGB	60LED/M
-----------------	---------	-----	---------

24V

5m

Ra ≥90

IP20

duct tape 3M

SMD 5050

R - 75 Lm/m
G - 190 Lm/m
B - 45 Lm/m

NEW



AQUA TAPE

A2406010-02-RGB	14,4W/M	RGB	60LED/M
-----------------	---------	-----	---------

24V

5m

Ra ≥90

duct tape 3M

IP65

SMD 5050

R - 75 Lm/m
G - 190 Lm/m
B - 45 Lm/m

NEW



TAPE

A2406012-02-RGB3K	14,4W/M	RGB+W 3000K	60LED/M
A2406012-01-RGB4K	14,4W/M	RGB+W 4000K	60LED/M

24V

5m

Ra ≥90

IP20

duct tape 3M

SMD 5050

R - 75 Lm/m
G - 190 Lm/m
B - 45 Lm/m
W - 280 Lm/m

NEW



AQUA TAPE

A2406012-04-RGB3K	14,4W/M	RGB+W 3000K	60LED/M
A2406012-05-RGB4K	14,4W/M	RGB+W 4000K	60LED/M

24V

5m

Ra ≥90


duct tape 3M

IP65

SMD 5050

R - 75 Lm/m
G - 190 Lm/m
B - 45 Lm/m
W - 280 Lm/m

NEW



SPI

A2406010-03-3K	14,4W/M	2900-3100K	1000 LM/M	60LED/M
A2406010-04-4K	14,4W/M	3800-4200K	1000 LM/M	60LED/M

24V

5m


Ra ≥90

IP20

duct tape 3M

SMD 5050

NEW



SPI

A2406010-05-RGB	14,4W/M	RGB	60LED/M
-----------------	---------	-----	---------

24V

5m

Ra ≥90

IP20

duct tape 3M

SMD 5050

R - 75 Lm/m
G - 190 Lm/m
B - 45 Lm/m



TAPE

A2414010-01-MIX	12W/M	2700K+6000K	1000 LM/M	140LED/M
-----------------	-------	-------------	-----------	----------

24V

5m

Ra ≥90


IP20

duct tape 3M

SMD 2835



NEW



NEON TERMO

A2418013-01-3K	14W/M	2900-3100K	1000 LM/M	180LED/M
A2418013-02-4K	14W/M	3800-4200K	1000 LM/M	180LED/M
A2418013-03-6K	14W/M	5800-6500K	1000 LM/M	180LED/M

24V

5m

Ra ≥80

IP68

SMD 2835

The heat-resistant neon strip is designed for use in rooms with high humidity and temperatures up to 100°C. 2 end-caps with wire outlet, 2 end-caps, 10 silicone fasteners included



TAPE

A4812010-01-3K	7,2W/M	2900-3100K	800 LM/M	120LED/M
A4812010-02-4K	7,2W/M	3800-4200K	800 LM/M	120LED/M

48V

5m

Ra ≥90

IP20

duct tape 3M

SMD 2835

The maximum length of the tape connection is 30 meters

A4812010-03-3K	7,2W/M	2900-3100K	800 LM/M	120LED/M
A4812010-04-4K	7,2W/M	3800-4200K	800 LM/M	120LED/M

48V

30m

Ra ≥90


IP20

duct tape 3M

SMD 2835

The maximum length of the tape connection is 30 meters

NEW



TAPE

A4812010-05-3K	14W/M	2900-3100K	1500 LM/M	120LED/M
A4812010-06-4K	14W/M	3800-4200K	1500 LM/M	120LED/M

48V

5m

Ra ≥90

IP20

duct tape 3M

SMD 2835

The maximum length of the tape connection is 10 meters

A4812010-07-3K	14W/M	2900-3100K	1500 LM/M	120LED/M
A4812010-08-4K	14W/M	3800-4200K	1500 LM/M	120LED/M

48V

10m


Ra ≥90

IP20


duct tape 3M

SMD 2835

The maximum length of the tape connection is 10 meters



- Single printed circuit board without rations
- Uniform glow
- The maximum length of the connected segment is 30 meters




CONNECTORS

A30-05-1CCT	2,5A	for power connection
A31-05-1CCT	2,5A	«tape-to-tape» flexible connection
A32-05-1CCT	3,5A	«tape-to-tape» direct connection



For single-color LED strip:
24V 120 SMD2835/m 5 mm



CONNECTORS

A30-08-1CCT	2,5A	for power connection
A31-08-1CCT	2,5A	«tape-to-tape» flexible connection
A32-08-1CCT	3,5A	«tape-to-tape» direct connection



For single-color LED strip:
24V 120 SMD2835/m 8 mm
24V 180 SMD2835/m 8 mm
24V COB 8 mm

NEW



CONNECTORS

A33-08-1CCT	3,5A	L-connection / T-connection «tape-to-tape»
-------------	------	--



For single-color LED strip 24V COB 8 mm




CONNECTORS

A30-10-1CCT	2,5A	for power connection
A31-10-1CCT	2,5A	«tape-to-tape» flexible connection
A32-10-1CCT	3,5A	«tape-to-tape» direct connection



For single-color LED strip:
24V 240 SMD2835/m 10 mm
48V 120 SMD2835/m 10 mm




CONNECTORS

A30-10-MIX	2,5A	for power connection
A31-10-MIX	2,5A	«tape-to-tape» flexible connection
A32-10-MIX	3,5A	«tape-to-tape» direct connection



For MIX LED strip:
24V 120 SMD 2835/m 10 mm




CONNECTORS

A30-12-RGBW	2,5A	for power connection
A31-12-RGBW	2,5A	«tape-to-tape» flexible connection
A32-12-RGBW	3,5A	«tape-to-tape» direct connection



For RGBW LED strip:
24V 60 SMD5050/m 12 mm





NEW



UNIVERSAL CONNECTOR

A40-08-1CCT 5A connector 9 in 1

PLASTIC DC 3-48V IP20

Universal connector for single-color LED strip:
24V 120 SMD2835/m 8 mm
24V 180 SMD2835/m 8 mm
24V COB 8 mm

NEW



UNIVERSAL CONNECTOR

A40-10-1CCT 5A connector 9 in 1

PLASTIC DC 3-48V IP20

Universal connector for single-color LED strip:
24V 240 SMD2835/m 10 mm
48V 120 SMD2835/m 10 mm

NEW



FASTENERS

A2448010C

SILICON

For AQUA TAPE IP67 LED strip
10 pcs. included

NEW




END-CAP

A2448010E

SILICON

For AQUA TAPE IP67 LED strip
10 pcs. included

NEW



END-CAP

A2418012E

SILICON

For NEON TERMO series LED strip
10 pcs. included

NEW



END-CAP WITH WIRE OUTLET

A2418012EW

SILICON

For NEON TERMO series LED strip
10 pcs. included

NEW



FASTENERS

A2418012C

SILICON

For NEON TERMO series LED strip
10 pcs. included

NEW



CONNECTING TERMINAL

A50-20-2PIN 4.5A Max 300V



2 PIN connection terminal
for 20-22AWG wire

NEW



CONNECTING TERMINAL

A50-20-3PIN 4.5A Max 300V



3 PIN connection terminal
for 20-22AWG wire

NEW



CONNECTING TERMINAL

A50-20-4PIN 4.5A Max 300V



4 PIN connection terminal
for 20-22AWG wire

NEW




CONNECTING TERMINAL

A50-20-5PIN 4.5A Max 300V



5 PIN connection terminal
for 20-22AWG wire




NEW



WATERPROOF CONNECTOR

A68-01-2PIN Max 16A



Waterproof connector
for wires with a cross section of max. 1.5 mm²

NEW



2-CORE WIRE

A20-2W 20 AWG 50 meters

NEW



3-CORE WIRE

A20-3W 20 AWG 50 meters

NEW



4-CORE WIRE


A20-4W 20 AWG 50 meters

NEW



5-CORE WIRE

A20-5W 20 AWG 50 meters




NEW

SKYCROSS

A600506N	BLACK	5 m
A601006N	BLACK	10 m

STEEL IP20

For installation in the interior, followed by a complete set of LED strip with a width of no more than 14 mm (no more than 19.2 W/m)



NEW



SKYCROSS

A600006N	BLACK
----------	-------

STEEL IP20

A set of fasteners for SKYCROSS cable system for creating various lighting scenarios

NEW



SKYCROSS NEON

A606606N	BLACK
----------	-------

STEEL IP20

A set of fasteners for SKYCROSS NEON cable system for creating various lighting scenarios



NEW

TAPE	LED strip				Power supply
A600506-120-3K	LED 48W	A2412008-01-3K	5000 LM	A240105	
A600506-180-3K	LED 72W	A2418008-01-3K	6750 LM	A240105	
A600506-240-3K	LED 96W	A2424010-01-3K	9000 LM	A240205	
A600506-320-3K	LED 50W	A2432008-01-3K	4250 LM	A240105	

24V

5m

Ra
≥90

IP20

duct tape
3M

SMD
2835



NEW

TAPE	LED strip				Power supply
A600506-120-4K	LED 48W	A2412008-02-4K	5000 LM	A240105	
A600506-180-4K	LED 72W	A2418008-02-4K	6750 LM	A240105	
A600506-240-4K	LED 96W	A2424010-02-4K	9000 LM	A240205	
A600506-320-4K	LED 50W	A2432008-02-4K	4250 LM	A240105	

24V

5m

Ra
≥90

IP20

duct tape
3M

SMD
2835



NEW

TAPE	LED strip				Power supply
A600506-120-6K	LED 48W	A2412008-03-6K	5000 LM	A240105	
A600506-180-6K	LED 72W	A2418008-03-6K	6750 LM	A240105	
A600506-240-6K	LED 96W	A2424010-03-6K	9000 LM	A240205	
A600506-320-6K	LED 50W	A2432008-03-6K	4250 LM	A240105	

24V

5m

Ra
≥90

IP20

duct tape
3M

SMD
2835

The set includes a 5-meter SKYCROSS mounting system, ARTE Lamp LED strip, and Power-Pro series power supply. Simplifies the selection of components for installing the cable system.

For dimming single-color strips, it is recommended to use A70C-01CH-WF single-channel controller and A70RC-01CH-BK remote control (sold separately).



NEW

TAPE	LED strip				Power supply
A600506-140-MIX	LED 60W	A2414010-01-MIX	5000 LM	A240105	

24V

5m

Ra
≥90

IP20

duct tape
3M

SMD
2835

A70C-02CH-WF controller and A70RC-02CH-BK remote control included



NEW

TAPE	LED strip				Power supply
A600506-60-RGB4K	LED 72W	A2406012-01-RGB4K	1500 LM	A240105	

24V

5m


Ra
≥90

IP20

duct tape
3M

SMD
2835

A70C-04CH-WF controller and A70RC-04CH-BK remote control included



NEW

SKYCROSS NEON

A603506N	3000K	12W/M	1000 LM/M	366LED/M
A604506N	4000K	12W/M	1000 LM/M	366LED/M

ALUM
SILICON

24V

360°


Ra
≥90

IP20

6 m flexible round neon, 2 wall mounts with holders, guides, and installation kit included



NEW




GAP


A670233	WHITE	2 meters
A670206	BLACK	2 meters

ALUM

Shadow profile for GWB ceilings.
The possibility of adding an LED strip.
Plastic insert, which simplifies the finishing
work included.
A671005RS diffuser is sold separately



NEW





GAP

A680233	WHITE	2 meters
A680206	BLACK	2 meters

ALUM

Shadow profile for stretch ceilings.
End-cap insert covering the harpoon included.
The possibility of adding an LED strip.
A671005RS diffuser is sold separately




GAP

A650233P	WHITE	2 meters
A650206P	BLACK	2 meters

ALUM

Shadow profile for stretch ceilings.
Diffuser, insert-plug included.
Ability to add LED strip




NEW



DIFFUSER

A671005RS	WHITE	1 meter
-----------	-------	---------

Matte profile diffuser A670233, A670206,
A680233, A680206.
The diffuser is supplied according to the total
length of the profile in multiples of 1 meter




NEW




PLASTIC INSERT

A600133	WHITE	1 meter
---------	-------	---------

Suitable for GWB, simplifies finishing work



NEW




PROFILE
FOR A STRETCH CEILING

A722205 GRAY 2 meters

ALUM

Profile for mounting OPTIMA magnetic surface track in a stretch ceiling (PVC) and for creating a light line. To create a light line you need to purchase a set of profile and diffuser A700205



NEW




PROFILE-ACCESSORIES

A700205 GRAY 2 meters

ALUM

The light line for the A722205 profile allows you to connect the OPTIMA track and the light line Profile for LED strip up to 24 mm wide, diffuser included



NEW




PROFILE
FOR A STRETCH CEILING
RAUND FOR ARTE LAMP

A732205 GRAY 2 meters

ALUM

Profile for mounting the OPTIMA surface-mounted track in a stretch ceiling (PVC) and for creating a light line. To create a light line, it is necessary to purchase a set consisting of the profile and diffuser A732205RS.




NEW




DIFFUSER

A732205RS WHITE 1 meter

Matte diffuser for profile A732205. The diffuser is supplied according to the total length of the profile in multiples of 1 meter





NEW




LIGHT LINE


A690205 GRAY 2 meters

ALUM

Diffuser for LED strip up to 15 mm wide included



NEW




END-CAP

A691005E GRAY

ALUM
PLASTIC

The set of end caps for profile A690205.
End cap - 2 pcs., internal cap - 2 pcs. included



CONNECTOR

A641105I GRAY

Straight connector for stretch ceiling
tracks A640205, A632205, A690205.
2 connectors, 4 screws included



CONNECTOR

A641205L GRAY

Angular connector for stretch ceiling
tracks A640205, A632205, A690205.
2 connectors, 4 screws included

NEW




SURFACE

A150605S	GRAY	2 meters
A150606S	BLACK	2 meters



Surface profile for the installation of LED strips with a width of no more than 10 mm.
2m profile, 2m diffuser, 2 end-caps, 4 fasteners, 4 screws included



DIFFUSER

A150606RS	BLACK	2 meters
-----------	-------	----------

Black diffuser for A150606S profile

END-CAP

A150605E	GRAY
A150606E	BLACK

End-cap for profile A150605S, A150606S
2 end-caps included

NEW




SURFACE

A202005S	GRAY+ WHITE	2 meters
A202006S	BLACK+WHITE	2 meters



Surface profile with a white diffuser for installing LED strips with a width of no more than 15 mm.
2m profile, 2m diffuser, 2 end-caps, 4 fasteners, 4 screws included



END-CAP

A202005E	GRAY
A202006E	BLACK

End-cap for profile A202005S, A202006S, A202066S
2 end-caps included


NEW



SUSPENSION

A201005	GRAY	2 meters
A201006	BLACK	2 meters

Suspension set for profile A202005S, A202006S, A202066S, A202066S
2 end-caps included




SURFACE

A161205S	GRAY	2 meters
----------	------	----------



Surface profile for the installation of LED strips with a width of no more than 10 mm.
2m profile, 2m diffuser, 2 end-caps, 4 fasteners, 4 screws included



END-CAP

A161205E	GRAY
----------	------

End-cap for profile A161205S
2 end-caps included




SURFACE

A240605S	GRAY	2 meters
----------	------	----------




Surface profile for the installation of LED strips with a width of no more than 18 mm.
2m profile, 2m diffuser, 2 end-caps, 4 fasteners, 4 screws included



END-CAP

A240605E	GRAY
----------	------

End-cap for profile A240605S
2 end-caps included




SURFACE

A070905S	GRAY	2 meters
----------	------	----------



Surface profile for the installation of LED strips with a width of no more than 5 mm.
2m profile, 2m diffuser, 2 end-caps, 4 fasteners, 4 screws included



END-CAP

A070905E	GRAY
----------	------

End-cap for profile A070905S
2 end-caps included

NEW





SURFACE

A161605S	GRAY	2 meters
A161606S	BLACK	2 meters

ALUM

Angular surface profile for the installation of LED strips with a width of no more than 10 mm.
2m profile, 2m diffuser, 2 end-caps, 4 fasteners, 4 screws included




END-CAP

A161605E	GRAY
A161606E	BLACK

End-cap for profile A161605S, A161606S
2 end-caps included

NEW





INTEGRATION

A141005R	GRAY	2 meters
----------	------	----------

ALUM

Recessed profile for installation of LED strips with a width of no more than 10 mm.
2m profile, 2m diffuser, end-caps, 4 fasteners, 4 screws included



END-CAP

A141005E	GRAY
----------	------

End-cap for profile A141005R
2 end-caps included




INTEGRATION

A221205R	GRAY	2 meters
----------	------	----------

ALUM

Recessed profile for installation of LED strips with a width of no more than 10 mm.
2m profile, 2m diffuser, 2 end-caps, 4 fasteners, 4 screws included



END-CAP

A221205E	GRAY
----------	------

End-cap for profile A221205R
2 end-caps included




INTEGRATION

A300605R	GRAY	2 meters
----------	------	----------

ALUM

Recessed profile for installation of LED strips with a width of no more than 18 mm.
2m profile, 2m diffuser, 2 end-caps, 4 fasteners, 4 screws included



END-CAP

A300605E	GRAY
----------	------

End-cap for profile A300605R.
2 end-caps included




INTEGRATION

A220605R	GRAY	2 meters
----------	------	----------

ALUM

Recessed profile for installation of LED strips with a width of no more than 10 mm.
2m profile, 2m diffuser, 2 end-caps, 4 fasteners, 4 screws included




END-CAP

A220605E	GRAY
----------	------

End-cap for profile A220605R
2 end-caps included

Various control methods are used to dim light sources:

- TRIAC is an alternating voltage control technology. For stable operation with LED power supplies, a Trailing Edge cutoff is used.
- 0/1-10V is an analog control protocol with constant voltage DC. A voltage from 0 to 10V is supplied to the power supply via a separate control circuit, which corresponds to a brightness level of 0-100%.
- PWM (PWM – Pulse-Width Modulation) is a method of changing the brightness of LED light sources by reducing the average applied power of an electrical signal. It is used for LED strips.
- Dimming devices can be controlled using the R-remote control or the Push-Dim method using a return switch. For integration into the smart home system, devices and lamps can have WiFi+BLE (Bluetooth Low Energy) radio modules – the SMART series.




LIGHT CONTROL



SMART controller

A70C-01CH-WF 1 channel (1x15A) DC 12-24V 180-360W

- PLASTIC
- RF 2,4GHZ
- PWM 2000Hz
- IP20




Max. load



SMART controller

A70C-04CH-WF 4 channels (4x3.5A) DC 12-24V 180-360W

- PLASTIC
- RF 2,4GHZ
- PWM 2000Hz
- IP20




Max. load



SMART controller

A70C-02CH-WF 2 channels (2x7.5A) DC 12-24V 180-360W

- PLASTIC
- RF 2,4GHZ
- PWM 2000Hz
- IP20



Max. load


NEW



SMART controller

A71C-01CH-WF 1 channel (1x10A) DC 12-48V 120-480W

- PLASTIC
- RF 2,4GHZ
- PWM 2000Hz
- IP20
- PUSH DIM



Max. load


NEW



SMART controller

A70C-03CH-WF 3 channels (3x5A) DC 12-24V 180-360W

- PLASTIC
- RF 2,4GHZ
- PWM 2000Hz
- IP20



Max. load


NEW



SPI controller

A72C-01CH-WF 1 channel (1x12A) DC 12-24V 720pix

- PLASTIC
- RF 2,4GHZ
- PWM 2000Hz
- IP20



Used with single-color SPI tape and RGB SPI

App Smart Life®



The ability to control the LED strip through the SMART LIFE application, using a radio remote. The remote control is sold separately.





SMART control panel

A70RC-01CH-BK RF 2,4GHZ 4 zones DC 3V (2xAAA)

PLASTIC

RF
2,4GHZ

IP20

MAX
20m

For single-channel controllers
A70C-01CH-WF, A71C-01CH-WF
and TRIAC dimmers A80D-01CH-RF, A80D-01CH-WF



SMART control panel

A70RC-02CH-BK RF 2,4GHZ 4 zones DC 3V (2xAAA)

PLASTIC

RF
2,4GHZ

IP20

MAX
20m

For dual-channel controller A70C-02CH-WF



SMART control panel

A70RC-04CH-BK RF 2,4GHZ 4 zones DC 3V (2xAAA)

PLASTIC

RF
2,4GHZ

IP20

MAX
20m

For controllers A70C-03CH-WF, A70C-04CH-WF,
A72C-01CH-WF

NEW



DIMMER TRIAC

Max. load
A80D-01CH-RF 1 channel (1x1.4A) AC 220-240V Max 300W


PLASTIC

RF
2,4GHZ

IP20

PUSH
DIM

R.C



NEW



DIMMER TRIAC

Max. load
A80D-01CH-WF 1 channel (1x1.4A) AC 220-240V Max 300W

PLASTIC


RF
2,4GHZ

IP20

PUSH
DIM

R.C

Powered by
tuya



TRIAC (Triode for alternating current) is a reliable technology for controlling the brightness of LED lamps. Dimming is performed by controlling the alternating current supplied to the power supply.

The TRIAC standard provides for the use of special dimmable drivers and power supplies for LED light sources.

The dimmer is designed to control LED light sources using the TRIAC protocol (TE - Trailing Edge).

The main functions of the dimmer are: turning on and off the LED strips, adjusting the brightness. Setting the minimum brightness level in the range 5-35%

The controller is controlled using:


- Smart Life Applications
- SMART A70RC-01CH-BK series control panel
- PUSH DIM return switch

App Smart Life®



SMART

- Smart Life Management
- Setting up different scenarios through the app
- 4 separate channels, up to 150W LED load per channel
- Control not only track systems, but also any light source
- The panel depth is only 2.5 cm, suitable for installation in a standard socket with a diameter of 68 mm, a depth of 45 mm




SMART CONTROL PANEL

A700133	WHITE	100-250V	BASE: 600W	for channel Max 150W
A700106	BLACK	100-250V	BASE: 600W	for channel Max 150W



To control groups of fixtures




NEW

SMART RELAY MODULE

			Max. load
A90S-02CH-WF	2 (2x8A)	AC 220-240V	Max 2800W




Designed to control light sources with a voltage of 230V




App Smart Life®



SMART



- Setting up different scenarios through the app
- 4 separate channels, up to 150W load per channel
- Control not only track systems, but also any light source



- 4 outputs for connecting the load to the light source
- Panel power connection
- Phase: (L) and Zero (N)

App Smart Life®



Modern lamps have LED chips as a light source, operating from a constant stabilized voltage. Therefore, the power supplies of LED lamps must have a high level of voltage stabilization and filtration, which will ensure a long service life of the LEDs.

Also, power supplies must be protected against overvoltage, short circuit, thermal overload, excess output current and have a sufficient range of input mains voltage.

The ARTE Lamp features power supplies in the STANDART, PRO, AQUA and SLIM ranges, which can be used for various tasks in interior lighting.



POWER SUPPLIES



PRO power supply

A240105	100W, 4.2A
A240105N	100W, 4.2A

ALUM

24V

IP20

PRO power supply

A240205	150W, 6.25A
A240205N	150W, 6.25A

ALUM

24V

IP20

PRO power supply

A240305	200W, 8.3A
A240305N	200W, 8.3A

ALUM

24V

IP20

PRO power supply

A240405	300W, 12A
A240405N	300W, 12A

ALUM

24V

IP20






PRO power supply

A240505N	400W, 16.6A
----------	-------------

ALUM

24V

IP20



STANDART power supply

A240406	100W, 4.2A
A240406N	100W, 4.2A

ALUM

24V

IP20

STANDART power supply

A240506	150W, 6.25A
A240506N	150W, 6.25A

ALUM

24V

IP20





STANDART power supply

A240606	200W, 8.3A
A240606N	200W, 8.3A

ALUM

24V

IP20





NEW



POWER-SLIM
power supply

A242105 48W, 2A





NEW



POWER-SLIM
power supply

A242205 72W, 3A





NEW



POWER-SLIM
power supply

A242305 100W, 4.1A





NEW



POWER-SLIM
power supply

A242405 150W, 6.2A





NEW



POWER-SLIM
power supply


A242505 200W, 8.3A



POWER-AQUA
power supply

A241005 100W, 4.2A


A241005N 100W, 4.2A



POWER-AQUA
power supply

A241105 150W, 6.25A


A241105N 150W, 6.25A






PRO power supply

A481205	GRAY	100W, 2.08A
A481205N	GRAY	100W, 2.08A




Power supply for LINEA, EXPERT, OPTIMA and RAPID series




PRO power supply

A481305	GRAY	150W, 3.125A
A481305N	GRAY	150W, 3.125A




Power supply for LINEA, EXPERT, OPTIMA and RAPID series




PRO power supply

A481405	GRAY	250W, 5.2A
A481405N	GRAY	250W, 5.2A



Power supply for LINEA, EXPERT, OPTIMA and RAPID series




PRO power supply

A481505	GRAY	300W, 6.3A
A481505N	GRAY	300W, 6.3A



Power supply for LINEA, EXPERT, OPTIMA and RAPID series



NEW




OPTIMA power supply

A742133N	WHITE	80W, 1.5A
A742106N	BLACK	80W, 1.5A



Power supply integrated into OPTIMA track




OPTIMA power supply

A742033	WHITE	150W, 3A
A742006	BLACK	150W, 3A
A742033N	WHITE	150W, 3A
A742006N	BLACK	150W, 3A



Power supply integrated into OPTIMA track




EXPERT power supply

A582006	BLACK	150W, 3A
---------	-------	----------




Power supply integrated into EXPERT track



RAPID power supply


A615233N	WHITE	150W, 3A
A615206	BLACK	150W, 3A
A615206N	BLACK	150W, 3A



RAPID power supply for surface-mounted magnetic surface.

Two connection methods:


- 1) Connection to a standard outlet: 1.2 m power cord with EU plug included
- 2) For outputting 230 V power: terminal that is placed in the power supply compartment included






LINEA power supply

A482533	WHITE	100W, 2A
A482506	BLACK	100W, 2A
A482533N	WHITE	100W, 2A
A482506N	BLACK	100W, 2A




Power supply integrated into LINEA track




LINEA power supply

A482706	BLACK	100W, 2A
A482706N	BLACK	100W, 2A



Power supply integrated into LINEA track for 0/1-10V dimmable track lights




LINEA power supply

A482633	WHITE	200W, 4A
A482606	BLACK	200W, 4A
A482633N	WHITE	200W, 4A
A482606N	BLACK	200W, 4A



Power supply integrated into LINEA track




LINEA power supply

A482806	BLACK	200W, 4A
A482806N	BLACK	200W, 4A



Power supply integrated into LINEA track for 0/1-10V dimmable track lights



ITEM NR.	PAGE	SERIES
A0550PL-1BK	61	UNITO
A0550PL-1WH	61	UNITO
A070905E	373	SURFACE
A070905S	373	SURFACE
A0925-3K	153	LUGO
A0925-4K	153	LUGO
A110006	303	TRACK ACCESSORIES
A110033	303	TRACK ACCESSORIES
A110106	310	TRACK ACCESSORIES
A110133	310	TRACK ACCESSORIES
A1153PL-1BK	266	RAPID
A1153PL-1WH	266	RAPID
A1154PL-1BK	267	RAPID
A1154PL-1WH	267	RAPID
A1156PL-1BK	264	RAPID
A1156PL-1WH	264	RAPID
A1158PL-1BK	265	RAPID
A1158PL-1WH	265	RAPID
A1159PL-1BK	273	RAPID
A1159PL-1WH	273	RAPID
A1160PL-1BK	270	RAPID
A1160PL-1WH	270	RAPID
A1161PL-1BK	271	RAPID
A1161PL-1WH	271	RAPID
A1162PL-1BK	274	RAPID
A1162PL-1WH	274	RAPID
A1163PL-1BK	277	RAPID
A1163PL-1WH	277	RAPID
A1165PL-1BK	274	RAPID
A1165PL-1WH	274	RAPID
A1167PL-1BK	277	RAPID
A1167PL-1WH	277	RAPID
A1168PL-1BK	268	RAPID
A1168PL-1WH	268	RAPID
A1169PL-1BK	269	RAPID

ITEM NR.	PAGE	SERIES
A1169PL-1WH	269	RAPID
A120106	310	TRACK ACCESSORIES
A120133	310	TRACK ACCESSORIES
A120206L	302	TRACK ACCESSORIES
A120233L	302	TRACK ACCESSORIES
A120306P	304	TRACK ACCESSORIES
A120333P	304	TRACK ACCESSORIES
A1203PL-1AB	120	PRAKTISCH
A1203PL-1CC	120	PRAKTISCH
A1203PL-1SS	120	PRAKTISCH
A1203PL-1WH	120	PRAKTISCH
A1240PL-1BK	109	RAMO
A1240PL-1SG	109	RAMO
A1240PL-1WH	109	RAMO
A130106	310	TRACK ACCESSORIES
A130133	310	TRACK ACCESSORIES
A130206	302	TRACK ACCESSORIES
A130233	302	TRACK ACCESSORIES
A130306P	305	TRACK ACCESSORIES
A130333P	305	TRACK ACCESSORIES
A1311PL-1BK	329	MIZAR
A1311PL-1WH	329	MIZAR
A1315PL-1BK	329	MISAM
A1315PL-1WH	329	MISAM
A1335PL-1BK	333	AERO
A1335PL-1WH	333	AERO
A1336PL-1BK	333	AERO
A1336PL-1WH	333	AERO
A1337PL-1BK	333	AERO
A1337PL-1WH	333	AERO
A1345PL-1BK	333	AERO
A1345PL-1WH	333	AERO
A1346PL-1BK	333	AERO
A1346PL-1WH	333	AERO
A1347PL-1BK	333	AERO

ITEM NR.	PAGE	SERIES
A1347PL-1WH	333	AERO
A140006	303	TRACK ACCESSORIES
A140033	303	TRACK ACCESSORIES
A140106	310	TRACK ACCESSORIES
A140133	310	TRACK ACCESSORIES
A140206T	303	TRACK ACCESSORIES
A140233T	303	TRACK ACCESSORIES
A141005E	374	INTEGRATION
A141005R	374	INTEGRATION
A1412PL-1BK	335	PERISCOPIO
A1412PL-1WH	335	PERISCOPIO
A1414AL-1BK	24	RULLO
A1414AL-1GY	24	RULLO
A1414AL-1WH	24	RULLO
A1415AL-1BK	24	RULLO
A1415AL-1GY	24	RULLO
A1415AL-1WH	24	RULLO
A1423AP-1BK	35	SCATOLA
A1423AP-1WH	35	SCATOLA
A1444AP-1BK	28	CROCE
A1444AP-1WH	28	CROCE
A1445AL-1BK	26	ALGOL
A1445AL-4BK	26	ALGOL
A1460PL-1BK	62	GALOPIN
A1460PL-1WH	62	GALOPIN
A1461PL-1BK	62	GALOPIN
A1461PL-1WH	62	GALOPIN
A1468PL-1BK	61	TINO
A1468PL-1WH	61	TINO
A1469PL-1BK	61	TINO
A1469PL-1WH	61	TINO
A150006	303	TRACK ACCESSORIES
A150033	303	TRACK ACCESSORIES
A150106	311	TRACK ACCESSORIES
A150133	311	TRACK ACCESSORIES

ITEM NR.	PAGE	SERIES
A150206F	303	TRACK ACCESSORIES
A150233	303	TRACK ACCESSORIES
A150233F	303	TRACK ACCESSORIES
A150605E	372	SURFACE
A150605S	372	SURFACE
A150606E	372	SURFACE
A150606RS	372	SURFACE
A150606S	372	SURFACE
A1510AP-1BK	22	NIMBO
A1510AP-1WH	22	NIMBO
A1513PL-1BK	45	BEID
A1513PL-1WH	45	BEID
A1515PL-1BK	321	BEID
A1515PL-1SG	321	BEID
A1515PL-1WH	321	BEID
A1516PL-1BK	55	UNIX
A1516PL-1WH	55	UNIX
A1516SP-1BK	76	CANOPUS
A1516SP-1WH	76	CANOPUS
A1517PL-1BK	45	BEID
A1517PL-1WH	45	BEID
A1518PL-1BK	319	RIDGE
A1518PL-1WH	319	RIDGE
A1519PL-1BK	319	FLAME
A1519PL-1WH	319	FLAME
A1524AL-1BK	28	COMETA
A1524AL-1GY	28	COMETA
A1524AL-1WH	28	COMETA
A1524SP-1BK	76	SIRIUS
A1524SP-1WH	76	SIRIUS
A1525AP-1WH	23	TAMBURELLO
A1526SP-1BK	75	RIDGET
A1526SP-1WH	75	RIDGET
A1530SP-1BK	76	TORRE
A1530SP-1WH	76	TORRE

ITEM NR.	PAGE	SERIES
A1545AL-4BK	23	CONRAD
A1560PL-1BK	54	SENTRY
A1560PL-1WH	54	SENTRY
A1566PL-1BK	54	SENTRY
A1566PL-1WH	54	SENTRY
A160106	311	TRACK ACCESSORIES
A160133	311	TRACK ACCESSORIES
A160206	303	TRACK ACCESSORIES
A160233	303	TRACK ACCESSORIES
A1609AP-1BK	28	BUSTA
A1609AP-1GY	28	BUSTA
A1609AP-1WH	28	BUSTA
A161205E	373	SURFACE
A161205S	373	SURFACE
A161605E	374	SURFACE
A161605S	374	SURFACE
A161606E	374	SURFACE
A161606S	374	SURFACE
A1640PL-1WH	342	WALES
A1677PL-1GO	330	JOVI
A1714AL-2BK	24	RULLO
A1714AL-2WH	24	RULLO
A1718AP-1WH	35	TRIO
A1810PL-1WH	340	AMICO
A1811PL-1BK	340	AMICO
A1811PL-1WH	340	AMICO
A1906PL-1BK	324	ALMACH
A1906PL-1WH	324	ALMACH
A1909PL-1BK	69	ELLE
A1909PL-1WH	69	ELLE
A1935PL-1BK	334	BENE
A1935PL-1WH	334	BENE
A1936PL-1BK	334	BENE
A1936PL-1WH	334	BENE
A1937PL-1BK	334	BENE

ITEM NR.	PAGE	SERIES
A1937PL-1WH	334	BENE
A1945PL-1BK	334	BENE
A1945PL-1WH	334	BENE
A1946PL-1BK	334	BENE
A1946PL-1WH	334	BENE
A1947PL-1BK	334	BENE
A1947PL-1WH	334	BENE
A1949PL-1BK	69	ELLE
A1949PL-1WH	69	ELLE
A200006	314	TRACK ACCESSORIES
A200033	314	TRACK ACCESSORIES
A201005	372	PROFILE-ACCESSORIES
A201006	372	PROFILE-ACCESSORIES
A202005E	372	SURFACE
A202005S	372	SURFACE
A202006E	372	SURFACE
A202006S	372	SURFACE
A202066S	372	SURFACE
A2024PL-1CC	124	AQUA
A2024PL-1SS	124	AQUA
A20-2W	361	STRIP-ACCESSORIES
A20-3W	361	STRIP-ACCESSORIES
A20-4W	361	STRIP-ACCESSORIES
A20-5W	361	STRIP-ACCESSORIES
A2067PL-1BK	95	TARF MINI
A2067PL-1WH	95	TARF MINI
A2068PL-1BK	95	TARF MINI
A2068PL-1WH	95	TARF MINI
A210106	311	TRACK ACCESSORIES
A210133	311	TRACK ACCESSORIES
A210206	303	TRACK ACCESSORIES
A210233	303	TRACK ACCESSORIES
A2103PL-1BK	120	BASIC
A2103PL-1WH	120	BASIC
A2160PL-1WH	118	ANSER

ITEM NR.	PAGE	SERIES
A2161PL-1WH	119	ALKES
A2161PL-2WH	119	ALKES
A2163PL-1WH	113	KANG
A2164PL-1BK	107	IMAI
A2164PL-1WH	107	IMAI
A2165PL-1BK	121	CAPH
A2165PL-1WH	121	CAPH
A2166PL-1BK	120	CURSA
A2166PL-1WH	120	CURSA
A2167PL-1BK	97	TARF
A2167PL-1WH	97	TARF
A2168PL-1BK	97	TARF
A2168PL-1WH	97	TARF
A2168PL-2BK	97	TARF
A2168PL-2WH	97	TARF
A2169PL-1WH	118	FULU
A2177PL-1BK	96	TARF
A2177PL-1WH	96	TARF
A2178PL-1BK	96	TARF
A2178PL-1WH	96	TARF
A2178PL-2BK	96	TARF
A2178PL-2WH	96	TARF
A220605E	375	INTEGRATION
A220605R	375	INTEGRATION
A22070-3K	150	ORE
A22070-4K	150	ORE
A22070-5K	150	ORE
A22071-3K	150	ORE
A22071-4K	150	ORE
A22090-3K	152	ORE
A22090-4K	152	ORE
A22091-3K	152	ORE
A22091-4K	152	ORE
A221205E	375	INTEGRATION
A221205R	375	INTEGRATION

ITEM NR.	PAGE	SERIES
A22190-3K	152	ORE
A22190-4K	152	ORE
A22190-5K	152	ORE
A22191-3K	152	ORE
A22191-4K	152	ORE
A22370-3K	149	ORE MINI
A22370-4K	149	ORE MINI
A2260PL-1BK	45	UNITO
A2260PL-1WH	45	UNITO
A2264PL-1BK	107	IMAI
A2264PL-1WH	107	IMAI
A2265PL-1BK	51	IMAI
A2265PL-1WH	51	IMAI
A2266PL-1BK	51	IMAI
A2266PL-1WH	51	IMAI
A2267PL-1BK	51	IMAI
A2267PL-1WH	51	IMAI
A230006	314	TRACK ACCESSORIES
A230033	314	TRACK ACCESSORIES
A23070-3K	150	ORE
A23070-4K	150	ORE
A2308SP-1BK	80	SABIK
A23090-3K	153	ORE
A23090-4K	153	ORE
A2310PL-1BK	342	TRACCIA
A2310PL-1WH	342	TRACCIA
A2315PL-1BK	343	ATILLO
A2315PL-1WH	343	ATILLO
A2321PL-1WH	342	TRACCIA
A2324PL-1BK	343	ATILLO
A2324PL-1WH	343	ATILLO
A2330PL-1BK	342	TRACCIA
A2352PL-1BK	59	CINTURA
A2352PL-1WH	59	CINTURA
A2353PL-1BK	59	CINTURA

ITEM NR.	PAGE	SERIES
A2354PL-1BK	324	CINTURA
A2354PL-1WH	324	CINTURA
A2355PL-1BK	324	CINTURA
A2356PL-1BK	327	TOPIC
A2356PL-1WH	327	TOPIC
A2357PL-1BK	59	TOPIC
A2357PL-1WH	59	TOPIC
A2364PL-1BK	322	IMAI
A2364PL-1WH	322	IMAI
A2365PL-1BK	50	IMAI
A2365PL-1WH	50	IMAI
A240006	314	TRACK ACCESSORIES
A240033	314	TRACK ACCESSORIES
A240105	388	POWER-PRO
A240105N	388	POWER-PRO
A240205	388	POWER-PRO
A240205N	388	POWER-PRO
A240305	388	POWER-PRO
A240305N	388	POWER-PRO
A240405	388	POWER-PRO
A240405N	388	POWER-PRO
A240406	389	POWER-STANDARD
A240406N	389	POWER-STANDARD
A240505N	388	POWER-PRO
A240506	389	POWER-STANDARD
A240506N	389	POWER-STANDARD
A2406008-01-3K	346	TAPE
A2406008-02-4K	346	TAPE
A2406008-03-6K	346	TAPE
A2406010-01-RGB	351	TAPE
A2406010-02-RGB	351	TAPE
A2406010-03-3K	352	SPI
A2406010-04-4K	352	SPI
A2406010-05-RGB	352	SPI
A2406012-01-RGB4K	351	TAPE

ITEM NR.	PAGE	SERIES
A2406012-02-RGB3K	351	TAPE
A2406012-04-RGB3K	351	AQUA TAPE
A2406012-05-RGB4K	351	AQUA TAPE
A240605E	373	SURFACE
A240605S	373	SURFACE
A240606	389	POWER-STANDARD
A240606N	389	POWER-STANDARD
A241005	391	POWER-AQUA
A241005N	391	POWER-AQUA
A241105	391	POWER-AQUA
A241105N	391	POWER-AQUA
A2412005-01-3K	346	TAPE
A2412005-02-4K	346	TAPE
A2412005-03-6K	346	TAPE
A2412008-01-3K	346	TAPE
A2412008-02-4K	346	TAPE
A2412008-03-6K	346	TAPE
A2412008-04-3K	347	AQUA TAPE
A2412008-05-4K	347	AQUA TAPE
A2412008-06-6K	347	AQUA TAPE
A2414010-01-MIX	352	TAPE
A2418008-01-3K	349	TAPE
A2418008-02-4K	349	TAPE
A2418008-03-6K	349	TAPE
A2418012C	359	NEON TERMO
A2418012E	359	NEON TERMO
A2418012EW	359	NEON TERMO
A2418013-01-3K	353	NEON TERMO
A2418013-02-4K	353	NEON TERMO
A2418013-03-6K	353	NEON TERMO
A24190-3K	152	ORE
A24190-4K	152	ORE
A242105	390	POWER-SLIM
A242205	390	POWER-SLIM
A242305	390	POWER-SLIM

ITEM NR.	PAGE	SERIES
A2424010-01-3K	349	TAPE
A2424010-02-4K	349	TAPE
A2424010-03-6K	349	TAPE
A2424015-01-3K	349	TAPE
A2424015-02-4K	349	TAPE
A2424015-03-6K	349	TAPE
A242405	390	POWER-SLIM
A242505	390	POWER-SLIM
A2432005-01-3K	350	LANE
A2432005-02-4K	350	LANE
A2432005-03-6K	350	LANE
A2432008-01-3K	350	LANE
A2432008-02-4K	350	LANE
A2432008-03-6K	350	LANE
A2432008-04-3K	350	AQUA LANE
A2432008-05-4K	350	AQUA LANE
A2432008-06-6K	350	AQUA LANE
A2448010-01-3K	350	AQUA LANE
A2448010-02-4K	350	AQUA LANE
A2448010-03-6K	350	AQUA LANE
A2448010C	359	STRIP-ACCESSORIES
A2448010E	359	STRIP-ACCESSORIES
A2464PL-1BK	106	IMAI
A2464PL-1WH	106	IMAI
A2465PL-1BK	106	IMAI
A2465PL-1WH	106	IMAI
A2664PL-1BK	341	VINSANT
A2664PL-1WH	341	VINSANT
A2665PL-1BK	341	VINSANT
A2665PL-1WH	341	VINSANT
A2668PL-1SS	327	BUCHO
A2705PL-1WH	145	GRADO
A2710PL-2WH	145	GRADO
A2750AL-2BK	27	ALGOL
A2750AL-2WH	27	ALGOL

ITEM NR.	PAGE	SERIES
A2761PL-1BK	98	MIRA MINI
A2761PL-1WH	98	MIRA MINI
A2762PL-1BK	98	MIRA MINI
A2762PL-1WH	98	MIRA MINI
A2764PL-1BK	101	DASH MINI
A2764PL-1WH	101	DASH MINI
A2858PL-1BK	123	HELM MINI
A2858PL-1WH	123	HELM MINI
A2859PL-1BK	122	HELM MINI
A2859PL-1WH	122	HELM MINI
A2861PL-1BK	99	MIRA
A2861PL-1WH	99	MIRA
A2862PL-1BK	99	MIRA
A2862PL-1WH	99	MIRA
A2863PL-1BK	113	CORNO
A2863PL-1WH	113	CORNO
A2864PL-1BK	101	DASH
A2864PL-1WH	101	DASH
A2865PL-1BK	113	FUJI
A2865PL-1WH	113	FUJI
A2866PL-1BK	123	GIRO
A2866PL-1WH	123	GIRO
A2867PL-1BK	122	GIRO
A2867PL-1WH	122	GIRO
A2868PL-1BK	123	HELM
A2868PL-1WH	123	HELM
A2869PL-1BK	122	HELM
A2869PL-1WH	122	HELM
A2905PL-1WH	145	GRADO
A2910PL-2WH	145	GRADO
A2953PL-1BK	266	RAPID
A2953PL-1WH	266	RAPID
A2954PL-1BK	267	RAPID
A2954PL-1WH	267	RAPID
A2956PL-1BK	264	RAPID

ITEM NR.	PAGE	SERIES
A2956PL-1WH	264	RAPID
A2958PL-1BK	265	RAPID
A2958PL-1WH	265	RAPID
A2959PL-1BK	273	RAPID
A2959PL-1WH	273	RAPID
A2960PL-1BK	270	RAPID
A2960PL-1WH	270	RAPID
A2961PL-1BK	271	RAPID
A2961PL-1WH	271	RAPID
A2968PL-1BK	268	RAPID
A2968PL-1WH	268	RAPID
A2969PL-1BK	269	RAPID
A2969PL-1WH	269	RAPID
A300105	111	INTER
A30-05-1CCT	356	STRIP-ACCESSORIES
A300605E	375	INTEGRATION
A300605R	375	INTEGRATION
A30-08-1CCT	356	STRIP-ACCESSORIES
A30-10-1CCT	356	STRIP-ACCESSORIES
A30-10-MIX	357	STRIP-ACCESSORIES
A3010PL-1BK	111	INTER
A3010PL-1SG	111	INTER
A3010PL-1WH	111	INTER
A30-12-RGBW	357	STRIP-ACCESSORIES
A3102AL-1BK	31	COMPASS
A3102AL-2BK	31	COMPASS
A31-05-1CCT	356	STRIP-ACCESSORIES
A31-08-1CCT	356	STRIP-ACCESSORIES
A31-10-1CCT	356	STRIP-ACCESSORIES
A31-10-MIX	357	STRIP-ACCESSORIES
A31-12-RGBW	357	STRIP-ACCESSORIES
A3117PL-1BK	330	FALENA
A3117PL-1WH	330	FALENA
A3122AL-2BK	19	BOSTO
A3122AL-2WH	19	BOSTO

ITEM NR.	PAGE	SERIES
A3122AL-6BK	19	BOSTO
A3122AL-6WH	19	BOSTO
A32-05-1CCT	356	STRIP-ACCESSORIES
A32-08-1CCT	356	STRIP-ACCESSORIES
A32-10-1CCT	356	STRIP-ACCESSORIES
A32-10-MIX	357	STRIP-ACCESSORIES
A32-12-RGBW	357	STRIP-ACCESSORIES
A321301	44	NODO
A321306	44	NODO
A321333	44	NODO
A3213PL-1BK	44	NODO
A3213PL-1WH	44	NODO
A3214PL-1BK	116	CEFEO
A3214PL-1WH	116	CEFEO
A3216PL-1BK	57	AQUARIUS
A3216PL-1GY	57	AQUARIUS
A3216PL-1WH	57	AQUARIUS
A3217PL-1BK	121	ACCENTO
A3217PL-1WH	121	ACCENTO
A3221PL-1BK	116	NAHN
A3221PL-1WH	116	NAHN
A3302AL-1BK	32	MISTERO
A3302AL-1GY	32	MISTERO
A3302AL-1WH	32	MISTERO
A3302AL-2BK	32	MISTERO
A3302AL-2GY	32	MISTERO
A3302AL-2WH	32	MISTERO
A3307PL-1WH	141	APERTURA
A33-08-1CCT	356	STRIP-ACCESSORIES
A3311PL-1WH	133	SCROLL
A3312PL-1WH	133	SCROLL
A3313PL-1WH	134	CHESS
A3314PL-1WH	134	CHESS
A3316PL-1BK	57	LIBRA
A3316PL-1GY	57	LIBRA

ITEM NR.	PAGE	SERIES
A3316PL-1WH	57	LIBRA
A3317PL-1WH	132	UVA
A3318PL-1WH	132	UVA
A3322AL-1BK	33	MISTERO
A3322AL-2BK	33	MISTERO
A3409AL-1BK	21	NIMBO
A3412AL-1BK	21	NIMBO
A3415AL-1BK	21	NIMBO
A3530PL-1BK	337	MERAK
A3530PL-1WH	337	MERAK
A3536PL-1BK	108	ACT MINI
A3536PL-1WH	108	ACT MINI
A3540PL-1BK	337	MERAK
A3540PL-1WH	337	MERAK
A3722AL-2BK	19	BOSTO
A3722AL-2WH	19	BOSTO
A3731PL-1BK	116	SITULA
A3731PL-1WH	116	SITULA
A40-08-1CCT	358	STRIP-ACCESSORIES
A40-10-1CCT	358	STRIP-ACCESSORIES
A410106	306	TRACK ACCESSORIES
A410133	306	TRACK ACCESSORIES
A410406	81	BASE
A410433	81	BASE
A4107AP-1BK	38	CERCARE
A4107AP-1WH	38	CERCARE
A420005	311	TRACK ACCESSORIES
A4403AL-1BK	22	NIMBO
A4406AL-1BK	22	NIMBO
A4412AL-1BK	22	NIMBO
A4506AL-1BK	20	NIMBO
A4506AL-1WH	20	NIMBO
A4513PL-1BK	115	ATIK
A4513PL-1WH	115	ATIK
A4561PL-1BK	340	BARUT

ITEM NR.	PAGE	SERIES
A4561PL-1WH	340	BARUT
A4568PL-1BK	337	REGULUS
A4568PL-1WH	337	REGULUS
A4570PL-1BK	338	LINEETTA
A4571PL-1BK	338	LINEETTA
A4572PL-1BK	339	FLASH
A4573PL-1BK	339	FLASH
A4574PL-1BK	338	LINEETTA
A4574PL-1WH	338	LINEETTA
A4575PL-1BK	339	FLASH
A4576PL-1BK	338	LINEETTA
A460106	199	LINEA-ACCESSORIES
A460133	199	LINEA-ACCESSORIES
A460206	199	LINEA-ACCESSORIES
A460233	199	LINEA-ACCESSORIES
A460306	199	LINEA-ACCESSORIES
A460333	199	LINEA-ACCESSORIES
A4634PL-1BK	214	LINEA
A4634PL-1WH	214	LINEA
A4635PL-1WH	215	LINEA
A4644PL-1WH	214	LINEA
A4645PL-1WH	215	LINEA
A4660PL-1AB	209	LINEA
A4660PL-1BK	209	LINEA
A4660PL-1SG	209	LINEA
A4660PL-1WH	209	LINEA
A4661PL-1AB	211	LINEA
A4661PL-1BK	211	LINEA
A4661PL-1SG	211	LINEA
A4661PL-1WH	211	LINEA
A4662PL-1BK	212	LINEA
A4662PL-1WH	212	LINEA
A4663PL-1BK	212	LINEA
A4663PL-1WH	212	LINEA
A4664PL-1BK	214	LINEA

ITEM NR.	PAGE	SERIES
A4664PL-1WH	214	LINEA
A4665PL-1BK	215	LINEA
A4665PL-1WH	215	LINEA
A4668PL-1BK	213	LINEA
A4668PL-1WH	213	LINEA
A4669PL-1BK	213	LINEA
A4669PL-1WH	213	LINEA
A4670PL-1BK	209	LINEA
A4670PL-1WH	209	LINEA
A4671PL-1BK	211	LINEA
A4671PL-1WH	211	LINEA
A4672PL-1BK	212	LINEA
A4672PL-1WH	212	LINEA
A4673PL-1BK	212	LINEA
A4673PL-1WH	212	LINEA
A4674PL-1BK	214	LINEA
A4674PL-1WH	214	LINEA
A4675PL-1BK	215	LINEA
A4675PL-1WH	215	LINEA
A4678PL-1BK	213	LINEA
A4678PL-1WH	213	LINEA
A4679PL-1BK	213	LINEA
A4679PL-1WH	213	LINEA
A4680PL-1BK	209	LINEA
A4681PL-1BK	211	LINEA
A4682PL-1BK	212	LINEA
A4683PL-1BK	212	LINEA
A4684PL-1BK	214	LINEA
A4685PL-1BK	215	LINEA
A4686PL-1BK	213	LINEA
A4690PL-1BK	209	LINEA
A4690PL-1WH	209	LINEA
A4691PL-1BK	211	LINEA
A4691PL-1WH	211	LINEA
A4692PL-1BK	212	LINEA

ITEM NR.	PAGE	SERIES
A4692PL-1WH	212	LINEA
A4693PL-1BK	212	LINEA
A4693PL-1WH	212	LINEA
A4694PL-1BK	214	LINEA
A4694PL-1WH	214	LINEA
A4695PL-1BK	215	LINEA
A4695PL-1WH	215	LINEA
A4696PL-1BK	213	LINEA
A4696PL-1WH	213	LINEA
A4697PL-1BK	213	LINEA
A4697PL-1WH	213	LINEA
A470133	200	LINEA-ACCESSORIES
A471106	201	LINEA-ACCESSORIES
A471133	201	LINEA-ACCESSORIES
A472206	201	LINEA-ACCESSORIES
A472233	201	LINEA-ACCESSORIES
A473206	203	LINEA-ACCESSORIES
A473233	203	LINEA-ACCESSORIES
A473306	201	LINEA-ACCESSORIES
A473333	201	LINEA-ACCESSORIES
A474206	205	LINEA-ACCESSORIES
A474233	205	LINEA-ACCESSORIES
A474306	203	LINEA-ACCESSORIES
A474333	203	LINEA-ACCESSORIES
A4761PL-1WH	139	KAUS
A4762PL-1WH	139	KAUS
A4764PL-1WH	135	PHACT
A4770SP-1BK	218	LINEA
A4771PL-1BK	218	LINEA
A4780SP-1BK	218	LINEA
A4781PL-1BK	218	LINEA
A480133	206	LINEA-ACCESSORIES
A480206	206	LINEA-ACCESSORIES
A480233	206	LINEA-ACCESSORIES
A480505	201	LINEA-ACCESSORIES

ITEM NR.	PAGE	SERIES
A480506	199	LINEA-ACCESSORIES
A480533	199	LINEA-ACCESSORIES
A480606	199	LINEA-ACCESSORIES
A480633	199	LINEA-ACCESSORIES
A480733	200	LINEA-ACCESSORIES
A480806	199	LINEA-ACCESSORIES
A480833	199	LINEA-ACCESSORIES
A480906	200	LINEA-ACCESSORIES
A480933	200	LINEA-ACCESSORIES
A481005	199	LINEA-ACCESSORIES
A481033	199	LINEA-ACCESSORIES
A481106	206	LINEA-ACCESSORIES
A481133	206	LINEA-ACCESSORIES
A4812010-01-3K	354	TAPE
A4812010-02-4K	354	TAPE
A4812010-03-3K	354	TAPE
A4812010-04-4K	354	TAPE
A4812010-05-3K	354	TAPE
A4812010-06-4K	354	TAPE
A4812010-07-3K	354	TAPE
A4812010-08-4K	354	TAPE
A481205	392	ARTE LAMP
A481205N	392	ARTE LAMP
A481305	392	ARTE LAMP
A481305N	392	ARTE LAMP
A481405	392	ARTE LAMP
A481405N	392	ARTE LAMP
A481505	392	ARTE LAMP
A481505N	392	ARTE LAMP
A482006	199	LINEA-ACCESSORIES
A482033	199	LINEA-ACCESSORIES
A482106	200	LINEA-ACCESSORIES
A482133	200	LINEA-ACCESSORIES
A482206	207	LINEA-ACCESSORIES
A482233	207	LINEA-ACCESSORIES

ITEM NR.	PAGE	SERIES
A482506	394	ARTE LAMP
A482506N	394	ARTE LAMP
A482533	394	ARTE LAMP
A482533N	394	ARTE LAMP
A482606	394	ARTE LAMP
A482606N	394	ARTE LAMP
A482633	394	ARTE LAMP
A482633N	394	ARTE LAMP
A482706	395	ARTE LAMP
A482706N	395	ARTE LAMP
A482806	395	ARTE LAMP
A482806N	395	ARTE LAMP
A483206E	203	LINEA-ACCESSORIES
A483306	207	LINEA-ACCESSORIES
A483333	207	LINEA-ACCESSORIES
A484206E	205	LINEA-ACCESSORIES
A484233E	205	LINEA-ACCESSORIES
A484305I	165	LINEA-ACCESSORIES
A484305I	205	LINEA-ACCESSORIES
A484405L	165	LINEA-ACCESSORIES
A484405L	205	LINEA-ACCESSORIES
A484406	207	LINEA-ACCESSORIES
A484433	207	LINEA-ACCESSORIES
A485206E	203	LINEA-ACCESSORIES
A485233E	203	LINEA-ACCESSORIES
A487706	201	LINEA-ACCESSORIES
A487733	201	LINEA-ACCESSORIES
A489906	201	LINEA-ACCESSORIES
A489933	201	LINEA-ACCESSORIES
A4910PL-1BK	186	LOOP
A4910PL-1BK	216	LOOP
A4910PL-1BK	252	LOOP
A4910PL-1WH	186	LOOP
A4910PL-1WH	216	LOOP
A4910PL-1WH	252	LOOP

ITEM NR.	PAGE	SERIES
A4911PL-1BK	186	LOOP
A4911PL-1BK	216	LOOP
A4911PL-1BK	252	LOOP
A4911PL-1WH	186	LOOP
A4911PL-1WH	216	LOOP
A4911PL-1WH	252	LOOP
A492006-1	187	LINEA-ACCESSORIES
A492006-1	217	LINEA-ACCESSORIES
A492006-2	187	LINEA-ACCESSORIES
A492006-2	217	LINEA-ACCESSORIES
A492033-1	187	LINEA-ACCESSORIES
A492033-1	217	LINEA-ACCESSORIES
A492033-2	187	LINEA-ACCESSORIES
A492033-2	217	LINEA-ACCESSORIES
A492106-1	253	EXPERT-ACCESSORIES
A492106-2	253	EXPERT-ACCESSORIES
A492206	187	LINEA-ACCESSORIES
A492206	217	LINEA-ACCESSORIES
A492233	187	LINEA-ACCESSORIES
A492233	217	LINEA-ACCESSORIES
A492306	253	EXPERT-ACCESSORIES
A492433	187	LOOP
A492433	217	LOOP
A492433	253	LOOP
A50-20-2PIN	360	STRIP-ACCESSORIES
A50-20-3PIN	360	STRIP-ACCESSORIES
A50-20-4PIN	360	STRIP-ACCESSORIES
A50-20-5PIN	360	STRIP-ACCESSORIES
A510106	306	TRACK ACCESSORIES
A510133	306	TRACK ACCESSORIES
A5108PL-1BK	331	NIDO
A5108PL-1WH	331	NIDO
A5360PL-1BK	43	CONE
A5360PL-1WH	43	CONE
A5361PL-1BK	43	CONE

ITEM NR.	PAGE	SERIES
A5361PL-1WH	43	CONE
A5365PL-1SG	53	LAZIO
A5365PL-1SS	53	LAZIO
A5366PL-1SG	53	LAZIO
A5366PL-1SS	53	LAZIO
A5367SP-1SG	73	LAZIO
A5367SP-1SS	73	LAZIO
A5368PL-1SG	318	LAZIO
A5368PL-1SS	318	LAZIO
A540106	302	TRACK ACCESSORIES
A540106C	302	TRACK ACCESSORIES
A540133	302	TRACK ACCESSORIES
A540133C	302	TRACK ACCESSORIES
A540206	302	TRACK ACCESSORIES
A540206C	302	TRACK ACCESSORIES
A540233	302	TRACK ACCESSORIES
A540233C	302	TRACK ACCESSORIES
A540306	302	TRACK ACCESSORIES
A540333	302	TRACK ACCESSORIES
A5440PL-1AB	124	AQUA
A5440PL-1CC	124	AQUA
A5440PL-1SS	124	AQUA
A5440PL-1WH	124	AQUA
A5461PL-1WH	318	POLAR
A5462PL-1WH	46	POLAR
A5463SP-1WH	75	POLAR
A550106	310	TRACK ACCESSORIES
A550133	310	TRACK ACCESSORIES
A550206	310	TRACK ACCESSORIES
A550233	310	TRACK ACCESSORIES
A5543PL-1BK	62	INTERCRUS
A5543PL-1WH	62	INTERCRUS
A5544PL-1BK	54	FACTOR
A5544PL-1WH	54	FACTOR
A5544PL-2BK	55	FACTOR

ITEM NR.	PAGE	SERIES
A5544PL-2WH	55	FACTOR
A5547PL-1BK	321	INTERCRUS
A5547PL-1WH	321	INTERCRUS
A5548PL-1BK	56	INTERCRUS
A5548PL-1WH	56	INTERCRUS
A5549PL-1BK	56	INTERCRUS
A5549PL-1WH	56	INTERCRUS
A5550PL-1BK	115	GAMBO
A5550PL-1WH	115	GAMBO
A5551PL-1BK	56	GAMBO
A5551PL-1WH	56	GAMBO
A5552PL-1BK	49	FANG
A5552PL-1WH	49	FANG
A5554PL-1BK	49	CASTOR
A5554PL-1WH	49	CASTOR
A5556PL-1BK	49	OGMA
A5556PL-1WH	49	OGMA
A5557PL-1BK	48	FANG
A5557PL-1WH	48	FANG
A5558PL-1WH	48	FANG
A5559PL-1BK	48	FANG
A5559PL-1WH	48	FANG
A5560PL-1BK	317	FANG
A5560PL-1WH	317	FANG
A5562PL-1BK	115	FANG
A5562PL-1WH	115	FANG
A5570SP-1BK	79	SOLID
A5570SP-1WH	79	SOLID
A5640AL-2BK	27	ALGOL
A5640AL-2WH	27	ALGOL
A5645PL-1BK	54	FALCON
A5645PL-1WH	54	FALCON
A5645PL-2BK	55	FALCON
A5645PL-2WH	55	FALCON
A5658PL-1WH	48	FANG

ITEM NR.	PAGE	SERIES
A570106	244	EXPERT-ACCESSORIES
A570206	244	EXPERT-ACCESSORIES
A571006	244	EXPERT-ACCESSORIES
A5720PL-1BK	248	EXPERT
A5721PL-1BK	248	EXPERT
A5722PL-1BK	249	EXPERT
A5723PL-1BK	249	EXPERT
A5724PL-1BK	251	EXPERT
A5725PL-1BK	251	EXPERT
A5726PL-1BK	250	EXPERT
A5740PL-1BK	248	EXPERT
A5741PL-1BK	248	EXPERT
A5742PL-1BK	249	EXPERT
A5743PL-1BK	249	EXPERT
A5744PL-1BK	251	EXPERT
A5745PL-1BK	251	EXPERT
A5746PL-1BK	250	EXPERT
A580106	246	EXPERT-ACCESSORIES
A580206	246	EXPERT-ACCESSORIES
A582006	393	ARTE LAMP
A583006	246	EXPERT-ACCESSORIES
A5879AP-1BK	38	ASTA
A5879AP-1WH	38	ASTA
A590106	247	EXPERT-ACCESSORIES
A590206	247	EXPERT-ACCESSORIES
A590306	247	EXPERT-ACCESSORIES
A590406	247	EXPERT-ACCESSORIES
A590506	244	EXPERT-ACCESSORIES
A590606	244	EXPERT-ACCESSORIES
A590706	246	EXPERT-ACCESSORIES
A590806	244	EXPERT-ACCESSORIES
A590906	246	EXPERT-ACCESSORIES
A592006	244	EXPERT-ACCESSORIES
A592106	246	EXPERT-ACCESSORIES
A5930PL-1SI	128	CARDANI MEDIO

ITEM NR.	PAGE	SERIES
A5931PL-1WH	126	CARDANI PICCOLO
A5931PL-2WH	127	CARDANI PICCOLO
A5941PL-1WH	126	CARDANI PICCOLO
A5941PL-2BK	127	CARDANI PICCOLO
A5941PL-2WH	127	CARDANI PICCOLO
A5949PL-1GY	126	CARDANI SEMPLICE
A5949PL-2WH	127	CARDANI SEMPLICE
A600133	367	PROFILE-ACCESSORIES
A600506-120-3K	364	SKYCROSS
A600506-120-4K	364	SKYCROSS
A600506-120-6K	364	SKYCROSS
A600506-140-MIX	365	SKYCROSS
A600506-180-3K	364	SKYCROSS
A600506-180-4K	364	SKYCROSS
A600506-180-6K	364	SKYCROSS
A600506-240-3K	364	SKYCROSS
A600506-240-4K	364	SKYCROSS
A600506-240-6K	364	SKYCROSS
A600506-320-3K	364	SKYCROSS
A600506-320-4K	364	SKYCROSS
A600506-320-6K	364	SKYCROSS
A600506-60-RGB4K	365	SKYCROSS
A600506N	363	SKYCROSS
A600533N	363	SKYCROSS
A601006N	363	SKYCROSS
A601033N	363	SKYCROSS
A603506N	365	SKYCROSS
A604506N	365	SKYCROSS
A606606N	363	SKYCROSS
A6110SP-2BK	80	ALTAIS
A6110SP-2WH	80	ALTAIS
A613106	256	RAPID-ACCESSORIES
A613133	256	RAPID-ACCESSORIES
A613206	256	RAPID-ACCESSORIES
A613233	256	RAPID-ACCESSORIES

ITEM NR.	PAGE	SERIES
A613406E	258	RAPID-ACCESSORIES
A613433E	258	RAPID-ACCESSORIES
A613506I	258	RAPID-ACCESSORIES
A613533I	258	RAPID-ACCESSORIES
A613606L	258	RAPID-ACCESSORIES
A613606T	259	RAPID-ACCESSORIES
A613606V	259	RAPID-ACCESSORIES
A613633L	258	RAPID-ACCESSORIES
A613633T	259	RAPID-ACCESSORIES
A613633V	259	RAPID-ACCESSORIES
A613706X	259	RAPID-ACCESSORIES
A613733X	259	RAPID-ACCESSORIES
A613806R	256	RAPID-ACCESSORIES
A613833R	256	RAPID-ACCESSORIES
A6141PL-1BK	328	SOSPIRO
A6141PL-1WH	328	SOSPIRO
A615006H	256	RAPID-ACCESSORIES
A615033H	256	RAPID-ACCESSORIES
A615106	257	RAPID-ACCESSORIES
A615133	257	RAPID-ACCESSORIES
A615206	393	ARTE LAMP
A615206N	393	RAPID
A615233N	393	ARTE LAMP
A6153PL-1BK	266	RAPID
A6153PL-1WH	266	RAPID
A6154PL-1BK	267	RAPID
A6154PL-1WH	267	RAPID
A6156PL-1BK	264	RAPID
A6156PL-1WH	264	RAPID
A6158PL-1BK	265	RAPID
A6158PL-1WH	265	RAPID
A6159PL-1BK	273	RAPID
A6159PL-1WH	273	RAPID
A6160PL-1BK	270	RAPID
A6160PL-1WH	270	RAPID

ITEM NR.	PAGE	SERIES
A6161PL-1BK	271	RAPID
A6161PL-1WH	271	RAPID
A6162PL-1BK	274	RAPID
A6162PL-1WH	274	RAPID
A6163PL-1BK	277	RAPID
A6163PL-1WH	277	RAPID
A6165PL-1BK	274	RAPID
A6165PL-1WH	274	RAPID
A6167PL-1BK	277	RAPID
A6167PL-1WH	277	RAPID
A6168PL-1BK	268	RAPID
A6168PL-1WH	268	RAPID
A6169PL-1BK	269	RAPID
A6169PL-1WH	269	RAPID
A617106	257	RAPID-ACCESSORIES
A617133	257	RAPID-ACCESSORIES
A617206	257	RAPID-ACCESSORIES
A617233	257	RAPID-ACCESSORIES
A6181PL-1BK	282	PRESTO
A6182PL-1BK	282	PRESTO
A6183PL-1BK	280	PRESTO
A6186PL-1BK	282	PRESTO
A6187PL-1BK	282	PRESTO
A6191PL-1BK	280	PRESTO
A6193PL-1BK	280	PRESTO
A6194LT-1BK	283	PRESTO
A6195LT-1BK	283	PRESTO
A6196LT-1BK	281	PRESTO
A6197LT-1BK	281	PRESTO
A622006E	286	PRESTO-ACCESSORIES
A622006E	288	PRESTO-ACCESSORIES
A622106	286	PRESTO-ACCESSORIES
A622206	286	PRESTO-ACCESSORIES
A622406L	286	PRESTO-ACCESSORIES
A622506V	286	PRESTO-ACCESSORIES

ITEM NR.	PAGE	SERIES
A6226PL-1BK	291	PRESTO
A6227PL-1BK	291	PRESTO
A6228PL-1BK	291	PRESTO
A6229PL-1BK	295	PRESTO
A6230PL-1BK	295	PRESTO
A623106	287	PRESTO-ACCESSORIES
A6231PL-1BK	292	PRESTO
A623206	287	PRESTO-ACCESSORIES
A6232PL-1BK	292	PRESTO
A6233PL-1BK	293	PRESTO
A623406L	287	PRESTO-ACCESSORIES
A6234PL-1BK	293	PRESTO
A623506V	287	PRESTO-ACCESSORIES
A6235PL-1BK	294	PRESTO
A623606	289	PRESTO-ACCESSORIES
A6236PL-1BK	294	PRESTO
A623706	289	PRESTO-ACCESSORIES
A6237PL-1BK	292	PRESTO
A623806	289	PRESTO-ACCESSORIES
A6238PL-1BK	293	PRESTO
A6239PL-1BK	294	PRESTO
A624106	288	PRESTO-ACCESSORIES
A624206	288	PRESTO-ACCESSORIES
A624406I	289	PRESTO-ACCESSORIES
A624606L	288	PRESTO-ACCESSORIES
A624706V	288	PRESTO-ACCESSORIES
A6249PL-1BK	295	PRESTO
A6252PL-1BK	331	LYRA
A6252PL-1WH	331	LYRA
A6253PL-1BK	328	BRAD
A6253PL-1WH	328	BRAD
A626306	286	PRESTO-ACCESSORIES
A6306AL-2BK	30	GUNTER
A631105E	307	TRACK ACCESSORIES
A632205	307	TRACK ACCESSORIES

ITEM NR.	PAGE	SERIES
A6326PL-1BK	291	PRESTO
A6327PL-1BK	291	PRESTO
A6328PL-1BK	291	PRESTO
A6329PL-1BK	295	PRESTO
A6330PL-1BK	295	RICORDO
A633106E	287	PRESTO-ACCESSORIES
A6331PL-1BK	292	PRESTO
A6332PL-1BK	292	PRESTO
A6333PL-1BK	293	PRESTO
A6334PL-1BK	293	PRESTO
A6335PL-1BK	294	PRESTO
A6336PL-1BK	294	PRESTO
A6337PL-1BK	292	PRESTO
A6338PL-1BK	293	PRESTO
A6339PL-1BK	294	PRESTO
A6349PL-1BK	295	PRESTO
A6381PL-1BK	282	PRESTO
A6382PL-1BK	282	PRESTO
A6383LT-1BK	280	PRESTO
A6386PL-1BK	282	PRESTO
A6387PL-1BK	282	PRESTO
A6391PL-1BK	280	PRESTO
A6393PL-1BK	280	PRESTO
A6394LT-1BK	283	PRESTO
A6395LT-1BK	283	PRESTO
A6396LT-1BK	281	PRESTO
A6397LT-1BK	281	PRESTO
A640205	245	EXPERT-ACCESSORIES
A6405AL-2BK	30	ALBA
A641005E	245	EXPERT-ACCESSORIES
A641105I	161	PROFILE-ACCESSORIES
A641105I	203	PROFILE-ACCESSORIES
A641105I	245	PROFILE-ACCESSORIES
A641105I	307	PROFILE-ACCESSORIES
A641205L	203	PROFILE-ACCESSORIES

ITEM NR.	PAGE	SERIES
A641205L	245	PROFILE-ACCESSORIES
A641205L	307	PROFILE-ACCESSORIES
A641205L	161	PROFILE-ACCESSORIES
A641305V	245	PROFILE-ACCESSORIES
A641305V	307	PROFILE-ACCESSORIES
A6418AL-1BK	25	LANCIA
A6419AL-1BK	25	LANCIA
A6450PL-1BK	47	NET MINI
A6450PL-1WH	47	NET MINI
A6451PL-1BK	317	NET MINI
A6451PL-1WH	317	NET MINI
A6452AP-1BK	35	NET MINI
A6452AP-1WH	35	NET MINI
A650206P	367	OPTIMA-ACCESSORIES
A650233P	367	OPTIMA-ACCESSORIES
A660006	66	FADO
A660033	66	FADO
A6612PL-1BK	65	FADO
A6612PL-1WH	65	FADO
A6620PL-1BK	65	FADO
A6620PL-1WH	65	FADO
A6635PL-1BK	65	FADO
A6635PL-1WH	65	FADO
A6650PL-1BK	66	FADO
A6650PL-1WH	66	FADO
A6661PL-1BK	126	CANIS
A6661PL-1WH	126	CANIS
A6661PL-2BK	127	CANIS
A6661PL-2WH	127	CANIS
A6662PL-1WH	129	SIMPLEX
A6663PL-1BK	118	TAURUS
A6663PL-1WH	118	TAURUS
A6664PL-1BK	121	APUS
A6664PL-1GY	121	APUS
A6664PL-1WH	121	APUS

ITEM NR.	PAGE	SERIES
A6665PL-1BK	114	HEZE
A6665PL-1CC	114	HEZE
A6665PL-1WH	114	HEZE
A6666PL-1BK	114	HEZE
A6667PL-1WH	119	GRUS
A6699PL-1BK	66	FADO
A6699PL-1WH	66	FADO
A670206	366	GAP
A670233	366	GAP
A671005RS	367	GAP
A68-01-2PIN	361	STRIP-ACCESSORIES
A680206	367	GAP
A680233	367	GAP
A6810SP-1BK	80	HUBBLE
A6810SP-1WH	80	HUBBLE
A6813PL-1BK	335	HUBBLE
A690205	371	LIGHT LINE
A691005E	371	LIGHT LINE
A700106	383	SMART
A700133	383	SMART
A700205	369	PROFILE-ACCESSORIES
A7012PL-1WH	141	RIFLESSIONE
A7016PL-1WH	141	RIFLESSIONE
A7093PL-1BK	104	DUCRE MINI
A7093PL-1WH	104	DUCRE MINI
A7094PL-1BK	104	DUCRE MINI
A7094PL-1WH	104	DUCRE MINI
A7095PL-1BK	104	DUCRE MINI
A7095PL-1WH	104	DUCRE MINI
A70C-01CH-WF	378	SMART
A70C-02CH-WF	378	SMART
A70RC-01CH-BK	380	SMART
A70RC-02CH-BK	380	SMART
A70RC-04CH-BK	380	SMART
A70C-03CH-WF	378	SMART

ITEM NR.	PAGE	SERIES
A70C-04CH-WF	379	SMART
A71C-01CH-WF	379	SMART
A720106	158	OPTIMA-ACCESSORIES
A720133	158	OPTIMA-ACCESSORIES
A720206	158	OPTIMA-ACCESSORIES
A720233	158	OPTIMA-ACCESSORIES
A720306	158	OPTIMA-ACCESSORIES
A720333	158	OPTIMA-ACCESSORIES
A721005E	161	OPTIMA-ACCESSORIES
A721206	159	OPTIMA
A721406	159	OPTIMA
A722205	161	OPTIMA-ACCESSORIES
A722205	369	OPTIMA-ACCESSORIES
A723305	161	OPTIMA-ACCESSORIES
A7248PL-1WH	138	AIN
A7260PL-1BK	176	OPTIMA
A7260PL-1WH	176	OPTIMA
A7260PL-2BK	179	OPTIMA
A7261PL-1BK	176	OPTIMA
A7261PL-1WH	176	OPTIMA
A7262PL-1BK	177	OPTIMA
A7262PL-1WH	177	OPTIMA
A7263PL-1BK	181	OPTIMA
A7263PL-1WH	181	OPTIMA
A7264PL-1BK	181	OPTIMA
A7264PL-1WH	181	OPTIMA
A7265PL-1BK	182	OPTIMA
A7265PL-1WH	182	OPTIMA
A7266PL-1BK	182	OPTIMA
A7266PL-1WH	182	OPTIMA
A7267PL-1BK	183	OPTIMA
A7267PL-1WH	183	OPTIMA
A7268PL-1BK	183	OPTIMA
A7268PL-1WH	183	OPTIMA
A7269PL-1BK	178	OPTIMA

ITEM NR.	PAGE	SERIES
A7269PL-1WH	178	OPTIMA
A7270PL-1BK	178	OPTIMA
A7270PL-1WH	178	OPTIMA
A7271PL-1BK	184	OPTIMA
A7275PL-1BK	180	OPTIMA
A7275PL-1WH	180	OPTIMA
A7276PL-1BK	180	OPTIMA
A7276PL-1WH	180	OPTIMA
A7278PL-1BK	184	OPTIMA
A7279PL-1BK	184	OPTIMA
A7280PL-1BK	176	OPTIMA
A7280PL-1WH	176	OPTIMA
A7280PL-2BK	179	OPTIMA
A7281PL-1BK	176	OPTIMA
A7281PL-1WH	176	OPTIMA
A7282PL-1BK	177	OPTIMA
A7282PL-1WH	177	OPTIMA
A7283PL-1BK	181	OPTIMA
A7283PL-1WH	181	OPTIMA
A7284PL-1BK	181	OPTIMA
A7284PL-1WH	181	OPTIMA
A7285PL-1BK	182	OPTIMA
A7285PL-1WH	182	OPTIMA
A7286PL-1BK	182	OPTIMA
A7286PL-1WH	182	OPTIMA
A7287PL-1BK	183	OPTIMA
A7287PL-1WH	183	OPTIMA
A7288PL-1BK	183	OPTIMA
A7288PL-1WH	183	OPTIMA
A7289PL-1BK	178	OPTIMA
A7289PL-1WH	178	OPTIMA
A7290PL-1BK	178	OPTIMA
A7290PL-1WH	178	OPTIMA
A7291PL-1BK	184	OPTIMA
A7295PL-1BK	180	OPTIMA

ITEM NR.	PAGE	SERIES
A7295PL-1WH	180	OPTIMA
A7296PL-1BK	180	OPTIMA
A7296PL-1WH	180	OPTIMA
A7298PL-1BK	184	OPTIMA
A7299PL-1BK	184	OPTIMA
A72C-01CH-WF	379	SPI
A730106	167	OPTIMA-ACCESSORIES
A730133	167	OPTIMA-ACCESSORIES
A730206	167	OPTIMA-ACCESSORIES
A730233	167	OPTIMA-ACCESSORIES
A730306	167	OPTIMA-ACCESSORIES
A730333	167	OPTIMA-ACCESSORIES
A7312PL-1BK	65	FADO
A7312PL-1WH	65	FADO
A731606	167	OPTIMA-ACCESSORIES
A731633	167	OPTIMA-ACCESSORIES
A731706	167	OPTIMA-ACCESSORIES
A731733	167	OPTIMA-ACCESSORIES
A7320PL-1BK	65	FADO
A7320PL-1WH	65	FADO
A732205	163	RAUND FOR ARTE LAMP
A732205	369	RAUND FOR ARTE LAMP
A732205E	163	RAUND FOR ARTE LAMP
A732205RS	369	RAUND FOR ARTE LAMP
A7335PL-1BK	65	FADO
A7335PL-1WH	65	FADO
A7350PL-1BK	66	FADO
A7350PL-1WH	66	FADO
A7360PL-1BK	176	OPTIMA
A7361PL-1BK	176	OPTIMA
A7362PL-1BK	177	OPTIMA
A7363PL-1BK	181	OPTIMA
A7364PL-1BK	181	OPTIMA
A7365PL-1BK	182	OPTIMA
A7366PL-1BK	182	OPTIMA

ITEM NR.	PAGE	SERIES
A7367PL-1BK	183	OPTIMA
A7368PL-1BK	183	OPTIMA
A7369PL-1BK	178	OPTIMA
A7370PL-1BK	178	OPTIMA
A7375PL-1BK	322	PINO
A7375PL-1WH	322	PINO
A7376PL-1BK	47	PINO
A7376PL-1WH	47	PINO
A7377SP-1BK	75	PINO
A7377SP-1WH	75	PINO
A7380PL-1BK	176	OPTIMA
A7381PL-1BK	176	OPTIMA
A7382PL-1BK	177	OPTIMA
A7383PL-1BK	181	OPTIMA
A7384PL-1BK	181	OPTIMA
A7385PL-1BK	182	OPTIMA
A7386PL-1BK	182	OPTIMA
A7387PL-1BK	183	OPTIMA
A7388PL-1BK	183	OPTIMA
A7389PL-1BK	178	OPTIMA
A7390PL-1BK	178	OPTIMA
A7399PL-1BK	66	FADO
A7399PL-1WH	66	FADO
A740106	168	OPTIMA-ACCESSORIES
A740106N	168	OPTIMA-ACCESSORIES
A740133	168	OPTIMA-ACCESSORIES
A740133N	168	OPTIMA-ACCESSORIES
A740206	168	OPTIMA-ACCESSORIES
A740206N	168	OPTIMA-ACCESSORIES
A740233	168	OPTIMA-ACCESSORIES
A740233N	168	OPTIMA-ACCESSORIES
A740306	168	OPTIMA-ACCESSORIES
A740306N	168	OPTIMA-ACCESSORIES
A740333	168	OPTIMA-ACCESSORIES
A740333N	168	OPTIMA-ACCESSORIES

ITEM NR.	PAGE	SERIES
A740406	169	OPTIMA-ACCESSORIES
A740406N	169	OPTIMA-ACCESSORIES
A740433	169	OPTIMA-ACCESSORIES
A740433N	169	OPTIMA-ACCESSORIES
A740506	158	OPTIMA-ACCESSORIES
A740506	167	OPTIMA-ACCESSORIES
A740533	158	OPTIMA-ACCESSORIES
A740533	167	OPTIMA-ACCESSORIES
A740606	158	OPTIMA-ACCESSORIES
A740633	158	OPTIMA-ACCESSORIES
A740706	158	OPTIMA-ACCESSORIES
A740733	158	OPTIMA-ACCESSORIES
A741006	159	OPTIMA-ACCESSORIES
A741033	159	OPTIMA-ACCESSORIES
A741106	159	OPTIMA-ACCESSORIES
A741106	167	OPTIMA-ACCESSORIES
A741133	159	OPTIMA-ACCESSORIES
A741133	167	OPTIMA-ACCESSORIES
A741206	173	OPTIMA
A741233	173	OPTIMA
A742006	393	ARTE LAMP
A742006N	393	ARTE LAMP
A742033	393	ARTE LAMP
A742033N	393	ARTE LAMP
A742106N	393	ARTE LAMP
A742133N	393	ARTE LAMP
A744406	169	OPTIMA
A744433	169	OPTIMA
A7453AP-1BK	37	BESS
A7453AP-1WH	37	BESS
A745506	158	OPTIMA
A745533	158	OPTIMA
A7470PL-1BK	176	OPTIMA
A7471PL-1BK	176	OPTIMA
A7472PL-1BK	177	OPTIMA

ITEM NR.	PAGE	SERIES
A7473PL-1BK	181	OPTIMA
A7474PL-1BK	181	OPTIMA
A7475PL-1BK	182	OPTIMA
A7476PL-1BK	182	OPTIMA
A7477PL-1BK	183	OPTIMA
A7478PL-1BK	183	OPTIMA
A7490PL-1BK	176	OPTIMA
A7491PL-1BK	176	OPTIMA
A7492PL-1BK	177	OPTIMA
A7493PL-1BK	181	OPTIMA
A7494PL-1BK	181	OPTIMA
A7495PL-1BK	182	OPTIMA
A7496PL-1BK	182	OPTIMA
A7497PL-1BK	183	OPTIMA
A7498PL-1BK	183	OPTIMA
A749906	169	OPTIMA
A750106	173	OPTIMA
A750133	173	OPTIMA
A750233	165	OPTIMA-ACCESSORIES
A751233E	165	OPTIMA-ACCESSORIES
A751306E	165	OPTIMA-ACCESSORIES
A751333E	165	OPTIMA-ACCESSORIES
A752006I	174	OPTIMA
A752106L	174	OPTIMA
A752206	165	OPTIMA-ACCESSORIES
A752233	165	OPTIMA-ACCESSORIES
A753306	165	OPTIMA-ACCESSORIES
A753333	165	OPTIMA-ACCESSORIES
A754006I	174	OPTIMA
A754106L	174	OPTIMA
A754206I	174	OPTIMA (UPLIGHT)
A760233	173	OPTIMA
A7603AP-1BK	38	TWIST
A7603AP-1WH	38	TWIST
A7715PL-1BK	69	ARCTURUS

ITEM NR.	PAGE	SERIES
A7715PL-1WH	69	ARCTURUS
A7793PL-1WH	131	FRAME
A7794PL-1WH	131	FRAME
A7794PL-1WH	131	FRAME
A7971PL-1WH	142	MESURA
A7972PL-1WH	142	MESURA
A7973PL-1WH	142	MESURA
A7974PL-1WH	142	MESURA
A7975PL-1WH	142	MESURA
A7976PL-1WH	142	MESURA
A7977PL-1WH	142	MESURA
A7978PL-1WH	142	MESURA
A7979PL-1WH	142	MESURA
A7981PL-1WH	143	PRIOR
A7982PL-1WH	143	PRIOR
A7983PL-1WH	143	PRIOR
A7991PL-1WH	138	ALIOTH
A7992PL-1WH	138	ALIOTH
A7993PL-1WH	131	FRAME
A7994PL-1WH	131	FRAME
A7994PL-1WH	131	FRAME
A800106	190	OPTIMA
A800206	191	OPTIMA
A800306	191	OPTIMA
A800406	191	OPTIMA
A800506	190	OPTIMA
A800606	190	OPTIMA
A800706	191	OPTIMA
A800806	191	OPTIMA
A800906	191	OPTIMA
A801005	190	OPTIMA
A801006	190	OPTIMA
A801007	190	OPTIMA
A803005	190	OPTIMA
A803006	190	OPTIMA

ITEM NR.	PAGE	SERIES
A803007	190	OPTIMA
A8093PL-1BK	105	DUCRE
A8093PL-1WH	105	DUCRE
A8094PL-1BK	105	DUCRE
A8094PL-1WH	105	DUCRE
A8095PL-1BK	105	DUCRE
A8095PL-1WH	105	DUCRE
A80D-01CH-RF	381	SMART
A80D-01CH-WF	381	SMART
A8231AP-1BK	39	ELECTRA
A8231AP-1WH	39	ELECTRA
A8232AP-1BK	39	ELECTRA
A8232AP-1WH	39	ELECTRA
A8233AP-1BK	39	ELECTRA
A8233AP-1WH	39	ELECTRA
A8236AP-1SG	37	ADHIL
A8236AP-1SI	37	ADHIL
A8288AL-1WH	25	DINO
A8430PL-1BK	136	TABIT
A8430PL-1WH	136	TABIT
A8431PL-1WH	136	TABIT
A8432PL-1BK	137	TABIT
A8432PL-1WH	137	TABIT
A8433PL-1WH	137	TABIT
A8450PL-1WH	144	MERGA
A8450PL-2WH	144	MERGA
A8450PL-3WH	144	MERGA
A8461PL-1BK	192	OPTIMA
A8462PL-1BK	192	OPTIMA
A8463PL-1BK	192	OPTIMA
A8464PL-1BK	193	OPTIMA
A8465PL-1BK	193	OPTIMA
A8466PL-1BK	193	OPTIMA
A8467PL-1BK	195	OPTIMA
A8468PL-1BK	195	OPTIMA

ITEM NR.	PAGE	SERIES
A90S-02CH-WF	383	SMART
A9110PL-1WH	88	INVISIBLE
A9210PL-1WH	86	INVISIBLE
A9214PL-1WH	87	INVISIBLE
A9214PL-2WH	87	INVISIBLE
A9215PL-1WH	87	INVISIBLE
A9260PL-1WH	85	TUBO
A9281PL-1WH	86	INVISIBLE
A9282PL-1WH	88	INVISIBLE
A9283PL-1WH	88	INVISIBLE
A9283PL-2WH	90	INVISIBLE
A9284PL-1WH	86	INVISIBLE
A9285PL-1WH	86	INVISIBLE
A9286PL-1WH	86	INVISIBLE
A9286PL-2WH	90	INVISIBLE
A9287PL-1WH	88	INVISIBLE
A0415-3K	153	LUGO
A0415-4K	153	LUGO
A0425-3K	153	LUGO
A0425-4K	153	LUGO

ITEM DESIGNATIONS

	ITALIANO	ENGLISH
AP	APPLIQUE	WALL LAMP
AL	APPLIQUE STRADA	OUTDOOR WALL LANTERN
FN	COLONNA STRADA PICCOLO	OUTDOOR STAND LANTERN
IN	INCORPORABILE	RECESSED
LM	LAMPADARIO	CHANDELIER
LT	LAMPADA DA TAVOLO	TABLE LAMP
PA	COLONNA STRADA GRANDE	OUTDOOR POLE LANTERN
PF	PLAFONIERA STRADA	OUTDOOR FLUSH LANTERN
PL	PLAFONIERA	FLUSH
PN	PAVIMENTO	FLOOR LAMP
SO	SOSPESO STRADA	OUTDOOR PENDANT LANTERN
SP	SOSPESO	PENDANT

ICONS



LED only



Bulb G5.3 incl



Beam angle



Color rendering index in the red spectrum



I electricity protection



II electricity protection



III electricity protection



DC current



AC current



Switch with many steps



Switch incl



Paintable



2 holders incl



Compatible with single bus track



Light direction



Light direction



Light direction



Light direction



Ingress Protection Rating



Ingress Protection Rating



Ingress Protection Rating



Ingress Protection Rating



Changing the color temperature



Hole size for recessing



PIR sensor incl



Switch with two steps



Transformer excl



Compatible with ORE or ORE MINI LED modules



LED type



Dimming



Compatible with remote control



Used with PUSH DIM push-back switch



Active capacitive load - for LED light sources



TRIAC dimming (TE)

Voltage
A4812010-03-3K
Number of LEDs per meter PCB board width Color temperature

Width Colour
A161205S
Height Overhead mounting type

Decoding the article of the LED strip lights

Decoding of the article of the aluminum profile